POLYMER AUTHOR INDEX VOLUME 25 1984

Abdel-Azim A. Abdel-Azim and Huglin, Malcolm H.: Interaction parameters in ternary polystyrene solutions at high temperature, 803

Adamiec, Leon,: *see* Porejiko, Stanislaw, 722

Affrossman, Stam'eu,: *see* Sharma, Varinder K., 1090

Akbulut, U., Eren, S. and Toppare, L.-K.: K., 1090

Akbulut, U., Eren, S., and Toppare, L. - K.: Electro-initiated cationic polymerization of α-methylstyrene by direct electron transfer, 1028

Akbulut, U.: *see* Toppare, L., 1655

Alimoglu, A. K., Ledwith, A., Gemlell, P. A., Gray, G. W. and Lacy, D.: Polymers with rigid anisotropic side groups: 1. Side chain induced crystallinity in substituted biphenyl acrylates and methacrylates, 1342

Allen, G., Chai, Z., Chong, C. L., Higgins, J. S. and Tripathi, J.: Thermodynamics of oligomeric binary mixtures of polyethylene glycol and polypropylene glycol methylethers, 239

Allen, G.: *see* Sardelis, K., 1011

Amis, Eric J., Han, Charles C. and Matsushita, Yushu,: Dynamic light scattering measurements of polystyrene in semidilute theta solutions, 650

Ahmed, I., Pritchard, J. G. and Blakely, C. F.: Studies on the characterization of partly hydrolysed derivatives of poly(vinyl acetate) and their red iodine complex, 543

Ando, Tadanao,: *see* Kataoka, Seiichi, 507

Angiolini, L., *see* Tanzi, M. C., 863

Aoyanagi, Y.: *see* Saeki, S., 1779

Arai, Koichi; Ueda-Mashima, Chizuru; Kotaka, Tadao; Yoshimura, Kenhi and Murayama, Kazunaga,: Morphology control of a poly(styrene-butadiene-*b*-4-vinylpyridine) ABC three-block polymer by binary solvent casting, 230

Arshady, Reza,: *see* Reddy, Boreddy, S. R., 115

Arshady, Reza, Reddy, Boreddy, S. R. and George, Maurice H.: Synthesis of electroreactive polymers from poly(*m,p*-chloromethylstyrene) and copoly(*m,p*-chloromethylstyrene–styrene), 717

Arshady, Reza, Reddy, Boreddy S. R. and George, Maurice H.: Copoly(*m,p*-chloromethylstyrene–50% styrene): Copolymer molecular weights, fractionation and derivation, 1161

Audebert, Roland,: *see* Mabire, Frederic, 1317

Aylwin, P. A. andBoyd, R. H.: Aliphatic polyesters as models for relaxation processes in crystalline polymers: 1. Characterization, 323

Aylwin, P. A.: *see* Boyd, R. H., 330

Aylwin, P. A.: *see* Boyd, R. H., 340

Azuma, Taiji,: *see* Ouchi, Tatsuro, 412

Bailly, C.: *see* Legras, R., 835

Bain, D. R. and Wagner, J. D.: Molecular weight distribution of phenol–formaldehyde resols by high performance gel permeation chromatography, 403

Baker, F. S., Jones, M., Lewis, T. J., Privett, G., Crofton, D. J. and Pethrick, R. A.: Dielectric studies of nitrocellulose–nitroglycerine mixtures, 815

Balard, H.: *see* Hommel, H., 1297

Bamford, C. H. and Hirooka, M.: Studies of absolute rate coefficients in alternation copolymerization by observation of pre- and after-effects, 1791

Bannister, D. J., Davies, G. R., Ward, I. M. and McIntyre, J. E.: Ionic conductivities for poly(ethylene oxide) complexes with lithium salts of monobasic and dibasic acids and blends of poly(ethylene oxide) with lithium salts of anionic polymers, 1291

Bannister, D. J., Davies, G. R., Ward, I. M. and McIntyre, J. E.: Ionic conductivities of poly(methoxy polyethylene glycol–monomethacrylate) complexes with $LiSO_3CH_3$, 1600

Banu, D.: *see* Feldman, D., 1603

Barbucci, R.: *see* Tanzi, M. C., 863

Barlow, J. W.: *see* Paul, D. R., 487

Barone, V.: *see* Tanzi, M. C., 863

Barozzi, C.: *see* Tanzi, M. C., 863

Barrie, James A.: *see* Egboh, Sunday H., 1157

Bartczak, Z.: *see* Galeski, A., 1323

Bartos, J. and Tino, J.: Study of the mechanism of macroradical reactions in solid polymers: 1. Molecular aspects of reactivity and activation energy model of reactions, 274

Bassett, D. C. and Olley, R. H.: On the lamellar morphology of isotactic polypropylene spherulites, 935

Bauwens, J.-C.: Attempt to correlate the yield processes above and below the glass transition in glassy polymers, 1523

Baysal, Bahattin M.: *see* Kisakurek, Duygu, 693

Baszkin, A.: *see* Catoire, B., 766

Bednar, B., Devaty, J., Koupolova, B., Kralicek, J. and Tuzar, Z.: Micellization of three-block copolymer poly [styrene-*b*-(ethene-co-butene)-*b*-styrene] mixed solvents of tetrahydrofuran/ ethanol, 1178

Beevers, M. S. and Mumby, S. J.: Dipole moments and statistical conformations of cyclic and linear dimethylsiloxane oligomers, 1122

Belfiore, L. A., Henrichs, P. M. and Cooper, S. L.: Diluent effects on carbonate mobility in bisphenol-A polycarbonate in the solid state, 452

Belfiore, Laurence A. and Cooper, Stuart L.: Mixing effects on the mid-kilohertz mobility of polystyrene–diluent blends, 645

Benmouna, M.: *see* Benoit, H., 1059

Benoit, H. and Benmouna, M.: Scattering from a polymer solution at an arbitrary concentration, 1059

Berent-Zakrzewska, Ewa,: *see* Porejiko, Stanislaw, 722

Berger, Joseph,: Light-sensitive elastomers modified by 4-(*N*-dimethylmaleimido)-benzenesulphenyl chloride, 1629

Bhattacharyya, K. K.: *see* Sagu, M. L., 1193

Bhatty, J. I.: *see* Shah, T. H., 1333

Bhuiyan, A. L.: Some aspects of the thermal stability action of the structure in aliphatic polyamides and polyacrilamides, 1699

Bier, Gerhard,: *see* Kricheldorf, Hans R., 1151

Billard, J.: *see* Noel, C., 263

Blaga, A.: *see* Feldman, D., 1603

Blackwell, John,: *see* Chivers, Robin A., 435

Blair, Hal S. and McArdle, Ciaran B.: Photoresponsive polymeric systems. Mixed monomolecular films of some synthetic polymers and indolinospiropyrans, 999

Blair, Hal S. and McArdle, Ciaran B.: Photoresponsive polymers: 2. The monolayer behaviour of photochromic polymers containing aromatic azobenzene residues, 1347

Blakely, C. F.: *see* Ahmed, I., 543

Block, H., Gosling, J. J. and Walker, S. M.: The dielectric properties of poly (dexylisocyanate) solutions in electric fields, 1465

Blubaugh, E. A.: *see* Chiang, C. K., 1112

Birshstein, T. M. and Zhulina, E. B.: Conformations of star-branched macromolecules, 1453

Bond, R., Morton, G. F. and Krol, L. H.: A tailor-made polymer for tyre applications, 137

Bootsma, Jan P. C., Wolsink, H. W., Challa, G. and Muller, F.: Polymer-bound flavins: 2. Immobilization of linear flavin-containing polyelectrolytes by absorption onto silica, 1327

Bopp, R. C.: *see* Maconnachie, A., 357

Bosio, L.: *see* Noel, C., 263

Bosio, L.: *see* Noel, C., 808

Bosio, L.: *see* Noel, C., 1281

Bott, David C.: *see* Edwards, John H., 395

Bouriot, P.: *see* Catoire, B., 766

Boyd, R. H. and Aylwin, P. A.: Aliphatic polyesters as models for relaxation processes in crystalline polymers: 2. Dielectric relaxation in copolymers of adipic acid with 1, 6- and 2, 5-hexanediols, 330

Boyd, R. H. and Aylwin, P. A.: Aliphatic polyesters as models for relaxation processes in crystalline polymers: 3. Mechanical relaxation in copolymers of adipic acid with 1, 6- and 2, 5-hexanediols, 340

Boyd, R. H. and Hasan, A. A.: Aliphatic polyesters as models for relaxation processes in crystalline polymers: 4. Dielectric relaxation in oriented specimens, 347

Boyd, R. H.: *see* Aylwin, P. A., 323

Briggs, D.: New developments in polymer surface analysis, 1379

Brown, G. R.: *see* Turturro, Guilio, 659

Brown, I. M., Sandreczki, T. C. and Morgan, R. J.: Electron paramagnetic resonance studies of Kevlar 49 fibres: Stress-induced free radicals, 759

Brown, Wyn,: The concentration dependence of diffusion in semi-dilute polymer solutions, 680

Bugada, Daniele C. and Rudin, Alfred,: Characterization of poly (vinyl alcohol-acetate) by ^{13}C n.m.r. and thermal analyses, 1759

Bunn, A.: *see* Vile, J., 1173

Burfield, David R., Lim, Kooi-Ling, Law, Kia-Sang and Ng, Soon,: Analysis of epoxidized natural rubber. A comparative study of d.s.c., n.m.r., elemental analysis and direct titration methods, 995

© Butterworth & Co. (Publishers) Ltd 1984

Burfield, David R.: Ziegler–Natta polymerization. The nature of the propagation step, 1645
Burfield, David R.: The synthesis of low molecular weight hydroxy-tipped polyethylene and polypropylene by the intermediacy of Ziegler–Natta catalysts, 1817
Burfield, David R.: Comparitive d.s.c. studies of the crystallization of natural rubber and its synthetic analogues, 1823

Calvert, P. D. and Ryan, T. G.: Reversible secondary crystallization during cooling of polypropylene, 921
Campbell, D. S., Loeber, D. E. and Tinker, A. J.: Graft copolymers from azodicarboxylate-functional pre-polymers: 1. Synthesis of azodicarboxylate-functional polystyrene, 1141
Campbell, D. S. and Tinker, A. J.: Graft copolymers from azodicarboxylate-functional pre-polymers: 2. Preparation in solution of graft copolymers of polydiene with polystyrene, 1146
Campos, A., Celda, B., Mora, J. and Figueruelo, J. E.: Interaction parameters in the n-undecane/butanone/poly (dimethylsiloxane) system, 1479
Canetti, M.: *see* Vicini, L., 1774
Capillon, J.: *see* Ricard, A., 1136
Carfagna, C., De Rosa, C., Guerra, G. and Petraccone, V.: Recrystallization kinetics of isotactic polypropylene (α form), 1462
Castles, Janis L.: *see* Vallance, Michael A., 1734
Catoire, B., Bouriot, P., Demuth, O., Baszkin, A. and Chevrier, M.: Physico-chemical modifications of superficial regions of low-density polyethylene (LDPE) film under corona discharge, 766
Celda, B.: *see* Campos, A., 1479
Chai, C. K. and McCrum, N. G.: The freezing-in of non-equilibrium values of the limiting compliances as a mechanism of physical ageing, 291
Chai, Z.: *see* Allen, G., 239
Challa, G.: *see* Bootsma, Jan P. C., 1327
Chang, Shu-Sing,: Migration of low molecular weight components from polymers: 1. Methodology and diffusion of straight chain octadecane in polyolefins, 209
Charbonnel, M.: *see* Galtier, M., 1253
Charlet, G., Delmas, G., Revol, J. F. and St. J. Manley, R.: Effect of solvent on the polymorphism of poly (4-methylpentene-1): 1. Solution grown single crystals, 1613
Charlet, Gerard and Delmas, Genevieve,: Effect of solvent on the polymorphism of poly(4-methylpentene-1): 2. Crystallization in semi-dilute solutions, 1619
Chatani, Yozo,: *see* Tashiro, Kohji, 195
Chatterjee, S. K. and Sethi, K. R.: Selective intermacromolecular complex formation between phenolic and nonionic polymers, 1367
Chen, F. C.: *see* Leung, W. P., 447
Chen, Show-An, and Lin, An-Shung.: Kinetics and mechanism of cationic oligomerization of styrene using poly (styrenesulphonic acid) resin as catalyst, 1486
Cheng, G. L.: *see* Walsh, D. J., 495
Cheng, G. L.: *see* Walsh, D. J., 499
Cheng, Wei-zhuang,: *see* Yu, Tong-yin, 1363
Cherry, B. W.: *see* Hin, Teoh Swee, 727
Chevrier, M.: *see* Catoire, B., 766
Chiang, C. K., Blaubaugh, E. A. and Yap, W. T.: Electrochemical studies on doping of polyacetylene, 1112
Chivers, Robin, A., Blackwell, John, and Gutierrez, Genaro A.: The structure of copoly(4-hydroxybenzoic acid/2-hydroxy-6-naphthoic acid): 2. An atomic model for the copolyester chain, 435
Chong, C. L.: *see* Allen, G., 239
Choy, C. L.: *see* Leung, W. P., 447
Chujo, Riichiro,: *see* Inoue, Yoshio, 1640
Clark, D. T. and Munro, H. S.: An e.s.c.a. investigation of the surface oxidation of bisphenol-A polycarbonate films induced by reactive oxygen species, 826
Cohen, Claude,: *see* Hsu, Tsong-Pin, 1419
Cooper, S. L.: *see* Belfiore, L. A., 452
Cooper, Stuart L.: *see* Belfiore, Laurence A., 645
Cooper, Stuart L.: *see* Hwang, Kirk K. S., 947
Cooper, Stuart L.: *see* Vallance, Michael A., 1734
Cowie, J. M. G. and McEwen, I. J.: Upper and lower critical solution temperatures for polystyrene in methyl cyclopentane and in dimethyl cyclohexane, 1107
Crissman, J. M.: *see* Zapas, L. J., 57
Crofton, D. J.: *see* Baker, F. S., 815
Cudby, M. E. A.: *see* Hendra, P. J., 785
Cudby, M. E. A.: *see* Vile, J., 1173
Curro, J. J. and Roe, Ryong-Joon,: Isothermal relaxation of specific volume and density fluctuation in poly (methyl methacrylate) and polycarbonate, 1424
Czerwinska, Elzbieta,: *see* Sikorski, Ryszard T., 1371

Danhelka, Jarda,: *see* Winnik, Mitchell A., 91
Daumerie, M.: *see* Legras, R., 835
Dave, A. M.: Synthesis of lead dimethacrylate, 1020
Davies, G. R.: *see* Orchard, G. A. J., 1203
Davies, G. R.: *see* Bannister, D. J., 1291
Davies, G. R.: *see* Bannister, D. J., 1600
De, S. K.: *see* Pal, Pranab K., 855
Dean, G. D.: *see* Read, B. E., 1679
de Boer, J., van den Berg, H.-J. and Pennings, A. J.: Crosslinking of ultra-high molecular weight polyethylene in the oriented state with dicumylperoxide, 513
de Cindio, B.: Stress relaxation of polymer melts subjected to large uniaxial tension, 1049
Deffieux, Alain, Subira, Franck and Stannett, Vivian T.: ^{13}C n.m.r. study of solvation mechanisms in the radiation-induced polymerization of ethers, 1131
Dekoninick, J. M.: *see* Legras, R., 835
Delmas, G.: *see* Charlet, G., 1613
Delmas, Genevieve,: *see* Charlet, Gerard, 1619
Deloche, Bertrand,: *see* Dubault, Andre, 1405
Demuth, O.: *see* Catoire, B., 766
De Rosa, C.: *see* Carfagna, C., 1462
Devaleriola, Michel,: *see* Tricot, Michel, 1397
Devaty, J.: *see* Bednar, B., 1178
Dickens, B., Martin, J. W. and Waksman, D.: Thermal and photolytic degradation of plates of poly (methyl methacrylate) containing monomer, 706
Dikov, V.: *see* Novakov, P., 1475
Dodgson, K.: *see* Edwards, C. J. C., 365
Doi, Yoshiharu,: *see* Inoue, Yoshio, 1640
Dollimore, D.: *see* Shah, T. H., 1333
Donald, A. M. and Windle, A. H.: Walls in liquid crystalline polymers: an electron microscopy study, 1235
Dubault, Andre, Deloche, Bertrand and Herz, Jean,: Effect of crosslinking density on the orientational order generated in strained networks: A deuterium magnetic resonance study, 1405
Duckett, R. A.: *see* Humphreys, J., 1227
Duckett, R. A.: *see* Guerdoux, L., 1392

Ebboh, Sunday H., George, Maurice H. and Barrie, James A.: The γ-radiation induced grafting of unsaturated segmented polyurethane with *N*-vinyl pyrrolidone, 1157
Ebdon, J. R., Heaton, P. E., Huckerby, T. N., O'Rouke, W. T. S. and Parkin, J.: Characterization of urea–formaldehyde and melamine–formaldehyde adducts and resins by ^{15}N n. m. r. spectroscopy, 821
Ebdon, J. R., Hourston, D. J. and Klein, P. G.: Polyurethane–polysiloxane intrepenetration polymer networks: 1. A polyether urethane poly(dimethylsiloxane) system, 1633
Eder, Marek,: *see* Wlochowicz, Andrzej, 1268
Edwards, C. J. C., Richards, R. W., Stepto, R. F. T., Dodgson, K., Higgins, J. S. and Semlyen, J. A.: Studies of cyclic and linear poly(dimethyl siloxanes): 14. Particle scattering functions, 365
Edwards, John H., Feast, W. James, and Bott, David C.: New routes to conjugated polymers: 1. A two step route to polyacetylene, 395
Egan, Luke,: *see* Winnik, Mitchell A., 1767
Eich, M., Ullrich, K., Wendorff, J. H. and Ringsdorf, H.: Pretransitional phenomena in the isotropic melt of a mesogenic side chain polymer, 1271
Ellis, T. S. and Karasz, F. E.: Interaction of epoxy resins with water: the depression of glass transition temperature, 664
Elman, J. F.: *see* Pochan, J. M., 1031
Elman, J. F.: *see* Pochan, J. M., 1040
Emel'yanov, D. N.: *see* Malkin, A. Ya., 778
Endo, A.: *see* Watanabe, Junji, 698
Eren, S.: *see* Akbulut, U., 1028
Eren, S.: *see* Toppare, L., 1655

Fayolle, B.: *see* Noel, C., 808
Feast, W. James,: *see* Edwards, John H., 395
Feldman, D., Banu, D. and Blaga, A.: Acrylic terpolymer modified by blending with poly(organosiloxane) polymer or reinforcing, 1603
Fernandez, A. M., Widmaier, J. M., Sperling, L. H. and Wignall, G. D.: Small-angle neutron scattering from polystyrene–DVB networks containing a delta fraction of deuterated polystyrene: Evidence for aggregation during polymerization, 1718
Ferracini, E.: *see* Ferrero, A., 1747
Ferrero, A., Ferracini, E. and Hosemann, R.: Small-angle scattering of microparacrystal bundles in cold-drawn and annealed isotactic polypropylene, 1747
Ferruti, P.: *see* Tanzi, M. C., 863
Figueruelo, J. E.: *see* Campos, A., 1479
Fisher, M. M.: *see* Smith, P. M., 84
Fornes, R. E.: *see* Schaffer, K. R., 54
Frechet, J. M. J., Kelly, J. and Sherrington, D. C.: Some novel polymer-supported optically active phase transfer catalysts: 1. Synthesis, 1491

Friedrich, C.: *see* Noel, C., 263
Friedrich, C.: *see* Noel, C., 808
Friedrich, C.: *see* Noel, C., 1281
Froelich, D.: *see* Guerdoux, L., 1392
Fu, Shou-kuan,: *see* Yu, Tong-yin, 1363

Galin, J. C.: *see* Monroy Soto, V. M., 121
Galin, J. C.: *see* Monroy Soto, V. M., 254
Galin, Monique,: Gas–liquid chromatography study of poly(ethylene oxide)–solvent interactions: A molecular approach to solvation mechanisms, 1784
Galeski, A., Bartczak, Z. and Pracella, M.: Spherulite nucleation in polypropylene blends with low density polyethylene, 1323
Galli, R.: *see* Vicini, L., 1774
Galtier, M., Charbonnel, M., Montaner, A. and Ribet, J. L.: Infra-red optical absorption of oriented polyacetylene, 1253
Gamlen, G. A.: *see* Shah, T. H., 1333
Gaylord, Richard J.: *see* Leermakers, Frans A. M., 1577
Gaymans, R. J. and Van der Ham, A. G. J.: Nylon 4, I an amorphous polyamide, 1755
Gedde, U. W. and Jansson, J. F.: Molecular fractionation in melt-crystallized polyethylene: 3. Microscopy of solvent treated samples, 1263
Geil, P. H.: *see* Meille, S. V., 773
Gemmell, P. A.: *see* Alimoglu, A. K., 1342
George, Maurice H.: *see* Reddy, Boreddy, S. R., 115
George, Maurice H.: *see* Arshady, Reza, 717
George, Maurice H.: *see* Egboh, Sunday H., 1157
George, Maurice H.: *see* Arshady, Reza, 1161
Ghatage, N. D. and Maldar, N. N.: Polyimides from dianhydride and diamine: structure property relations by thermogravimetric analysis (t. g. a.), 1353
Ghijsels, A., Groesbeek, N. and Raadsen, J.: Temperature dependence of the zero-shear melt viscosity of oligomeric epoxy resins, 463
Gibson, Harry W.: Control of electrical properties of polymers by chemical modification, 3
Gilbert, R. D.: *see* Schaffer, K. R., 54
Gilli, J. M.: *see* Seurin, M. J., 1073
Gilmer, G. H.: *see* Sadler, D. M., 1446
Giuffre, L.: *see* Modica, G., 1513
Gomza, Yu. P.: *see* Lipatov, Yu. S., 459
Gonzalez, Agustin E.: Viscoelasticity of ionomer gels: 2. The elastic moduli, 1469
Gosling, J. J.: *see* Block, H., 1465
Grant, Warren H.: *see* Wang, Francis W., 690
Gray, G. W.: *see* Alimoglu, A. K., 1342
Green, Peter,: *see* Kramer, Edward J., 473
Greenberg, A. R. and Kusy, R. P.: Quantitive evaluation of the Gibbs — Di Marzio theory of the glass transition, 927
Greenberg, A. R.: *see* Kusy, R. P., 600
Grobelny, J., Soko, M. and Turska, E.: A study of conformation, configuration and phase structure of polyacrylonitrile and their mutual dependence by means of WAXS and ^{1}H BL-n. m. r., 1415
Groesbeek, N.: *see* Ghijsels, A., 463
Grubb, David T.: *see* Morel, Donald E., 417
Guerdoux, L., Duckett, R. A. and Froelich, D.: Physical ageing of polycarbonate and PMMA by dynamic mechanical measurements, 1392
Guerra, G.: *see* Carfagna, C., 1462
Guerrero, Saul J.: *see* Zurimendi, Jon A., 1314
Gulari, Esin,: *see* Tang, Hsiang-In, 1357
Gutierrez, Genaro A.: *see* Chivers, Robin A., 435

Halary, J. L., Ubrich, J. M., Nunzi, J. M., Monnerie, L. and Stein, R. S.: Phase separation in polystyrene–poly(vinyl-methylether) blends: a fluorescence emission analysis, 956
Hamada, F.: *see* Ishimuro, Y., 1258
Hamielec, A. E.: *see* Kim, C. J., 845
Han, Charles C.: *see* Amis, Eric J., 650
Hart, Edward, W.: *see* Kramer, Edward J., 1667
Haruvy, Y., Rajenback, L. A. and Jagur-Grodzinski, Joseph,: Grafting of acrylamide to nylon-6 by the electron beam preirradation technique: 3. Degree of crystallinity at high grafting yields, 1431
Hasan, A. A.: *see* Boyd, R. H., 347
Hatakeyama, Hyoe,: *see* Yano, Shoichiro, 890
Hatakeyama, Tatsuko,: *see* Yano, Schoichiro, 890
Hatano, Akira,: Effective thickness of adsorbed polymer in a shear field, 1198
Hauptmann, Peter; Sauberlich, Ralph and Schlothauer, Klaus,: Influence of the molecular structure of poly(vinyl alcohol) on the ultrasonic absorption, 985
Hay, J. N.: *see* Mills, P. J., 1277
Hayashi, H.: *see* Ishimuro, Y., 1258
Heaton, P. E.: *see* Ebdon, J. R., 821
Hefford, R. J.: Polymer mixing in aqueous solution, 979
Hendra, P. J., Vile, J., Willis, H. A., Zichy, V. and Cudby, M. E. A.: The effect of cooling rate upon the morphology of quenched melts of isotactic, 785
Hendra, P. J.: *see* Vile, J., 1173
Henman, K. M.: *see* Willmouth, F. M., 1185
Henrichs, P. M.: *see* Belfiore, L. A., 452
Hentschel, D., Sillescu, H. and Spiess, H. W.: Deuteron n. m. r. study of chain motion in solid polyethylene, 1078
Hernandez-Fuentes, I.: *see* Prolongo, M. G., 1307
Hertzberg, R. W.: *see* Michel, J., 1527
Hertzberg, R. W.: *see* Michel, J., 1657
Herz, Jean,: *see* Dubault, Andre, 1405
Higashimura, Toshinobu,: *see* Masuda, Toshio, 503
Higgins, J. S.: *see* Allen, G., 239
Higgins, J. S.: *see* Edwards, C. J. C., 365
Hill, B. J., Spragg, S. P. and McNeil Watson, F.: Residual temperature dependence of normalized diffusion of polystyrene latex in aqueous solvents, 467
Hill, D. J. T., O.Donnell, J. H. and O'Sullivan, P. W.: Methyl methacrylate–chloroprene copolymerization: an evaluation of copolymerization models, 569
Hin, Teoh Swee and Cherry, B. W.: Creep rupture of a linear polyethylene: 1. Rupture and pre-rupture phenomena, 727
Hirooka, M.: *see* Bamford, C. H., 1791
Hirschler, M. M.: Reduction of smoke formation from and flammability of thermoplastic polymers by metal oxides, 405
Hitchman, Michael L., Huglin, Malcolm B., Melling, Susan and Zakaria Mat B.: Observations relating to oxygen permeability measurements on membranes, 1441
Hofmann, H.: *see* Modica, G., 1513
Hommel, H., Legrand, A. P., Balard, H. and Papirer, E.: Influence of the solvent on the conformations of poly(ethylene oxide) chains grafted on silica, 1297
Hori, Y.: *see* Sakaguchi, M., 944
Hori, Yasuro; Makino, Yoshiyuki and Kashiwabara, Hisatsugu,: An e. s. r. study of the motion of peroxy radicals in isotactic polypropylenes, 1436
Horta, A.: *see* Prolongo, M. G., 1307
Hosaka, Yoshifumi,: *see* Ouchi, Tatsuro, 412
Hosemann, R.: *see* Ferrero, A., 1747
Hosoda, Naohiro,; Ohno, Hiroyuki and Tsuchida, Eishun,: Mediated electron transfer reactions at electrodes coated with poly(viologen)s, 1302
Hourston, D. J.: *see* Ebdon, J. R., 1633
Houssier, Claude,: *see* Tricot, Michel, 1397
Howell, Barbara F.: *see* Wang, Francis W., 1626
Hsiue, Ging-Ho and Ma, Mu-Yuan M.: Dynamic and static properties of SBS triblock copolymer and their blends, 882
Hsu, S. L.: *see* Lu, F. J., 1247
Hsu, Tsong-Pin and Cohen, Claude,: Observations on the structure of a polyacrylamide gel from electron micrographs, 1419
Huckerby, T. N.: *see* Ebdon, J. R., 821
Huczkowski, P.: *see* Al-Malaika, S., 1006
Huglin, Malcolm B. and Zakaria, Mat B.: Observations on the homogeneity of crosslinked copolymers prepared by γ-irradiation, 797
Huglin, Malcolm B.: *see* Abdel-Azim, Abdel-Azim A., 803
Huglin, Malcolm B.: *see* Hitchman, Michael L., 1441
Humphreys, J., Duckett, R. A. and Ward, I. M.: A broad-line n.m.r. investigation of methyl motion in poly(methyl methacrylate), 1227
Hwang, Kirk K. S., Lin, Shaow B., Tuan Tsay, Sun, and Cooper, Stuart L.: Properties of oligomeric polyurethane blends *versus* high molecular weight block copolymers, 947

Imamura, Akira,: *see* Ohsaku, Masaru, 511
Imanishi, Yukio,: *see* Mori, Akihisa, 1837
Imoto, Minoru, : *see* Ouchi, Tatsuro, 412
Inaba, Masaya,: *see* Ouchi, Tatsuro, 412
Inoue, Yoshio,; Itabashi, Yuichi,; Chujo, Riichiro and Doi, Yoshiharu,: Studies of the stereospecific polymerization mechanism of propylene by a modified Ziegler–Natta catalyst based on 125 MHz ^{13}C n.m.r. spectra, 1640
Ishimuor, Y., Hayashi, H., Hamada, F. and Nakajima, A.: Scattering function of poly(amino acid) in helix–coil transition, 1258
Isoda, Seiji,: Epitaxial synthesis of poly(*p*-xylylene), 615
Itabashi, Yuichi,: *see* Inoue, Yoshio, 1640

Jagur-Grodzinski, Joseph,: *see* Haruvy, Yair, 1431
Jansson, J. F.: *see* Gedde, U. W., 1263
Jasse, B.: *see* Lefebvre, D., 318
Ji, Cai-gui,: *see* Yu, Tong-yin, 1363
Johnson, A. F.: *see* Pemberton, D. R., 529
Johnson, A. F.: *see* Pemberton, D. R., 536
Johnson, D. C.: *see* Viswanathan, R., 1827
Johnson, Patricia L.: *see* Tang, Hsiang-In, 1357
Jones, M.: *see* Baker, F. S., 815

Kabaivanov, V.: *see* Novakov, P., 1475
Kabanov, V. A.: *see* Kuchanov, S. I., 100

Kallo, A.: *see* Karger-Kocsis, J., 279
Kambour, R. P.: *see* Maconnachie, A., 357
Kampouris, E. M.: *see* Papaspyrides, C. D., 791
Karasz, F. E.: *see* Ellis, T. S., 664
Karbach, A.: *see* Krug, H., 1687
Karger-Kocsis, J., Kallo, A. and Kuleznev, V. N.: Phase structure of impact-modified polypropylene blends, 279
Kashiwabara, H.: *see* Sakaguchi, M., 944
Kashiwabara, Hisatsugu,: *see* Hori, Yasuro, 1436
Kataoka, Seiichi and Ando, Tadanao,: Synthesis of methacrylic acid–styrene block copolymers by living radical polymerization in the presence of chitosan, 507
Kato, T., Tokuya, T., Nozaki, T. and Takahashi, A.: Molecular characterization of sodium poly(acrylate) by an aqueous g.p.c./LS method, 218
Katsuura, Tooru,: *see* Ouchi, Tatsuro, 412
Keenan, Joseph D.: *see* Stober, Eric J., 1845
Keiichiro Adachi; Ohta, Kazunobu, and Kotaka, Tadao,: Dielectric, mechanical and thermal properties of some chlorinated poly(*p*-phenylene oxide)s in the solid state, 625
Keith, H. D. and Padden, F. J., Jr.,: Twisting orientation and the role of transient states in polymer crystallization, 28
Keller, A.: *see* Spells, S. J., 749
Kelly, J.: *see* Frechet, J. M. J., 1491
Kelly, J. and Sherrington, D. C.: Some novel polymer-supported optically active phase transfer catalysts: 2. Use in displacement, reduction, epoxidation and addition reactions, 1499
Khoury, F.: *see* Passaglia, E., 631
Khoury, F.: *see* VanderHart, D. L., 1589
Kilian, H.-G.: *see* Vilgis, Th., 71
Kilp, Toomas,: *see* Kyle, Brett, R. M., 989
Kim, C. J. and Hamielec, A. E.: Polymerization acrylamide with diffusion-controlled termination, 845
Kim, Hyo-gun,: *see* Murthy, N. Sanjeeva, 1093
Kimmich, R.: Characteristic molecular weights in the dynamics of polymer melts: n.m.r. and zero-shear viscosity, 187
Kimura, Keiichiro, Yuasa, Sakae, and Maru, Yasamitzu,: Carbon-13 nuclear magnetic resonance study of ethylene-a octene and ethylene-4-methyl-1-pentene copolymers, 441
Kimura, Keiichiro; Yuasa, Sakae, and Maru, Yasamitsu,: Carbon-13 nuclear magnetic resonance study of ethylene-1 octene and ethylene-4-methyl-1-pentene copolymers, 441
King, T. A.: *see* Viras, F., 899
King, T. A.: *see* Viras, F., 1411
Kinpara, H.: *see* Sakaguchi, M., 944
Kisakurek, Duygu and Baysal, Bahattin M.: Characterization of styrene–ethylene oxide and methyl methacrylate–styrene block copolymers by light scattering, 693
Kitaigorodsky, A. I.: *see* Pertsin, A. J., 107
Klein, P. G.: *see* Ebdon, J. R., 1633
Kobayashi, Masamichi,: *see* Tashiro, Kohji, 195
Koberstein, Jeffrey, T. and Stein, Richard S.: Small-angle light scattering studies of macrophase separation in segmented polyurethane block copolymers, 171
Kong, Fung-Ming,: *see* Morgan, Roger J., 375
Konishi, T.: *see* Meille, S. V., 773
Korodi, T., Marcu, N. and Tirnaveanu, Al.: Polyurethane microcellular elastomers: 2. Effect of chain extender on the mechanical properties, 121
Korolev, S. V. [illegible]Kuchanov, S. I., 100
Korshak, V. V., Rusanov, A. L. and Tugushi, D. S.: Reductive polyheterocyclization: A new approach to the synthesis of polyheteroacrylenes, 1539
Kosmas, Marios K.: *see* Vlahos, Costas H., 1607
Kotaka, Tadao,: *see* Arai, Koichi, 230
Kotaka, Tadao,: *see* Adachi, Keiichiro, 625
Koupalova, B.: *see* Bednar, B., 1178
Kralicek, J.: *see* Bednar, B., 1178
Kramer, Edward J., Green, Peter, and Palmstrom, Christopher J.: Interdiffusion and marker movements in concentrated polymer–polymer diffusion couples, 473
Kramer, Edward J. and Hart, Edward W.: Theory of slow,steady state crack growth in polymer glasses, 1667
Kricheldorf, Hans R. and Schwarz, G.: New polymer syntheses: 10. Syntheses of high molecular weight poly(4-hydroxybenzoate)s by bulk condensations of 4-hydroxybenzoic acids, 520
Kricheldorf, Hans R. and Bier, Gerhard,: new polymer syntheses: 11. Preparation of aromatic poly(ether ketone)s from silylated bisphenols, 1151
Krol, L. H.: *see* Bond, R., 137
Krug, H., Karbach, A. and Petermann, J.: Plastic deformation and subsequent crystallization of thin films of isotactic/atactic polystyrene (iPS/aPS) blends, 1687
Krzeminski, Jerzy,: *see* Porejiko, Stanislaw, 722
Kuchanov, S. I., Korolov, S. V., Zubov, V. P. and Kabanov, V. A.: Configurational statistics of copolymers prepared by complex–radical polymerization, 100
Kucharski, Mieczyslaw and Ryttel, Anna,: Copolymerization of alkyl acrylates with triallyl cyanurate: Kelen–Tudös method applied for determining copolymerization reactivity ratios, 555
Kuleznev, V. N.: *see* Karger-Kocsis, J., 279
Kulichikhin, S. G.: *see* Malkin, A. Ya., 778
Kusy, R. P. and Greenberg, A. R.: Quantitative evaluation of the Gibbs theory of the glass transition, 600
Kusy, R. P.: *see* Greenberg, A. R., 927
Kyle, Brett R. M. and Kilp, Toomas,: Intramolecular excimer formation and energy migration in head-to-head polystyrene, 989

Lacy, D.: *see* Alimoglu, A. K., 1342
Laupretre, F.: *see* Noel, C., 263
Laupretre, F.: *see* Noel, C., 808
Law, Kia-Sang,: *see* Burfield, David R., 995
Law, Kock-Yee,: Fluorescence probe for microenvironments: effect of solvent vapour on the properties of vapour-swollen polymers, 399
Ledwith, A.: *see* Alimoglu, A. K., 1342
Lee, Ping I.: Effect of non-uniform initial drug concentration distribution on the kinetics of drug release from glassy hydrogel matrices, 973
Leermakers, Frans A. M., Scheutjens, Jan M. H. M. and Gaylord, Richard J.: Modelling the amorphous phase of a melt crystallized, semicrystalline polymer: segment distribution, chain stiffness, and deformation, 1577
Lefebvre, D., Jasse, B. and Monnerie, L.: Orientation and relaxation in uniaxially-stretched poly(2,6-dimethyl-1,4-phenylene oxide) – atactic polystyrene blends, 318
Legrand, A. P.: *see* Hommel, H., 1297
Legras, R., Bailly, C., Daumerie, M., Dekoninick, J. M., Mercier, J. P., Zichy, Mrs V. and Nield, E.: Chemical nucleation, a new concept applied to the mechanism of action of organic acid salts on the crystallization of polyethylene terephthalate and bisphenol-A polycarbonate, 835
Leon, Vladimir,: *see* Zurimendi, Jon A., 1314
Leung, W. P., Chen, F. C., Choy, C. L., Richardson, A. and Ward, I. M.: Ultrasonic measurements of the mechanical relaxations and complex stiffnesses in oriented linear polyethylene, 447
Lewis, T. J.: *see* Baker, F. S., 815
Li, Shan-jun,: *see* Yu, Tong-yin, 1363
Lianghe, Shi,: *see* Zhikuan, Chai, 369
Lim, Kooi-Ling,: *see* Burfield, David, R., 995
Lin, An-Shung,: Kinetics and mechanism of cationic oligomerization of styrene using poly(styrenesylphonic acid) resin as catalyst, 1486
Lin, Shaow B.: *see* Hwang, Kirk K. S., 947
Lipatov, Yu. S., Shilov, V. V., Gomza, Yu. P., Skorodzievsky, V. S., Ustinov, A. I. and Tchuistov, K. V.: Microphase structure features of network block polymer over a wide temperature range, 459
Lloyd, Douglas, R.: *see* Tseng, H. S., 670
Loeber, D. E.: *see* Campbell, D. S., 1141
Lowry, Robert E.: *see* Wang, Francis W., 690
Lu, F. J. and Hsu, S. L.: Spectroscopic study of the electric field induced microstructural changes in poly(vinylidene fluoride), 1247

Ma, Mu-Yuan M.: *see* Hsiue, Ging-Ho, 882
Mabire, Frederic; Audbert, Roland and Quivoron, Claude,: Synthesis and solution properties of water soluble copolymers based on acrylamide and quaternary ammonium acrylic comonomer, 1317
Mackenzie, C. I. and Scanlan, J.: Stress relaxation in carbon-black filled rubber vulcanizates at moderate strains, 559
Maconnachie, A., Kambour, R. P. and Bopp, R. C.: Compatibility and neutron scattering studies of mixtures of polystyrene with poly(2,6-dimethyl 1,4-phenylene oxide) and its brominated derivatives, 357
Maconnachie, Ann,: On the assessment of incoherent neutron scattering intensities from polymer systems, 1068
Maiti, Sukumar and Ray, Atanu,: Processable heat-resistant polymers: 14. Polyamides and polyamideimides containing azo linkages, 551
Makino, Yoshiyuki,: *see* Hori, Yasuro, 1436
Malaika, S. Al., Huczkowski, P. and Scott, G.: Mechanisms of antioxidant action: effect of processing conditions on the stabilizing effectiveness of metal xanthates and related dixanthogen in polypropylene, 1006
Maldar, N. N.:*see* Ghatge, N. D., 1353
Malkin, A. Ya., Kulichikhin, S. G., Emel'yanov, D. N., Smetanina, I. E. and Ryabokon', N. V.: Rheokinetics of free-radical polymerization, 778

Manson, J. A.: *see* Michel, J., 1527
Manson, J. A.: *see* Michel, J., 1657
Maquet, Brigitte,: *see* Tricot, Michel, 1397
Marchenko, G. N.: *see* Pertsin, A. J., 107
Marcu, N.: *see* Korodi, T., 1211
Martin, J. W.: *see* Dickens, B., 706
Martuscelli, E., Pracella, M. and Yue, Wang Ping,: Influence of composition and molecular mass on the morphology, crystallization and melting behaviour of poly(ethylene oxide)/poly(methyl methacrylate) blends, 1097
Maru, Yasumitsu,: *see* Kimura, Keiichiro, 441
Masegos, R. M.: *see* Prolongo, M. G., 1307
Masuda, Toshio; Yoshizawa, Tamae; Okano, Yoshimichi and Higashimura, Toshinobu,: Copolymerization of phenylacetylene with various acetylenes by W- and Mo-based catalysts, 503
Mathot, V. B. F.: Temperature dependence of some thermodynamic functions for amorphous and semicrystalline polymers, 579
Matsusaka, Kikou; Tanaka, Atsuo, and Murakami, Ichiro,: Thermal degradation of poly(vinyl chloride) in oxidative and non-oxidative atmospheres, 1337
Matsushita, Yushu,: *see* Amis, Eric, J., 650
Mazur, J.: *see* Reneker, D. H., 1549
McArdle, Ciran B.: *see* Blair, Hal S., 999
McArdle, Ciaran B.: *see* Blair, Hal S., 1347
McCrum, N. G.: *see* Chai, C. K., 291
McCrum, N. G.: The kinetics of the α and β relaxations in isotactic polypropylene, 299
McCrum, N. G.: The kinetics of the α relaxation in an amorphous polymer at temperatures close to the glass transition, 309
McEwen, I. J.: *see* Cowie, J. M. G., 1107
McGrath, James E.: *see* Yilgor, Iskender, 1800
McGrath, J. E.: *see* Tyagi, D., 1807
McGrath, J. E.: *see* Viswanathan, R., 1827
McIntyre, J. E.: *see* Bannister, D. J., 1291
McIntyre, J. E.: *see* Bannister, D. J., 1600
McNeil Watson, F.: *see* Hill, B. J., 467
Meille, S. V., Konishi, T. and Geil, P. H.: Morphology of polypivalolactone: A polymer with a direction, 773
Melling, Susan,: *see* Hitchman, Michael L., 1441
Memory, J. D.: *see* Schaffer, K. R., 54
Mercier, J. P.: *see* Legras, R., 835
Michel, J., Manson, J. A. and Hertzberg, R. W.: A simple viscoelastic model for fatigue crack propagation in polymers as a function of molecular weight, 1527
Michel, J., Manson, J. A. and Hertzberg, R. W.: A simple viscoelastic model for fatigue crack propagation in polymers as a function of molecular weight, 1657
Michels, H. J.: *see* Sardelis, K., 1011
Mills, P. J. and Hay, J. N.: The lamella size distribution in non-isothermally crystallized low density polyethylene, 1277
Migliaresi, C., Nicodemo, L., Nicolais, L. and Passerini,: Water sorption and desorption in 2-hydroxyethylmeth-acrylate/methylmethacrylate copolymers, 686
Mitchell, G. R. and Windle, A. H.: Structure of polystyrene glasses, 906
Mitchell, G. R.: A wide-angle X-ray study of the development of molecular orientation in crosslinked natural rubber, 1562
Miyamoto, Yoshihisa,: Dielectric relaxation and the molecular motion of poly(vinylidene fluoride) crystal form II under high pressure, 63
Modica, G., Giuffre, L., Montoneri, E., Wendt, H. and Hofman, H.: Poly-(vinylpyridine)–divinylbenzene asbestos composites, 1513
Monnerie, L.: *see* Lefebvre, D., 318
Monnerie, L.: *see* Halary, J. L., 956
Monroy Soto, V. M. and Galin, J. C.: Poly(sulphopropylbetaines): 1. Synthesis and characterization, 121
Monroy Soto, V. M. and Galin, J. C.: Poly(sulphopropylbetaines): 2. Dilute solution properties, 254
Montaner, A.: *see* Galtier, M., 1253
Montoneri, E.: *see* Modica, G., 1513
Mora, J.: *see* Campos, A., 1479
Morel, Donald E. and Grubb, David T.: Craze behaviour in isotactic polystyrene: 1. Craze–spherulite interaction, 417
Morgan, Roger, J., Kong, Fung-Ming, and Walkup, Connie M.: Structure–property relations of polyethertriamine-cured bisphenol-A-diglycidyl ether epoxies, 375
Morgan, R. J.: *see* Brown, I. M., 759
Mori, Akihisa and Imanishi, Yukio,: Synthesis of polymers and copolymers of c-(N^{ε}AcryLys-Sar) and their interaction with small molecules in solution, 1837
Morton, G. F.: *see* Bond, R., 137
Muller, F.: *see* Bootsma, Jan P. C., 1327
Mumby, S. J.: *see* Beevers, M. S., 1122
Munro, H. S.: *see* Clark, D. T., 826
Murakami, Ichiro,: *see* Matsusaka, Kikuo, 1337
Murakami, Kenkichi,: *see* Oikawa, Hidetoshi, 225
Murakami, Kenkichi,: *see* Oikawa, Hidetoshi, 1117
Murayama, Kazunaga,: *see* Arai, Koichi, 230
Murthy, N. Sanjeeva and Kim, Hyo-gun,: Molecular packing in alkylated and chlorinated poly-*p*-xylylenes, 1093

Nakajima, A.: *see* Ishimuro, Y., 1258
Nakamura, Masaaki,: *see* Takigami, Shoji, 963
Nakamura, Yoshio,: *see* Takigami, Shoji, 963
Nakamura, Masaaki,: *see* Takigami, Shoji, 968
Nakamura, Yoshio,: *see* Takigami, Shoji, 968
Naoki, Motosuke and Owada, Akira,: Factors determining glass transition temperature and relaxation time of poly(vinyl chloride), 75
Ng, Soon,: *see* Burfield, David R., 995
Nicodemo, L.: *see* Migliaresi, C., 686
Nicolais, L.: *see* Miglaresi, C., 686
Nield, E.: *see* Legras, R., 835
Nocentini, M.: *see* Tanzi, M. C., 863
Noel, C., Friedrich, C., Laupretre, F., Billard, J., Bosio, L. and Strazielle, C.: Polymers with mesogenic elements in the main chain: a nematic aromatic copolyester, 263
Noel, C., Laupretre, F., Friedrich, C., Fayolle, B. and Bosio, L.: Synthesis and mesomorphic properties of new thermotropic liquid-crystalline 'backbone' copolyester, 808
Noel, C., Friedrich, C., Bosio, L. and Strazielle, C.: Thermotropic liquid crystalline polyesters with terphenyl moieties and flexible 'ether'spacers in the main chain, 1281
Novakov, P., Dikov, V. and Kabaivanov, V.: Bulk copolymerization of methyl methacrylate and styrene in presence of an acrylic elastomer: 1. Kinetic investigations, 1475
Nozaki, T.: *see* Kato, T., 218
Nugmanov, O. K.: *see* Pertsin, A. J., 107
Nunzi, J. M.: *see* Halary, J. L., 956

O'Donnell, J. H.: *see* Hill, D. J. T., 569
Ohno, Hiroyuki,: *see* Hosoda, Naohiro, 1302
Ohsaku, Masaru, and Imamura, Akira,: Conformational stability of poly(trimethylene sulphide), 511
Ohta, Kazunobu,: *see* Adachi, Keiichiro, 625
Oikawa, Hidetoshi, and Murakami, Kenkichi,: Studies of the network structure of rubber vulcanizates by a cryoscopic method: 1., 225
Oikawa, Hidetoshi, and Murakami, Kenkichi,: Studies of the network structure of rubber vulcanizates by cryoscopic methods: 2., 1117
Okano, Yoshimichi,: *see* Masuda, Toshio, 503
Olley, R. H.: *see* Bassett, D. C., 935
Orchard, G. A. J., Davies, G. R. and Ward, I. M.: The thermal expansion behaviour of highly oriented polyethylene, 1203
O'Rourke, W. T. S.: *see* Ebdon, J. R., 821
O'Sullivan, P. W.: *see* Hill, D. J. T., 569
Ouchi, Tatsuro.; Katsuura, Tooru,; Inaba, Masaya,; Azuma, Taiji,; Hosaka, Yoshifumi, and Imoto, Minoru,: Vinyl polymerization: 414. Polymerization of vinyl monomer initiated by poly(*N*,*N*,*N*-trimethyl-N-2methacryloxyethyl) ammonium chloride, 412
Owada, Akira,: *see* Naoki, Motosuke, 75

Padden, F. J., Jr.: *see* Keith, H. D., 28
Pal, Pranab K. and De, S. K.: Studies on peroxide vulcanization of silica-filled EPDM rubber in presence of vinyl silane coupling agent, 855
Palmstrom, Christopher J.: *see* Kramer, Edward J., 473
Papaspyrides, C. D. and Kampouris, E. M.: Solid-state polyamidation of dodecamethylene-diammonium adipate, 791
Papirer, E.: *see* Hommel, H., 1297
Parkin, J.: *see* Ebdon, J. R., 821
Parsons, W. F. and Pochan, J. M.: Stress relaxation of poly(1,4-dimethylene-*trans*-cyclohexyl suberate), 1690
Parsons, W. F.: *see* Pochan, J. M., 1031
Parsons, W. F.: *see* Pochan, J. M., 1040
Passaglia, E. and Khoury, F.: Crystal growth kinetics and the lateral habits of polyethylene crystals, 631
Passaglia, E.: Distribution of stress in a craze of the top of a uniformly extending crack, 1727
Passerini, P.: *see* Migliaresi, C., 686
Paton, Katherine,: *see* Winnik, Mitchell A., 91
Paul, D. R. and Barlow, J. W.: A binary interaction model for miscibility of copolymers in blends, 487
Pekcan, Onder,: *see* Winnik, Mitchel, A., 1767
Pemberton, D. R. and Johnson, A. F.: Polymerization of vinyl acetate using visible radiation and a dye-reducing agent sensitizer: 1. Pre-initiation and initiation reactions involving ethyl eosin and ascorbic acid, 529
Pemberton, D. R. and Johnson, A. F.,: Polymerization of vinyl acetate using visible radiation and a dye-reducing agent sensitizer: 2. Kinetic studies and polymerization mechanism, 536
Pennings, A. J.: *see* de Boer, J., 513

Pereira, Jose R. C. and Porter, R. S.: Extrusion drawn amorphous and semi-crystalline poly(ethylene terephthalate): 3. Linear thermal expansion analysis, 869
Pereira, Jose R. C. and Porter, Roger S.: Extrusion drawn amorphous poly(ethylene terephthalate): 4. Irreversible spontaneous elongation, 877
Pertsin, A. J., Nugmanov, O. K., Marchenko, G. N. and Kitaigorodsky, A. I.: Crystal structure of cellulose polymorphs by potential energy calculations: 1. Most probable models for mercerized cellulose, 107
Petermann, J.: *see* Krug, H., 1687
Pethrick, R. A.: *see* Baker, F. S., 815
Pethrick, Richard A.: *see* Sharma, Varinder K., 1087
Pethrick, Richard A.: *see* Sharma, Varinder K., 1090
Petraccone, V.: *see* Carfagna, C., 1462
Pochan, J. M., Parsons, W. F. and Elman, J. F.: Effect of morphology on the crack propagation of the semicrystalline polyester poly(1,4-dimethylene-*trans*-cyclohexyl suberate), 1031
Pochan, J. M., Elman, J. F. and Parsons, W. F.: Temperature dependence of crack-propagation parameters and crack morphology of the semicrystalline polyester poly(1,4-dimethylene-*trans*-cyclohexyl suberate), 1040
Pochan, J. M.: *see* Parsons, W. F., 1690
Porejiko, Stanislaw; Krzeminski, Jerzy; Adamiec, Leon and Berent-Zakrzewska, Ewa,: Tests for obtaining and investigating pre-stressed plastics, 722
Porter, R. S.: *see* Pereira, Jose R. C., 869
Porter, Roger S.: *see* Pereira, Jose R. C., 877
Pracella, M.: *see* Martuscelli, E., 1097
Pracella, M.: *see* Galeski, A., 1323
Pritchard, J. G.: *see* Ahmed, I., 543
Privett, G.: *see* Baker, F. S., 815
Prolongo, M. G., Masegosa, R. M., Hernandez-Fuentes, I. and Horta, A.: Cosolvency, coil expansion and dimensions of PMMA in mixed solvents, 1307

Quivoron, C.: *see* Ricard, A., 1136
Quivoron, Claude,: *see* Mabire, Frederic, 1317

Raadsen, J.: *see* Ghijsels, A., 463
Rabolt, J. F.: *see* Schlotter, N. E., 165
Rajenback, L. A.: *see* Haruvy, Yair, 1431
Rance, D. G.: *see* Willmouth, F. M., 1185
Ray, Arbinda and Suthar, B. P.: Electrical conductivity of polySchiff bases: a theoretical study, 129
Ray, Atanu,: *see* Maiti, Sukumar, 551
Read, B. E. and Dean, G. D.: Time-dependent deformation and craze initiation in PMMA: volume effects, 1679
Reddy, Boreddy S. R., Arshady, Reza, and George, Maurice H.: Preparation of potentially electroactive thallium polymers derived from the acidic copolymers of maleic anhydride, 115
Reddy, S. R. Boreddy,: *see* Arshady, Reza, 717
Reddy, Boreddy, S. R.: *see* Arshady, Reza, 1161
Redpath, A. E. C.: *see* Winnik, Mitchell A., 91
Regas, F. P. and Valkanas, G. N.: Physical characterization of suspension-crosslinked polystyrene particles and their sulphonated products: 1. Nonionic networks, 245
Regas, F. P.: Physical characterization of suspension-crosslinked polystyrene particles and their sulphonated products 2. Ionic networks, 249
Reneker, D. H. and Mazur, J.: Vibrations of crystallographic defects associated with a single chain in polyethylene, 1549
Revol, J. F.: *see* Charlet, G., 1613
Ribet, J. L.: *see* Galtier, M., 1253
Ricard, A., Capillon, J. and Quivoron, C.: Influence of the polymer on an anionic activation reaction promoted by a supported crown ether, 1136
Richards, R. W.: *see* Edwards, C. J. C., 365
Richardson, A.: *see* Leung, W. P., 447
Ringsdorf, H.: *see* Eich, M., 1271
Roe, Ryong-Joon,: *see* Curro, J. J., 1424
Roland, Bruno and Smid, Johannes,: Interaction of 1-pyrenebutyrate with poly(vinylbenzo-18-crown-6) and poly(vinylbenzoglyme) in water, 1166
Roy, Saroj K.: *see* Tsuji, Masaki, 1573
Rudin, Alfred,: *see* Bugada, Daniele C., 1759
Rusanov, A. L.: *see* Korshak, V. V., 1539
Rusconi, *see* Tanzi, M. C., 863
Ryabokon', N. V., *see* Malkin, A. Ya., 778
Ryan, T. G.: *see* Calvert, P. D., 921
Ryttel, Anna,: *see* Kucharski, Mieczyslaw,555

Sadler, D. M.: *see* Spells, S. J., 739
Sadler, D. M.: *see* Spells, S. J., 749
Sadler, D. M. and Spells, S. J.: A neutron scattering study of slowly crystallized bulk polyethylene, 1219
Sadler, D. M. and Gilmer, G. H.: A model for chain folding polymer crystals: rough faces are consistent with the observed growth rates, 1446
Sadocco, P.: *see* Vicini, L., 1774
Saeki, S., Aoyanagi, Y., Tsubokawa, M. and Yamaguchi, T.: Polymer–polymer interaction parameters in the ternary system polystyrene/poly (α-methyl styrene)/n-butyl chloride, 1779
Sagu, M. L. and Bhattacharyya, K. K.: Radiation-induced copolymerization of trioxane with tetrahydrofuran, 1193
St. John Manley, R.: *see* Tsuji, Masaki, 1573
St. J. Manley, R.: *see* Charlet, G., 1613
St-Pierre, L. E.: *see* Turturro, Guilio, 659
Sakaguchi, M., Kinpara, H., Hori, Y., Shimada, S. and Kashiwabara, H.: Ionic products from the mechanical fracture of solid polypropylene, 944
Sandreczki, T. C.: *see* Brown, I. M., 759
Sardelis, K., Michels, H. J. and Allen, G.: Graded block and randomized copolymers of butadiene–styrene, 1011
Sarkar, Nitis.: Structural interpretation of the interfacial properties of aqueous solutions of methylcellulose and hydroxypropyl methylcellulose, 481
Sasanuma, Y.: *see* Watanabe, Junji, 698
Sauberlich, Ralph,: *see* Hauptmann, Peter, 985
Scaia, Mark D.: *see* White, Jerry E., 850
Scanlan, J.: *see* Mackenzie, C. I., 559
Schaefer, Dale W.: A unified model for the structure in semidilute solution, 387
Schaffer, K. R., Fornes, R. E., Gilbert, R. D. and Memory, J. D.: Electron spin resonance study of a cured epoxy resin exposed to high-energy radiation, 54
Scheutjens, Jan M. H. M.: *see* Leermakers, Frans A. M., 1577
Schlothauer, Klaus,: *see* Hauptmann, Peter, 985
Schlotter, N. E. and Rabolt, J. F.: Raman scattering activities for partially-oriented systems: the case of a unique molecular symmetry axis perpendicular to the uniaxial direction, 165
Schwarz, G.: *see* Kricheldorf, Hans R., 520
Scott, G.: *see* Al-Malaika, S., 1006
Seferis, James C.: *see* Stober, Eric J., 1845
Semlyen, J. A.: *see* Edwards, C. J. C., 365
Sethi, K. R.: *see* Chatterjee, S. K., 1367
Seurin, M. J., Gilli, J. M., Ten Bosch, A., and Sixou, P.: Mesomorphic transitions in a mixture of a flexible and semi-rigid polymer, 1073
Seves, A.: *see* Vicini, L., 1774
Sha'aban, Ahmad K.: *see* Yilgor, Iskender, 1800
Shah, T. H., Bhatty, J. I., Gamlen, G. A. and Dollimore, D.: Aspects of the chemistry of poly(ethylene terephthalate): 5. Polymerization of bis(hydroxyethyl) terephthalate by various metallic catalysts, 1333
Sham, C. K.: *see* Walsh, D. J., 1023
Sharma, Varinder, K., Affrossman, Stanley and Pethrick, Richard A.: Poly(α-methylstyrene)–maleic anhydride copolymer: an electron beam lithographic study, 1087
Sharma, Varinder K., Affrossman, Stanley and Pethrick, Richard A.: Copolymers of 2-hydroxyethyl methacrylate and methyl methacrylate: an electron beam resist study, 1090
Sheppard, R. N.: *see* Zhikuan, Chai, 369
Sherrington, D. C.: *see* Frechet, J. M. J., 1491
Sherrington, D. C.: *see* Kelly, J., 1499
Shilov, V. V.: *see* Lipatov, Yu. S., 459
Shimada, S.: *see* Sakaguchi, M., 944
Sillescu, H., *see* Hentschel, D., 1078
Sikorski, Ryszard T. and Czerwinska, Elzbieta,: Studies on the reactivity of polymers: 2. Chlorination of poly(vinylidene chloride) by sulphuryl chloride in the presence of azobisisobutyronitrile, 1371
Sixou, P.: *see* Seurin, M. J., 1073
Skorodzievsky, V. S.: *see* Lipatov, Yu. S., 459
Smetanina, I. E.: *see* Malkin, A. Ya., 778
Smid, Johannes,: *see* Roland, Bruno, 1166
Smith, P. M. and Fisher, M. M.: Non-Fickian diffusion of water in melamine–formaldehyde resins, 84
Soko, M.: *see* Grobelny, J., 1415
Spells, S. J. and Sadler, D. M.: Neutron scattering studies on solution-grown crystals of polyethylene: a statistical preference for adjacent re-entry, 739
Spells, S. J., Keller, A. and Sadler, D. M.: I.r. study of solution-grown crystals of polyethylene: correlation with the model from neutron scattering, 749
Spells, S. J.: *see* Sadler, D. M., 1219
Sperling, L. H.: *see* Fernandez, A. M., 1718
Spiess, H. W.: *see* Hentschel, D., 1078
Spragg, S. P.: *see* Hill, B. J., 467
Stachurski, Z. H.: *see* Wu, R. Y., 1505
Stannett, Vivian T.: *see* Alain Deffieux, 1131
Steckle, Jr., Warren, P.: *see* Yilgor, Iskender, 1800
Stein, Richard, S.: *see* Koberstein, Jeffrey T., 171
Stein, R. S.: *see* Halary, J. L., 956
Stepto, R. F. T.: *see* Edwards, C. J. C., 365
Stober, Eric J., Seferis, JamesC., and Keenan, Joseph D.: Characterization and exposure of poly(ether-etherketone) (PEEK) to fluid environments, 1845

Strazielle, C.: *see* Noel, C., 263
Strazielle, C.: *see* Noel, C., 1281
Subira, Franck,: *see* Deffieux, Alain, 1131
Suthar, B. P.: *see* Ray, Arabinda, 129

Tadokoro, Hiroyuki,: Structure and properties of crystalline polymers, 147
Tadokoro, Hiroyuki,: *see* Tashiro, Kohji, 195
Takahashi, A.: *see* Kato, T., 218
Takano, Kohji,: *see* Tashiro, Kohji, 195
Takigami, Shoji; Nakamura, Masaaki, and Nakamura, Yoshio,: Selective permeability of urea and potassium chloride in acrylamide and acrylic acid grafted membranes, 963
Takigami, Shoji; Makamura, Masaaki and Nakamura, Yoshio,: Selective permeability of grafted nylon-6 membranes: 2. Potassium chloride permeation in acrylic acid grafted membranes, 968
Tanaka, Atsuo,: *see* Matsusaka, Kikuo, 1337
Tang, Hsiang-In; Johnson, Patricia L. and Gulari, Esin,: Styrene polymerized in an oil-in-water microemulsion, 1357
Tanzi, M. C., Rusconi, L., Barozzi, C., Ferruti, P., Angiolini, L., Nocetini, M., Barone, V. and Barbucci, R.: Synthesis and characterization of piperazine-derived poly(amido–amine)s with different distributions of amido- and amino-groups along the macromolecular chain, 863
Tashiro, Kohji; Takano, Kohji; Kobayashi, Masamichi; Chatani, Yozo, and Tadokoro, Hiroyuki,: Structure and ferroelectric phase transition of vinylidene fluoride–trifluoroethylene, 195
Tchuistov, K. V.: *see* Lipatov, Yu. S., 459
Ten Bosch, A.: *see* Seurin, M. J., 1073
Thirion, P. and Weil, T.: Assessment of the sliding link model of chain entanglement in polymer networks, 609
Tinker, A. J.: *see* Campbell, D. S., 1141
Tinker, A. J.: *see* Campbell, D. S., 1146
Tino, J.: *see* Bartos, J., 274
Tirnaveanu, Al.: *see* Korodi, T., 1211
Tokuya, T.: *see* Kato, T., 218
Toppare, L. K.: *see* Akbulut, U., 1028
Toppare, L. K., Eren, S., Turker, L. and Akbulut, U.: Electroinitiated cationic copolymerization by direct electron transfer, 1655
Tricot, Michel; Maquet, Brigitte; Devaleriola, Michel and Houssier, Claude,: Electro-optical and viscometric behaviour of sodium polystyrene sulphonate in formamide, 1397
Tripathi, J.: *see* Allen, G., 239
Tseng, H. S. and Lloyd, Douglas R.: Influence of polymer molecular weight on selected thermodynamic properties of polymer/solvent systems and the application of the UNIFAC theory, 670
Tsubokawa, M.: *see* Saeki, S., 1779
Tsuchida, Eishun,: *see* Hosoda, Naohiro, 1302
Tsuji, Masaki, Roy, Saroj K. and St. John Manley, R.: Direct lattice imageing in single crystals of isotatic polystyrene, 1573
Tuan Tsay, Sun,: *see* Hwang, Kirk K. S., 947
Tugushi, D. S.: *see* Korshak, V. V., 1539
Turker, L.: *see* Toppare, L., 1655
Turska, E.: *see* Grobelny, J., 1415
Turturro, Guilio, Brown, G. R. and St-Pierre, L. E.: Effect of silica nucleants on the rates of crystallization of poly(ethylene terephthalate), 659
Tuzar, Z.: *see* Bednar, B., 1178
Tyagi, Dinesh,: *see* Yilgor, Iskender, 1800
Tyagi, D., Yilgor, I., McGrath, J. E. and Wilkes, G. L.: Segmented organosiloxane copolymers: 2. Thermal and mechanical properties of siloxane – urea copolymers, 1807

Ubrich, J. M.: *see* Halary, J. L., 956
Ueda-Mashima, Chizuru,: *see* Arai, Koichi, 230
Uematsu, I.: *see* Watanabe, J., 698
Uematsu, Ichitaro,: *see* Watanabe, Junji, 1711
Ullrich, K.: *see* Eich, M., 1271
Ustinov, A. I.: *see* Lipatov, Yu. S., 459

Valkanas, G. N.: *see* Regas, F. P., 245
Vallance, Michael A., Castles, Janis L. and Cooper, Stuart L.: Microstructure of as-polymerized thermoplastic polyurethane elastomers, 1734
van den Berg, H-J.: *see* de Boer, J., 513
Van der Ham, A. G. J.: *see* Gaymans, R. J., 1755
Van der Hart, D. L. and Khoury, F.: Quantitative determination of the monoclinic crystalline phase content in polyethylene by C n. m. r., 1589
Vicini, L., Seves, A., Canetti, M., Sadocco, P. and Galli, R.: Influence of an aqueous acetone medium on the thermal behaviour of solvent treated poly(ethylene terephthalate), 1774
Vile, J.: *see* Hendra, P. J., 785
Vile, J., Hendra, P. J., Willis, H. A., Cudby, M. E. A. and Bunn, A.: Chain branching in high pressure polymerized polyethylene: 2., 1173
Vilgis, Th. and Kilian, H.-G.: The van der Waals network — a phenomenological aproach to dense networks, 71
Viras, F. and King, T. A.: Low frequency excitation in amorphous acrylic polymers, 899
Viras, F. and King, T. A.: Low frequency excitations in amorphous polycarbonate studied by Raman spectroscopy, 1411
Viswanathan, R., Johnson, D. C. and McGrath, J. E.: Synthesis, kinetic observations and characteristics of polyarylene ether sulphones prepared via a potassium carbonate DMAC process, 1827
Vlahos, Costas H. and Kosmas, Marios K.: Effects of the excluded volume interactions on the confirmational properties of star polymers, 1607

Wagner, J. D.: *see* Bain, D. R., 403
Waksman, D.: *see* Dickens, B., 706
Walker, S. M.: *see* Block, H., 1465
Walkup, Connie M.: *see* Morgan, Roger J., 375
Walsh, D. J. and Cheng, G. L.: The miscibility of polyacrylates and polymethacrylates with PVC: *In situ* polymerization and the miscibility of poly(methyl acrylate) and poly(ethyl acrylate) with PVC, 495
Walsh, D. J. and Cheng, G. L.: The miscibility of polyacrylates and polymethacrylates with PVC: An interpretation of the heats of mixing of oligomers, 499
Walsh, D. J. and Sham, C. K.: *In situ* polymerization of n-butyl acrylate in poly(vinyl chloride),1023
Wang, Francis, W., Lowry, Robert E. and Grant, Warren H.: Novel excimer fluorescence method for monitoring polymerization: 1. Polymerization of methyl methacrylate, 690
Wang, Francis W. and Howell, Barbara F.: A novel fluorescence technique for measurements of additive migration from polymers, 1626
Ward, I. M.: *see* Leung, W. P., 447
Ward, I. M.: *see* Orchard, G. A. J., 1203
Ward, I. M.: *see* Humphreys, J., 1227
Ward, I. M.: *see* Bannister, D. J., 1291
Ward, I. M.: *see* Bannister, D. J., 1600
Warren, William E.: The stress and displacement fields at the tip of crazes in glassy polymers, 43
Watanabe, Junji; Sasanuma, Y., Endo, A. and Uematsu, I.: Crystalline complex between poly(γ-methyl L-glutamate) and dimethyl phthalate, 698
Watanabe, Junji and Uematsu, Ichitaro,: Anomalous properties of poly(γ-benzyl L-glutamate) film composed of unusual 7/2 helices, 1711
Weil, T.: *see* Thirion, P., 609
Wendorff, J. H.: *see* Eich, M., 1271
Wendt, H.: *see* Modica, G., 1513
White, Jerry, E. and Scaia, Mark D.: Polymerization of *N*, *N'*-bismaleimido-4,4' diphenylmethane with arenedithiols. Synthesis of some new polyimidosulphides, 850
Widmaier, J. M.: *see* Fernandez, A. M., 1718
Wignal, G. D.: *see* Fernandez, A. M., 1718
Wilkes, Garth L.: *see* Yilgor, Iskender, 1800
Wilkes, G. L.: *see* Tyagi, D., 1807
Willis, H. A.: *see* Hendra, P. J., 785
Willis, H. A.: *see* Vile, J., 1173
Willmouth, F. M., Rance, D. G. and Henman, K. M.: An investigation of precipitation polymerization in liquid vinyl chloride by photon correlation spectroscopy, 1185
Windle, A. H.: *see* Mitchell, G. R., 906
Windle, A. H.: *see* Donald, A. M., 1235
Winnik, Mitchell A., Redpath, A. E. C., Paton, Katherine and Danhelka, Jarda,: Cyclization dynamics of polymers: 10. Synthesis, fractionation, and fluorescent spectroscopy of pyrene end-capped polystyrenes, 91
Winnik, Mitchell A., Pekcan, Onder and Egan, Luke,: Energy transfer studies from polymer bound naphthalene to anthracene in soltuion: translational and segmental diffusion rates, 1767
Wlochowicz, Andrzej and Eder, Marek,: Distribution of lamella thicknesses in isothermally crystallized polypropylene and polyethylene by differential scanning calorimetry, 1268
Wolsink, H. W.: *see* Bootsma, Jan P. C., 1327
Wu, R. Y. and Stachurski, Z. H.: Analysis of polynomial yield criteria applied to oriented polymers, 1505

Yamaguchi, T.: *see* Saeki, S., 1779
Yamamoto, Takashi: Monte Carlo simulation of molecular motion and phase transition in poly(ethylene) crystal, 178
Yano, Shoichiro; Hatakeyame, Hyoe and Hatakeyama, Tatsuko: Temperature dependence of the tensile properties of lignin/paper composites, 890
Yap, W. T.: *see* Chiang, C. K., 1112

Yilgor, Iskender; Sha'aban, Ahmad K.; Steckle, Warren P. Jr.; Tyagi, Dinesh; Wilkes, Garth L. and McGrath, James E.: Segmented organosiloxane copolymers. 1. Synthesis of siloxane–urea copolymers, 1800
Yilgor, I.: *see* Tyagi, D., 1807
Yoshimura, Kenhi: *see* Arai, Koichi, 230
Yoshizawa, Tamae: *see* Masuda, Toshio, 503
Yu, Tong-yin; Fu, Shou-kuan; Li, Shan-jun; Ji, Cai-gui and Cheng, Wei-zhuang: Polycondensation kinetics of poly(phenylene ether sulphone), 1363
Yuasa, Sakae: *see* Kimura, Kelichiro, 441
Yue, Wang Ping: *see* Martuscelli, E., 1097

Zakaria, Mat B.: *see* Huglin, Malcolm B., 797
Zakaria, Mat B.: *see* Hitchman, Michael L., 1441
Zapas, L. J. and Crissman, J. M.: Creep and recovery behaviour of ultra-high molecular weight polyethylene in the region of small uniaxial deformations, 57
Zhikuan, Chai; Lianghe, Shi, and Sheppard, R. N.: Microstructure of solution-chlorinated polyethylene by ^{13}C nuclear magnetic resonance, 369
Zhulina, E. B.: *see* Birshstein, R. M., 1453
Zichy, V.: *see* Hendra, P. J., 785
Zichy, V.: *see* Legras, R., 835
Zubov, V. P.: *see* Kuchanov, S. I., 100
Zurimendi, Jon A., Guerrero, Saul J. and Leon, Vladimir: The determination of the degree of hydrolysis in poly(acrylamides): simple methods using C^{13} n.m.r. and elementary analysis, 1314

POLYMER CLASSIFIED CONTENTS VOLUME 25 1984

Acetone: Influence of an aqueous ———— medium on the thermal behaviour of solvent treated poly(ethylene terephthalate), 1774
Acetylenes: Copolymerization of phenylacetylene with various ———— by W- and Mo-based catalysts, 503
Acrylamide: Polymerization of ———— with diffusion-controlled termination, 845
Acrylamide: Selective permeability of grafted nylon-6 membranes: 1. Permeability of urea and potassium chloride in ———— and acrylic acid grafted membranes, 963
Acrylamidederivative: Synthesis of polymers and copolymers of c(*Nε*-AcrLys–Sar) and their interaction with small molecules in solution, 1837
Acrylic acid: Selective permeability of grafted nylon-6 membranes: 1. Permeability of urea and potassium chloride in acrylamide and ———— grafted membranes, 963
Acrylic acid: Selective permeability of grafted nylon-6 membranes: 2. Potassium chloride permeation in ———— grafted membranes, 968
Acrylic elastomer: Bulk copolymerization of methyl methacrylate and styrene in presence of an ———— 1. Kinetic investigations, 1475
Acrylic polymers: Low frequency excitation in amorphous ————, 899
Activation energy: Study of the mechanism of macroradical reactions in solid polymers: 1. Molecular aspects of reactivity and ———— model of reactions, 274
Activation reaction: Influence of the polymer on an anionic ———— promoted by a supported crown ether, 1136
Addition reactions: Some novel polymer-supported optically active phase transfer catalysts: 2. Use in displacement, reduction, epoxidation and ————, 1499
Additive migration: A novel fluorescence technique for measurements of ———— from polymers, 1626
Adhesive: Stress relaxation of poly(1,4-dimethylene-*trans*-cyclohexyl suberate), 1690
Adjacent re-entry: Neutron scattering studies on solution-grown crystals of polyethylene: a statistical preference for ————, 739
Adsorption: Polymer-bound flavins: 2. Immobilization of linear flavin-containing polyelectrolytes by ———— onto silica, 1327
Adsorption: Influence of the solvent on the conformations of poly(ethylene oxide) chains grafted on silica, 1297
Ageing: The freezing-in of non-equilibrium values of the limiting compliances as a mechanism of physical ————, 291
Aggregation: Observations on the structure of a polyacrylamide gel from electron micrographs, 1419
Aggregation: Small-angle neutron scattering from polystyrene–DVB networks containing a delta fraction of deuterated polystyrene: Evidence for ———— during polymerization, 1718
Aggregation: Small-angle scattering of microparacrystal-bundles in cold-drawn and annealed isotactic polypropylene, 1747
Alkanes: Migration of low molecular weight components from polymers: 1. Methodology and diffusion of straight chain octadecane in polyolefins, 209
Alkyl acrylates: Copolymerization of ———— with triallyl cyanurate: Kelen–Tudös method applied for determining copolymerization reactivity ratios, 555
Amorphous nylon: Nylon-4,I an amorphous polyamide, 1755
Amorphous phase: Modelling the ———— of a melt crystallized, semi-crystalline polymer: segment distribution, chain stiffness, and deformation, 1577
Amorphous phase density: Small-angle scattering of microparacrystal-bundles in cold drawn and annealed isotactic polypropylene, 1747
Analysis: of epoxidized natural rubber, A comparative study of d.s.c., n.m.r., elemental analysis and direct titration methods, 995
Analysis: of polynomial yield criteria applied to oriented polymers, 1505
Annealing: Extrusion drawn amorphous poly(ethylene terephthalate): 4. Irreversible spontaneous elongation, 877
Annealing: Attempt to correlate the yield processes above and below the glass transition in glassy polymers, 1523
Annealing: Stress relaxation of poly-(1,4-dimethylene-*trans*-cyclohexyl suberate), 1690
Anthracene: Energy transfer studies from polymer bound naphthalene to ———— in solution: translational and segmental diffusion rates, 1767
Antioxidant: A novel fluorescence technique for measurements of additive migration from polymers, 1626
Antioxidant action: Mechanisms of ————: effect of processing conditions on the stabilizing effectiveness of metal xanthates and related dixanthogen in polypropylene, 1006
Arenedithiols: Polymerization of *N,N'*-bismeleimido-4,4′ diphenylmethane with ————. Synthesis of some new polyimidosulphides, 850
Asbestos: Poly(vinylpyridine)–divinylbenzene ———— composites, 1513
Ascorbic acid: Polymerization of vinyl acetate using visible radiation and a dye-reducing agent sensitizer: 1. Pre-initiation and initiation reactions involving ethyl eosin and ————, 529
Avrami analysis: Recrystallization kinetics of isotactic polypropylene (α form), 1462
Azo polymers: Photoresponsive polymers: 2. The monolayer behaviour of photochromic polymers containing aromatic azobenzene residues, 1347
Azobenzene residues: Photoresponsive polymers: 2. The monolayer behaviour of photo chromic polymers containing aromatic ————, 1347
Azobisisobutyronitrile: Studies on the reactivity of polymers: 2. Chlorination of poly(vinylidene chloride) by sulphuryl chloride in the presence of ————, 1371
Azodicarboxylate: Graft copolymers from ————functional pre-polymers: 1. Synthesis of azodicarboxylate-functional polystyrene, 1141
Azodicarboxylate: Graft copolymers from ———— functional pre-polymers: 2. Preparation in solution of graft copolymers of polydiene with polystyrene, 1146

Biphenyl acrylates: Polymers with rigid anisotropic side groups: 1. Side chain induced crystallinity in substituted ———— and methacrylates, 1342
Birefringence: Pretransitional phenomena in the isotropic melt of a mesogenic side chain polymer, 1271
Birefringence: Electro-optical and viscometric behaviour of sodium polystyrene sulphonate in formamide, 1397
Birefringence: A wide-angle X-ray study of the development of molecular orientation in crosslinked natural rubber, 1562
Bis(hydroxyethyl) terephthalate: Aspects of the chemistry of poly(ethylene terephthalate): 5. Polymerization of ———— by various metallic catalysts, 1333
Bisphenol: Synthesis, kinetic observations and characteristics of poly(arylene ether sulphones) prepared via a potassium carbonate DMAC process, 1827
Bisphenols: New polymer syntheses: 11. Preparation of aromatic poly(ether ketone)s from silylated ————, 1151
Bisphenol-A polycarbonate: Chemical nucleation, a new concept applied to the mechanism of action of organic acid salts on the crystallization of poly(ethylene terephthalate) and ————, 835
Blending: Acrylic terpolymer modified by ———— with polyorganosiloxane polymer or reinforcing, 1603
Blends: Phase structure of impact-modified polypropylene ————, 279
Blends: A binary interaction model for miscibility of copolymers in ————, 487
Blends: Mixing effects on the mid-kilohertz mobility of polystyrene in glassy polystyrene-diluent ————, 645
Blends: Dynamic and static properties of styrene–butadiene–styrene triblock copolymer and their ————, 882
Blends: Properties of oligomeric polyurethane ———— *versus* high molecular weight block copolymers, 947
Blends: Plastic deformation and subsequent crystallization of thin films of isotactic/atactic polystyrene (iPS/aPS) blends, 1687
Branch distribution: the lamella size distribution in non-isothermally crystallized low density polyethylene, 1277
Bulk condensation: New polymer syntheses: 11. Preparation of aromatic poly(ether ketone)s from silylated bisphenols, 1151
Butadiene–styrene: Graded block and randomized copolymers of ————, 1011

Calorimetry: The miscibility of polyacrylates and polymethacrylates with PVC: An interpretation of the heats of mixing oligomers, 499
Carbonate mobility: Diluent effects on ———— in bisphenol-A polycarbonate in the solid state, 452
Carbon-black: Stress relaxation in ———— filled rubber vulcanizates at moderate strains, 559
Catalyst: Kinetics and mechanism of cationic oligomerization of styrene using poly(styrene sulphonic acid) resin as catalyst, 1486
Catalysts: Some novel polymer-supported optically active phase transfer ————: 1. Synthesis, 1491
Catalysts: Some novel polymer-supported optically active phase transfer ————: 2. Use in displacement, reduction, epoxidation and addition reactions, 1499
Cellulose: Crystal structure of ———— polymorphs by potential energy calculations: 1. Most probable models for mercerized cellulose, 107
Chain branching: in high pressure polymerized polyethylene: 2., 1173
Chain entanglement: Assessment of the sliding link model of ———— in polymer networks, 609
Chain expansion: Poly(sulphopropylbetaines): 2. Dilute solution properties, 254
Chain extender: Polyurethane microcellular elastomers: 2. Effect of ———— on the mechanical properties, 1211
Chainfolding: Twisting orientation and the role of transient states in polymer crystallization, 28
Chain folding: A model for ———— polymer crystals: rough faces are consistent with the observed growth rates, 1446
Chain motion: Deuteron n.m.r. study of ———— in solid polyethylene, 1078
Chain motion: Anomalous properties of poly(γ-benzyl L-glumate) film composed of unusual 7/2 helices, 1711
Chain stiffness: Modelling the amorphous phase of a melt crystallized, semicrystalline polymer: segment distribution , ————, and deformation, 1577
Characterization: Poly(sulphopropylbetaines): 1. Synthesis and ————, 121
Characterization: Physical ———— of suspension-crosslinked polystyrene particles and their sulphonated products: 1. Nonionic networks, 245
Characterization: Physical ———— of suspension-crosslinked polystyrene particles and their sulphonated products: 2. Ionic networks, 249
Characterization: Aliphatic polyesters as models for relaxation processes in crystalline polymers: 1. ————, 323
Characterization: Carbon-13 nuclear magnetic resonance study of ethylene-1-octene and ethylene-4-methyl-1-pentene copolymers, 441
Characterization: Studies on the ———— of partly hydrolysed derivatives of poly(vinyl acetate) and their red iodine complex, 543
Characterization: of styrene–ethylene oxide and methyl methacrylate–styrene block copolymers by light scattering, 693
Characterization: of urea-formaldehyde and melamine-formaldehyde adducts and resins by ^{15}N nuclear magnetic resonance spectroscopy, 821
Characterization: Synthesis and ———— of piperazine-derived poly(amido-amine)s with different distributions of amido- and amino-groups along the macromolecular chain, 863
Characterization: Graded block and randomized copolymers of butadiene–styrene, 1011
Characterization: Polyimides from dianhydride and diamine: Structure property relations by thermogravimetric analysis (t.g.a.), 1353
Characterization: of poly(vinyl alcohol–acetate) by ^{13}C n. m. r. and thermal analyses, 1759
Characterization: and exposure of poly(etheretherketone)(PEEK) to fluid environments, 1845
Chemical migration: Study of the mechanism of macroradical reactions in solid polymers: 1. Molecular aspects of reactivity and activation energy model of reactions, 274
Chemical modification: Control of electrical properties of polymers by ————, 3
Chemical nucleation: a new concept applied to the mechanism of action of organic acid salts on the crystallization of poly(ethylene terephthalate) and bisphenol-A polycarbonate, 835
Chiral phase transfer: Some novel polymer-supported optically active phase transfer catalysts: 1. Synthesis, 1491
Chitosan: Synthesis of methacrylic acid–styrene block copolymers by living radical polymerization in the presence of ————, 507
Chlorination: Studies on the reactivity of polymers: 2. ———— of poly(vinylidene chloride) by sulphuryl chloride in the presence of azobisisobutyronitrile, 1371
Cholesteric gel: Mesomorphic transitions in a mixture of a flexible and a semi-rigid polymer, 1073
Clustering function: Influence of polymer molecular weight on selected thermodynamic properties of polymer/solvent systems and the application of the UNIFAC theory, 670
CNDO/2 calculations: Conformational stability of poly(trimethylene sulphide), 511
Coil expansion: Cosolvency ———— and dimensions of PMMA in mixed solvents, 1307
Compatibility: and neutron scattering studies of mixtures of polystyrene with poly(2,6-dimethyl 1,4-phenylene oxide) and its brominated derivatives, 357
Compatibility phenomena: Polymer–polymer interaction parameters in the ternary system polystyrene/poly(α-methyl styrene)/n-butyl chloride, 1779
Compensation rule: The kinetics of the α and β relaxations in isotactic polypropylene, 299
Complex formation: Selective intermacromolecular complex formation between phenolic and nonionic polymers, 1367
Complexes: Ionic conductivities for poly(ethylene oxide) ———— with lithium salts of monobasic and dibasic acids and blends of poly(ethylene oxide) with lithium salts of anionic polymers, 1291
Complexes: Ionic conductivities of poly(methoxy polyethylene glycol monomethacrylate) ———— with $LiSO_3CH_3$, 1600
Compliances: The freezing-in of non-equilibrium values of the limiting ———— as a mechanism of physical ageing, 291
Compliances: Time-dependent deformation and craze initiation in PMMA: Volume effects, 1679
Composites: Temperature dependence of the tensile properties of lignin/paper ————, 890
Composites: Polyvinylpyridine–divinylbenzene asbestos ————, 1513
Concentration dependence: The ———— of diffusion in semi-dilute polymer solutions, 680
Conductive polymers: Control of electrical properties of polymers by chemical modification, 3
Configuration: A study of conformation ———— and phase structure of polyacrylonitrile and their mutual dependence by means of WAXS and ^1H BL n. m. r., 1415
Configurational statistics: of copolymers prepared by complex – radical polymerization, 100

Conformation: Neutron scattering studies on solution-growth crystals of polyethylene: a statistical preference for adjacent re-entry, 739
Conformation: Infra-red study of solution-grown crystals of polyethylene: correlation with the model from neutron scattering, 749
Conformation: A study of ———— configuration and phase structure of polyacrylonitrile and their mutual dependence by means of WAXS and ^{1}H BL n. m. r., 1415
Conformational properties: Effects of the excluded volume interactions on the ———— of star polymers, 1607
Conformational stability: of poly(trimethylene sulphide), 511
Conformations: Influence of the solvent on the ———— of poly(ethylene oxide) chains grafted on silica, 1297
Conformations: of star-branched macromolecules, 1453
Conjugated polymers: New routes to ———— 1. A two step route to polyacetylene, 395
Cooling rate: The effect of ———— upon the morphology of quenched melts of isotactic polypropylenes, 785
Copoly(*m,p*-chloromethylstyrene–styrene): Synthesis of electroreactive polymers from poly(*m,p*-chloromethylstyrene) and ————, 716
Copoly(*m,p*-chloromethylstyrene–50% styrene): Copolymer molecular weights, fractionation and derivatization, 1161
Copolyester: Polymers with mesogenic elements in the main chain: a nematic aromatic ————, 263
Copolyester: The structure of copoly(4-hydroxy benzoic acid/2-hydroxy-6-naphthoic acid): 2. An atomic model for the ———— chain, 435
Copolyester: Synthesis and mesmorphic properties of a new thermotropic liquid-crystalline 'backbone' ————, 808
Copolyester: Walls in liquid crystalline polymers: an electron microscopy study, 1235
Copoly(4-hydroxybenzoic acid/2-hydroxy-6-naphthoic acid): The structure of ———— 2. An atomic model for the copolyester chain, 435
Copolymer: Structure and ferroelectric phase transition of vinylidene fluoride–trifluoroethylene copolymers: 2. VDF 55% ————,195
Copolymer: Dynamic and static properties of styrene–butadiene–styrene triblock ———— and their blends, 882
Copolymer: Poly(α-methalstyrene) and α-methylstyrene–maleic anhydride ———— and electron beam lithographic study, 1087
Copolymer: Copoly(m,p-chloromethylstyrene–50% styrene) molecular weights, fractionation and derivatization, 1161
Copolymer: Micellization of three-block ———— poly[styrene-*b*-(ethene-co-butene)-*b*-styrene] in mixed solvents of tetrahydrofuran/ethanol, 1178
Copolymerization: of phenylacetylene with various acetylenes by W- and Mo-based catalysts, 503
Copolymerization: of alkyl acrylates with triallyl cyanurate: Kelen-Tudós method applied for determining copolymerization reactivity ratios, 555
Copolymerization: Methyl methacrylate–chloroprene ————: an evaluation of copolymerization models, 569
Copolymerization: Selective permeability of grafted nylon-6 membranes: 1. Permeability of urea and potassium chloride in acrylamide and acrylic acid grafted membranes, 963
Copolymerization: Copoly(*m,p*-chloromethylstyrene–50% styrene): Copolymer molecular weights, fractionation and derivatization, 1161
Copolymerization: Radiation-induced ———— of trioxane with tetrahydrofuran, 1193
Copolymerization: Bulk ———— of methyl methacrylate and styrene in presence of an acrylic elastomer: 1. Kinetic investigations, 1475
Copolymerization: Electroinitiated cationic ———— by direct electron transfer, 1655
Copolymerization: Studies of absolute rate coefficients in alternating ———— by observation of pre- and after-effects, 1791
Copolymerization: Synthesis of polymers and copolymers of c-(*N*ε-AcrLys–Sar) and their interaction with small molecules in solution, 1837
Copolymers: Configurational statistics of ———— prepared by complex – radical polymerization, 100
Copolymers: Preparation of potentially electroactive thallium polymers derived from the acidic ———— of maleic anhydride, 115
Copolymers: Small-angle light scattering studies of macrophase separation in segmented polyurethane block ————, 171
Copolymers: Aliphatic polyesters as models for relaxation processes in crystalline polymers: 2. Dielectric relaxation in ———— of adipic acid with 1,6- and 2,5-hexanediols, 330
Copolymers: Aliphatic polyesters as models for relaxation processes in crystalline polymers: 3. Mechanical relaxation in ———— of adipic acid with 1,6- and 2,5-hexanediols, 340
Copolymers: Carbon-13 nuclear magnetic resonance study of ethylene-1-octene and ethylene-4-methyl-1-pentene ————, 441
Copolymers: A binary interaction model for miscibility of ———— in blends, 487
Copolymers: Synthesis of methacrylic acid–styrene block ———— by living radical polymerization in the presence of chitosan, 507
Copolymers: Water sorption and desorption in 2-hydroxyethylmethacrylate/methyl methacrylate ————, 686
Copolymers: Characterization of styrene–ethylene oxide and methyl methacrylate–styrene block ———— by light scattering, 693
Copolymers: Observations on the homogenity of crosslinked ———— prepared by γ-irradiation, 797
Copolymers: Properties of oligomeric polyurethane blends *versus* high molecular weight block ————, 947
Copolymers: Graded block and randomized ———— of butadiene–styrene, 1011
Copolymers: of 2-hydroxyethyl methacrylate and methyl methacrylate: an electron beam resist study, 1090
Copolymers: Graft ———— from azodicarboxylate-functional pre-polymers: 1. Synthesis of azodicarboxylate-functional polystyrene, 1141
Copolymers: Graft ———— from azodicarboxylate-functional pre-polymers: 2. Preparation in solution of graft copolymers of polydiene with polystyrene, 1146
Copolymers: Synthesis and solution properties of water soluble ———— based on acrylamide and quaternary ammonium acrylic comonomer, 1317
Copolymers: Observations relating to oxygen permeability measurements on membranes, 1441
Copolymers: Segmented organosiloxane copolymers. 1. Synthesis of silicone–urea ————, 1800
Copolymers: Segmented organosiloxane copolymers: 2. Thermal and mechanical properties of siloxane–urea ————, 1807
Corona discharge treatment: Physicochemical modifications of superficial regions of low density polyethylene (LDPE) film under corona discharge, 766
Cosolvency: coil expansion and dimensions of PMMA in mixed solvents, 1307
Coupling agent: Studies on peroxide vulcanization of silica-filled EPDM rubber in presence of vinyl silane ————, 855
Crack: Distribution of stress in a craze of the top of a uniformly extending ————, 1727
Crack growth: Theory of slow, steady state ———— in polymer glasses, 1667
Crack propagation: Effect of morphology on the ———— of the semicrystalline polyester poly(1,4-dimethylene-*trans*-cyclohexyl suberate), 1031
Crack propagation: Temperature dependence of ———— parameters and crack morphology of the semicrystalline polyester (poly(1,4-dimethylene-*trans*-cyclohexyl suberate), 1040
Crack propagation: A simple viscoelastic model for fatigue ———— in polymers as a function of molecular weight, 1657
Craze: Distribution of stress in a ———— of the top of a uniformly extending crack, 1727
Crazes: The stress and displacement fields at the tip of ———— in glassy polymers, 43
Craze behaviour: in isotactic polystyrene: 1. Craze–spherulite interaction, 417
Craze breakdown: Theory of slow, steady state crack growth in polymer glasses, 1667
Craze initiation: Time-dependent deformation and ———— in PMMA: Volume effects, 1679
Creep: and recovery behaviour of ultra-high molecular weight polyethylene in the region of small uniaxial deformations, 57
Creep: The freezing-in of non-equilibrium values of the limiting compliances as a mechanism of physical ageing, 291
Creep: The kinetics of the α relaxation in an amorphous polymer at temperatures close to the glass transition, 309
Creep rupture: of a linear polyethylene: 1. Rupture and pre-rupture phenomena, 727
Critical solution temperatures: Upper and lower, ———— for polystyrene in methyl cyclopentane and in dimethyl cyclohexane, 1107
Crosslinking: Physical characterization of suspension-crosslinked polystyrene particles and their sulphonated products: 1. Nonionic networks, 245
Crosslinking: Physical characterization of suspension-crosslinked polystyrene particles and their sulphonated products: 2. Ionic networks, 249
Crosslinking: of ultra-high molecular weight polyethylene in the oriented state with dicumylperoxide, 513

Crosslinking: Observations on the homogenity of crosslinked copolymers prepared by γ-irradiation, 797

Crosslinking: Thermal degradation of poly(vinyl chloride) in oxidative and non-oxidative atmospheres, 1337

Crosslinking: Observations on the structure of a polyacrylamide gel from electron micrographs, 1419

Crosslinking density: Effect of ———— on the orientational order generated in strained networks: A deuterium magnetic resonance study, 1405

Crown ether: Influence of the polymer on an ionic activation reaction promoted by a supported ————, 1136

Cryoscopic method: Studies of the network structure of rubber vulcanizates by a ————: 1., 225

Cryoscopic methods: Studies of the network structure of rubber vulcanizates by ————: 2., 1117

Crystal growth: kinetics and the lateral habits of polyethylene crystals, 631

Crystal growth rates: A model for chain folding polymer crystals: rough faces are consistent with the observed growth rates, 1446

Crystal structure: of cellulose polymorphs by potential energy calculations: 1. Most probable models for mercerized cellulose, 107

Crystal structure: Structure and properties of crystalline polymers, 147

Crystal structure: Structure and ferroelectric base transition of vinylidene fluoride–trifluoroethylene copolymers: 2. VDF 55% copolymer, 195

Crystals: A model for chain folding, polymer ————, rough faces are consistent with the observed growth rates, 1446

Crystalline complex: between poly(γmethyl L-glutamate) and dimethyl phthalate, 698

Crystalline phase: Quantitative determination of the monoclinic ———— content in polyethylene by ^{13}C n. m. r., 1589

Crystalline polymers: Structure and properties of ————, 147

Crystalline polymers: Aliphatic polyesters as models for relaxation processes in ————: 1. Characterization

Crystalline polymers: Aliphatic polyesters as models for relaxation processes in ————: 2. Dielectric relaxation in copolymers of dipic acid with 1,6- and 2,5-hexanediols, 330

Crystalline polymers: Aliphatic polyesters as models for relaxation processes in ————: 3. Mechanical relaxation in copolymers of adipic acid with 1,6- and 2,5-hexanediols, 340

Crystalline polymers: Aliphatic polyesters as models for relaxation processes in ————: 4. Dielectric relaxation in oriented specimens, 347

Crystallinity: The effect of cooling rate upon the morphology of quenched melts of isotactic polypropylenes, 785

Crystallinity: Extrusion drawn amorphous and semi-crystalline poly(ethylene terephthalate): 3. Linear thermal expansion analysis, 869

Crystallinity: Polymers with rigid anisotropic side groups: 1. Side chain induced ———— in substituted biphenyl acrylates and methacrylates, 1342

Crystallinity: Grafting of acrylamide to nylon-6 by the electron beam preirradiation technique: 3. Degree of ———— at high grafting yields, 1431

Crystallization: Twisting orientation and the role of transient states in polymer————, 28

Crystallization: Structure and properties of crystalline polymers, 147

Crystallization: Effect of silica nucleants on the rates of ———— of poly(ethylene terephthalate), 659

Crystallization: Chemical nucleation, a new concept applied to the mechanism of action of organic acid salts on the ———— of poly(ethylene terephthalate) and bisphenol-A polycarbonate, 835

Crystallization: Reversible secondary ———— during cooling of polypropylene, 921

Crystallization: Influence of composition and molecular mass on the morphology ———— and melting behaviour of poly(ethylene oxide)/poly(methyl methacrylate) blends, 1097

Crystallization: A neutron scattering study of slowly crystallized bulk polyethylene, 1219

Crystallization: The lamella size distribution in non-isothermally crystallized low density polyethylene, 1277

Crystallization: Spherulite nucleation in polypropylene blends with low density polyethylene, 1323

Crystallization: A model for chain folding polymer crystals: rough faces are consistent with the observed growth rates, 1446

Crystallization: A wide-angle X-ray study of the development of molecular orientation in crosslinked natural rubber, 1562

Crystallization: Modelling the amorphous phase of a melt crystallized, semicrystalline polymer: segment distribution, chain stiffness, and deformation, 1577

Crystallization: Effect of solvent on the polymorphism of poly(4-methylpentene-1): 2. ———— in semi-dilute solutions, 1619

Crystallization: Plastic deformation and subsequent ———— of thin films of isotactic/acatactic polystyrene (iPS/aPS) blends, 1687

Crystallization: Influence of an aqueous acetone medium on the thermal behaviour of solvent treated poly(ethylene terephthalate), 1774

Crystallization: Comparative d. s. c. studies of the ———— of natural rubber and its synthetic analogues, 1823

Crystallization: Characterization and exposure of poly(etheretherketone) (PEEK) to fluid environments, 1845

Crystallization mechanisms: Neutron scattering studies on solution-grown crystals of polyethylene: a statistical preference for adjacent re-entry, 739

Crystallographic defects: Vibrations of ———— associated with a single chain in polyethylene, 1549

Cyclic voltammetry: Electrochemical studies on doping of polyacetylene, 1112

Cyclization: Thermal degradation of poly(vinyl chloride) in oxidative and non-oxidative atmospheres, 1337

Cyclization dynamics of polymers: 10. Synthesis, fractionation and fluorescent spectroscopy of pyrene end-capped polystyrenes, 91

Cycloalkanes: Upper and lower critical solution temperatures for polystyrene in methyl cyclopentane and in dimethyl cyclohexane, 1107

Deformation: Structure–property relations of polyethertriamine-cured bisphenol-A-diglycidyl ether epoxies, 375

Deformation: Modelling the amorphous phase of a melt crystallized, semicrystalline polymer: segment distribution, chain stiffness and ————, 1577

Deformation: Time-dependent ———— and craze initiation in PMMA: Volume effects, 1679

Deformations: Creep and recovery behaviour of ultra-high molecular weight polyethylene in the region of small uniaxial ————, 57

Degradation: Studies of the network structure of rubber vulcanizates by a cryoscopic method: 1., 225

Degradation: Some aspects ofthe thermal stability action of the structure in aliphatic polyamides and polyacrylamides, 1699

Density fluctuation: Isothermal relaxation of specific volume and ———— in poly(methyl methacrylate) and polycarbonate, 1424

Derivation: New developments in polymer surface analysis, 1379

Derivatization: Copoly(*m,p*-chloromethylstyrene–50% styrene): Copolymer molecular weights, fractionation and ————, 1161

Desorption: Water sorption and ———— in 2-hydroxyethylmethacrylate/methylmethacrylate copolymers, 686

Deutration: A broad-line n. m. r. investigation of methyl motion in poly(methyl methacrylate), 1227

Deuterium magnetic resonance: Effect of crosslinking density on the orientational order generated in strained networks: A ———— study, 1405

Dicumylperoxide: Crosslinking of ultra-high molecular weight polyethylene in the oriented state with ————, 513

Dielectric constant: Infra-red optical absorption or oriented polyacetylene, 1253

Dielectric measurement: Anomalous properties of poly(γ-benzyl L-glutamate) film composed of unusual 7/2helices, 1711

Dielectric properties: The ———— of poly(hexylisocyanate) solutions in electric fields, 1465

Dielectric relaxation: and the molecular motion of poly(vinylidene fluoride) crystal form II under high pressure, 63

Dielectric relaxation: Aliphatic polyesters as models for relaxation processes in crystalline polymers: 2. ———— in copolymers of adipic acid with 1,6 and 2,5-hexanediols. 330

Dielectric relaxation: Aliphatic polyesters as models for relaxation processes in crystalline polymers: 4. ———— in oriented specimens, 347

Dielectric relaxation: Dielectric, mechanical and thermal properties of some chlorinated poly(*p*-phenylene oxide)s in the solid state, 625

Dielectric saturation: The dielectric properties of poly(hexylisocyanate) solutions in electric fields, 1465

Dielectric studies: of nitrocellulose–nitroglycerine mixtures, 815

Differential scanning calorimetry: Analysis of epoxidized natural rubber. A comparative study of ————, n.m.r., elemental analysis and direct titration methods, 995

Differential scanning calorimetry: Distribution of lamella thicknesses in isothermally crystallized polypropylene and polyethylene by ————, 1268

Differential scanning calorimetry: Anomalous properties of poly(γ-benzyl L-glutamate) film composed of unusual 7/2 helices, 1711

Differential scanning calorimetry: Comparative ———— studies of the crystallization of natural rubber and its synthetic analogues, 1823
Differential thermal analysis: Microstructure of solution-chlorinated polyethylene by ^{13}C nuclear magnetic resonance, 369
Diffusion: Non-Fickian ———— of water in melamine-formaldehyde resins, 84
Diffusion: Migration of low molecular weight components from polymers: 1. Methodology and ———— of straight chain octadecane in polyolefins, 209
Diffusion: Residual temperature dependence of normalized ———— of polystyrene latex in aqueous solvents, 467
Diffusion: Interdiffusion and marker movements in concentrated polymer–polymer ———— couples, 473
Diffusion: Dynamic light scattering measurements of polystyrene in semidilute theta solutions, 650
Diffusion: The concentration dependence of ———— in semi-dilute polymer solutions, 680
Diffusion: Water sorption and desorption in 2-hydroxyethylmethacrylate/methylmethacrylate copolymers, 686
Diffusion: Polymerization of acrylamide with ————controlled termination, 845
Diffusion: Effect of non-uniform initial drug concentration distribution on the kinetics of drug release from glassy hydrogel matrices, 973
Diffusion: Observations relating to oxygen permeability measurements on membranes, 1441
Diffusion rates: Energy transfer studies from polymer bound naphthalene to anthracene in solution: translational and segmental ————, 1767
Dilatometry: Recrystallization kinetics of isotactic polypropylene (α-form), 1462
Dilatometry: Studies of absolute rate coefficients in alternating copolymerization by observation of pre- and after-effects, 1791
Diluent effects: on carbonate mobility in bisphenol-Apolycarbonate in the solid state, 452
Dimethyl cyclohexane: Upper and lower critical solution temperatures for polystyrene in methyl cyclopentane and in ————, 1107
N,N'-dimethylacetamide: Synthesis, kinetic observations and characteristics of polt(arylene ether sulphones) prepared via a potassium carbonate———— process, 1827
4-(*N*-dimethylmaleimido)-benzenesulphenyl chloride: Light-sensitive elastomers modified by ————, 1629
Dimethyl phthalate: Crystalline complex between poly(γ-methyl L-glutamate) and ————, 698
Dimethylsiloxane oligomers: Dipole moments and statistical conformations of cyclic and linear ————, 1122
Dipeptide: Synthesis of polymers and copolymers of c-(*N*ε-AcrLys–Sar) and their interaction with small molecules in solution, 1837
Dipole moments: and statistical conformations of cyclic and linear dimethylsiloxane oligomers, 1122
Disclination: Vibrations of crystallographic defects associated with a single chain in polyethylene, 1549
Dislocation: Vibrations of crystallographic defects associated with a single chain in polyethylene, 1549
Dispersion: Rubber phase dispersion in polypropylene, 1527
Dispiration: Vibrations of crystallographic defects associated with a single chain in polyethylene, 1549
Displacement fields: The stress and at the tip of crazes in glassy polymers, 43
Dixanthogen: Mechanisms of antioxidant action: effect of processing conditions on the stabilizing effectiveness of metal xanthates and related ———— in polypropylene, 1006
Dodecamethylenediammonium adipate: Solid-state polyamidation of ————, 791
Doping: Electrochemical studies on of polyacetylene, 1112
Drawing: The thermal expansion behaviour of highly oriented polyethylene, 1203
Drawing: Distribution of stress in a craze of the top of a uniformly extending crack, 1727
Drug concentration distribution: Effect of non-uniform initial ———— on the kinetics of drug release from glassy hydrogel matrices, 973
Drug release: Effect of non-uniform initial drug-concentration distribution on the kinetics of ———— from glassy hydrogel matrices, 973
Dynamic light scattering: measurements of polystyrene in semidilute theta solutions, 650
Dynamic mechanical measurements: Physical ageing of polycarbonate and PMMA by ————, 1392

Effective thickness: of adsorbed polymer in a shear field, 1198
Ehrenfest relation: Factors determining glass transition temperature and relaxation time of poly(vinyl chloride), 75
Elastic moduli: Viscoelasticity of ionomer gels: 2. The ————, 1469
Elasticity: Assessment of the sliding link model of chain entanglement in polymer networks, 609
Elastomers: Polyurethane microcellular ————: 2. Effect of chain extender on the mechanical properties, 1211
Elastomers: Light-sensitive ———— modified by 4-(*N*-dimethylmaleimido)-benzenesulphenyl chloride, 1629
Electric fields: The dielectric properties of poly(hexylisocyanate) solutions in ————, 1465
Electrical conductivity: of polySchiff bases: a theoretical study, 129
Electroactive: Preparation of potentially ———— thallium polymers derived from the acidic copolymers of maleic anhydride, 115
Electrical properties: Control of———— of polymers by chemical modification, 3
Electrochemical studies: on doping of polyacetylene, 1112
Electro-copolymerization: Electroinitiated cationic copolymerization by direct electron transfer, 1655
Electroinitiation: Electroinitiated cationic copolymerization by direct electron transfer, 1655
Electrolysis: Electro-initiated cationic polymerization of α-methylstyrene by direct electron transfer, 1028
Electrolyte: Ionic conductivities of poly(methoxy polyethylene glycol monomethacrylate) complexes with $LiSO_3CH_3$, 1600
Electron beam: Poly(α-methylstyrenne) and α-methylstyrene–maleic anhydride copolymer: an ———— lithographic study, 1087
Electron beam: Copolymers of 2-hydroxyethyl methacrylate and methyl methacrylate: an ———— resist study, 1090
Electron beam preirradiation: Grafting of acrylamide to nylon-6 by the ———— technique: 3. Degree of crystallinity at high grafting yields, 1431
Electron diffraction: Morphology of polypivalolactone: A polymer with a direction, 773
Electron microscopy: Walls in liquid crystalline polymers: an ———— study, 1235
Electron microscopy: Observations on the structure of a polyacrylamide gel from electron micrographs, 1419
Electron microscopy: Direct lattice imageing in single crystals of isotactic polystyrene, 1573
Electron paramagnetic resonance: studies of Kevlar 49 fibres: Stress-induced free radicals, 759
Electron spectroscopy for chemical application: An ———— investigation of the surface oxidation of disphenol-A polycarbonate films induced by reactive oxygen species, 826
Electron spin resonance: study of a cured epoxy resin exposed to high-energy radiation, 54
Electron spin resonance: Ionic products from the mechanical fracture of solid polypropylene, 944
Electron spin resonance: An ———— study of the motion of peroxy radicals in isotactic and atactic polypropylenes, 1436
Electron transfer: Electro-initiated cationic polymerization of α-methylstyrene by direct ————, 1028
Electron transfer: Electroinitiated cationic copolymerization by direct ————, 1655
Electron transfer reactions: Mediated ———— at electrodes coated with poly(viologen)s, 1302
Electro-optical behaviour: and viscometric behaviour of sodium polystyrene sulphonate in formamide, 1397
Electroreactive polymers: Synthesis of ———— from poly(*m,p*-chloromethylstyrene) and copoly(*m,p*-chloromethylstyrene–styrene), 716
Elementary analysis: The determination of the degree of hydrolysis in poly(acrylamides): simple methods using C^{13} n.m.r. and ————, 1314
Elongation: Extrusion drawn amorphous poly(ethylene terephthalate): 4. Irreversible spontaneous ————, 877
Energy dispersive X-ray analysis: Acrylic terpolymer modified by blending with polyorganosiloxane polymer or reinforcing, 1603
Energy migration: Intramolecular excimer formation and ———— in head-to-head polystyrene, 989
Energy transfer: studies from polymer bound naphthalene to anthracene in solution: translational and segmental diffusion rates, 1767
Entanglement: A simple viscoelastic model for fatigue crack propagation in polymers as a function of molecular weight, 1657
Epitaxial synthesis: of poly(*p*-xylylene), 615
Epoxidation: Analysis of epoxidized natural rubber. A comparative study of d.s.c., n.m.r., elemental analysis and direct titration methods, 995

Epoxidation: Some novel polymer-supported optically active phase transfer catalysts: 2. Use in displacement, reduction, ——— and addition reactions, 1499
Epoxies: Structure–property relations of polyethertriamine-cured bisphenol-A-diglycidyl ether ———, 375
Epoxy resin: electron spin resonance study of a cured ——— exposed to high energy radiation, 54
Epoxy resin: Tests for obtaining and investigating pre-stressed plastics, 722
Epoxy resins: Temperature dependence of the zero-shear melt viscosity of oligomeric ———, 463
Epoxy resins: Interaction of ——— with water: the depression of glass transition temperature, 664
Etching: The lamella size distribution in non-isothermally crystallized low density polyethylene, 1277
Ethyl eosin: Polymerization of vinyl acetate using visible radiation and a dye-reducing agent sensitizer: 1. Pre-initiation and initiation reactions involving ——— and ascorbic acid, 529
Excimer fluorescence: Novel ——— method for monitoring polymerization: 1. Polymerization of methyl methacrylate, 690
Excimer formation: Intramolecular ——— and energy migration in head-to-head polystyrene, 989
Excitation: Low frequency ——— in amorphous acrylic polymers, 899
Expansion coefficient: Conformations of star-branched macromolecules, 1453
Expansion factor: Effects of the excluded volume interactions on the conformation properties of star polymers, 1607
Exposure: Characterization and ——— of poly(etheretherketone) (PEEK) to fluid environments, 1845
Extraction: A novel fluorescence technique for measurements of additive migration from polymers, 1626

Extrusion: drawn amorphous and semi-crystalline poly(ethylene terephthalate): 3. Linear thermal expansion analysis, 869
Extrusion: drawn amorphous poly(ethylene terephthalate): 4. Irreversible spontaneous elongation, 877

Fatigue: A simple viscoelastic model for ——— crack propagation in polymers as a function of molecular weight, 1657
Ferroelectric: Structure and ——— phase transition of vinylidene fluoride-trifluoroethylene copolymers: 2. VDF 55% copolymer, 195
Flammability: Reduction of smoke formation from and ——— of thermoplastic polymers by metal oxides, 405
Flavins: Polymer-bound ———2. Immobilization of linear flavin-containing polyelectrolytes by adsorption onto silica, 1327
Flocculants: Synthesis and solution properties of water soluble copolymers based on acrylamide and quaternary ammonium acrylic comonomer, 1317
Fluid environments: Characterization and exposure of poly(etheretherketone) (PEEK) to ———, 1845
Fluorescence: Intramolecular excimer formation and energy migration in head-to-head polystyrene, 989
Fluorescence emission: Phase separation in polystyrene–poly(vinylmethylether) blends: a———, 956
Fluorescence probe: for microenvironments: effect of solvent vapour on the properties of vapour-swollen polymers, 399
Fluorescence quantum yield: Fluorescence probe for microenvironments: effect of solvent vapour on the properties of vapour-swollen polymers, 399
Fluorescence technique: A novel ——— for measurements of additive migration from polymers, 1626
Folding: A neutron scattering study of slowly crystallized bulk polyethylene, 1219
Formaldehyde: Characterization of urea–formaldehyde and melamine-——— adducts and resins by ^{15}N nuclear magnetic resonance spectroscopy, 821
Fractionation: Cyclization dynamics of polymers: 10. Synthesis, ———, and fluorescent spectroscopy of pyrene end-capped polystyrenes, 91
Fractionation: Copoly(*m*,*p*-chloromethylstyrene–50% styrene): Copolymer molecular weights, ——— and derivatization, 1161
Fracture: The stress and displacement fields at the tip of crazes in glassy polymers, 43
Fracture: Electron paramagnetic resonance studies of Kevlar 49 fibres: Stress-induced free radicals, 759
Fracture: Stress relaxation of poly(1,4-dimethylene-*trans*-cyclohexyl suberate), 1690
Free-radical: Rheokinetics of ——— polymerization, 778
Free radicals: Electron paramagnetic resonance studies of Kevlar 49 fibres: Stress-induced ———, 759
Free volume: Quantitative evaluation of the Gibbs theory of the glass transition, 600
Freezing point depression: Studies of the network structure of rubber vulcanizates by cryoscopic methods: 2., 1117

Gambler's ruin: Modelling the amorphous phase of a melt crystallized, semicrystalline polymer: segment distribution, chain stiffness, and deformation, 1577
Gamma irradiation: Observations on the homogeneity of crosslinked copolymers prepared by γ-irradiation, 797
Gas-liquid chromatography: study of poly(ethylene oxide)–solvent interactions: A molecular approach to solvation mechanisms, 1784
Gel permeation chromatography: Molecular characterization of sodium poly(acrylate) by an aqueous ———/LS method, 218
Gel permeation chromatography: Molecular weight distribution of phenol-formaldehyde resols by high performance ———, 403
Gel permeation chromatography: Polycondensation kinetics of poly(phenylene ether sulphone), 1363
Gibbs theory: Quantitative evaluation of the ——— of the glass transition, 600
Gibbs–DiMarzio theory: Quantitative evaluation of the ——— of the glass transition, 927
Glass transition: The kinetics of the α relaxation in an amorphous polymer at temperatures close to the ———, 309
Glass transition: Quantitative evaluation of the Gibbs theory of the ———, 600
Glass transition: Dielectric, mechanical and thermal properties of some chlorinated poly(*p*-phenylene oxide)s in the solid state, 625
Glass transition: Temperature dependence of the tensile properties of lignin/paper composites, 890
Glass transition: Quantitative evaluation of the Gibbs–Dimarzio theory of the ———, 927
Glass transition: New polymer syntheses: 11. Preparation of aromatic poly(ether ketone)s from silylated bisphenols, 1151
Glass transition: Thermotropic liquid crystalline polyesters with terphenyl moieties and flexible 'ether' spacers in the main chain, 1281
Glass transition: Attempt to correlate the yield processes above and below the ——— in glassy polymers, 1523
Glass transition: Influence of an aqueous acetone medium on the thermal behaviour of solvent treated poly(ethylene terephthalate), 1774
Glass transition temperature: Factors determining ——— and relaxation time of poly(vinyl chloride), 75
Glass transition temperature: Temperature dependence of the zero-shear melt viscosity of oligomeric epoxy resins, 463
Glass transition temperature: Interaction of epoxy resins with water: the depression of ———, 664
Glass transition temperature: Light-sensitive elastomers modified by 4-(*N*-dimethylmaleimido-benzenesulphenyl chloride), 1629
Glasses: Structure of polystyrene ———, 906
Glasses: Theory of slow, steady state crack growth in polymer ———, 1667
Glass polymers: The stress and displacement fields at the tip of crazes in ———, 43
Grafting: The γ-radiation induced ——— of unsaturated segmented polyurethane with *N*-vinyl pyrrolidone, 1157
Grafting: Influence of the solvent on the conformations of poly(ethylene oxide) chains grafted on silica, 1297
Grafting: of acrylamide to nylon-6 by the electron beam preirradiation technique: 3. Degree of crystallinity at high grafting yields, 1431

Heat capacity: Temperature dependence of some thermodynamic functions for amorphous and semicrystalline polymers, 579
Heat-resistant polymers: Processable ———: 14. Polyamides and polyamideimides containg azo linkages, 551
Helix–coil transition: Scattering function of poly(amino acid) in ———, 1258
Homogeneity: Observations on the ——— crosslinked copolymers prepared by γ-irradiation, 797
Hydrogel: Observations relating to oxygen permeability measurements on membranes, 1441
Hydrogel matrices: Effect of non-uniform initial drug concentration distribution on the kinetics of drug release from glassy ———, 973

Hydrogen bonding: Crystal structure of cellulose polymorphs by potential energy calculations: 1. Most probable models for mercerized cellulose, 107
Hydrogen bonding: Gas–liquid chromatography study of poly(ethylene oxide)–solvent interactions: A molecular approach to solvation mechanisms, 1784
Hydrolysis: The determination of the degree of hydrolysis in poly(acrylamides): simple methods using C^{13} n.m.r. and elementary analysis, 1314
4-Hydroxybenzoic acids: New polymer syntheses: 10. Syntheses of high molecular weight poly(4-hydroxybenzoate)s by bulk condensations of ————, 520
2-hydroxyethyl methacrylate: Copolymers of ———— and methyl methacrylate: an electron beam resist study, 1090
Hydroxypropyl methylcellulose: Structural interpretation of the interfacial properties of aqueous solutions of methylcellulose and ————, 481

Immiscibility: Polymer mixing in aqueous solution, 979
Immobilization: Polymer-bound flavins: 2. ———— of linear flavin-containing polyelectrolytes by adsorption onto silica, 1327
Incoherent scattering: On the assessment of incoherent neutron scattering intensities from polymer systems, 1068
Indolinospiropyrans: Photoresponsive polymeric systems. Mixed monomolecular films of some synthetic polymers and ————, 999
Infra-red: study of solution-grown crystals of polyethylene: correlation with the model from neutron scattering, 749
Infra-red: optical adsorption of oriented polyacetylene, 1253
Infra-red absorption: The effect of cooling rate upon the morphology of quenched melts of isotactic polypropylenes, 785
Infra-red spectroscopy: Orientation and relaxation in uniaxially-stretched poly(2,6-dimethyl 1,4-phenylene oxide) – atactic polystyrene blends, 318
Infra-red spectroscopy: Spectroscopic study of the electric field induced microstructural changes in poly(vinylidene fluoride), 1247
Interaction: Craze behaviour in isotactic polystyrene: 1. Craze-spherulite ————, 417
Interaction: of 1-pyrenebutyrate with poly(vinylbenzo-18-crown-6) and poly(vinylbenzoglyme) in water, 1166
Interaction: Synthesis of polymers and copolymers of c-(N^{ε}-AcrLys–Sar) and their ———— with small molecules in solution, 1837
Interaction model: A binary ———— for miscibility of copolymers in blends, 487
Interaction parameters: in ternary polystyrene solutions at high temperature, 803
Interaction parameters: in the n-undecane/butanone/poly(dimethylsiloxane) system, 1479
Interaction parameters: Polymer–polymer ———— in the ternary system polystyrene/poly(α-methyl styrene)/n-butyl chloride, 1779
Interdiffusion: and marker movements in concentrated polymer–polymer diffusion couples, 473
Interfacial properties: structural interpretation of the ———— of aqueous solutions of methylcellulose and hydroxypropyl methylcellulose, 481
Ionic: Physical characterization of suspension-crosslinked polystyrene particles and their sulphonated products: 2. ———— networks, 249
Ionic conductivities: for poly(ethylene oxide) complexes with lithium salts of monobasic and dibasic acids and blends of poly(ethylene oxide) with lithium salts of anionic polymers, 1291
Ionic conductivities: of poly(methoxy polyethylene glycol monomethacrylate) complexes with $LiSO_3CH_3$, 1600
Ionic products: from the mechanical fracture of solid polypropylene, 944
Ionomer gels: Viscoelasticity of ———— 2. The elastic moduli, 1469

Kelen–Tudös method: Copolymerization of alkyl acrylates with triallyl cyanurate: ———— applied for determining copolymerization reactivity ratios, 555
Kevlar 49 fibres: Electron paramagnetic resonance studies of ————: Stress-induced free radicals, 759
Kinetic investigations: Bulk copolymerization of methyl methacrylate and styrene in presence of an acrylic elastomer: 1. ————, 1475
Kinetic observations: Synthesis ———— and characteristics of poly(arylene ether sulphones) prepared via a potassium carbonate DMAC process, 1827
Kinetic studies: Polymerization of vinyl acetate using visible radiation and a dye-reducing agent sensitizer: 2. ———— and polymerization mechanism, 536
Kinetics: The ———— of the α and β relaxations in isotactic polypropylene, 299
Kinetics: The ———— of the α relaxation in an amorphous polymer at temperatures close to the glass transition, 309
Kinetics: Crystal growth ———— and the lateral habits of polyethylene crystals, 631
Kinetics: Water sorption and desorption in 2-hydroxyethylmethacrylate/methyl methacrylate copolymers, 686
Kinetics: Effect of non-uniform initial drug concentration distribution on the ———— of drug release from glassy hydrogel matrices, 973
Kinetics: Polycondensation ———— of poly(phenylene ether sulphone), 1363
Kinetics on the reactivity of polymers: 2. Chlorination of poly(vinylidene chloride) by sulphuryl chloride in the presence of azobisisobutyronitrile, 1371
Kinetics: Recrystallization ———— of isotactic polypropylene (α form), 1462
Kinetics: and mechanism of cationic oligomerization of styrene using poly(styrene-sulphonic acid) resin as catalyst, 1486

Lamella size distribution: The ———— in non-isothermally crystallized low density polyethylene, 1277
Lamella thicknesses: Distribution of ———— in isothermally crystallized polypropylene and polyethylene by differential scanning calorimetry, 1268
Lamellar morphology: On the ———— of isotactic polypropylene spherulites, 935
Lattice imageing: Direct ———— in single crystals of isotactic polystyrene, 1573
Lattice matching: Epitaxial synthesis of poly(*p*-xylylene), 615
Lead dimethacrylate: Synthesis of ————, 1020
Light scattering: Molecular characterization of sodium poly(acrylate) by an aqueous g.p.c./———— method, 218
Light scattering: Residual temperature dependence of normalized diffusion of polystyrene latex in aqueous solvents, 467
Light scattering: Studies on the characterization of partly hydrolysed dervatives of poly(vinyl acetate) and their red iodine complex, 543
Light scattering: Characterization of styrene–ethylene oxide and methyl methacrylate–styrene block copolymers by ————, 693
Light scattering: Interaction parameters in ternary polystyrene solutions at high temperature, 803
Light scattering: Scattering from a polymer solution at an arbitrary concentration, 1059
Light scattering: Micellization of three-block copolymer poly[styrene-*b*-(ethene-co-butene)-*b*-styrene] in mixed solvents of tetrahydrofuran/ethanol, 1178
Light scattering: Styrene polymerized in an oil-in-water microemulsion, 1357
Lignin/paper: Temperature dependence of the tensile properties of ———— composites, 890
Liquid crystal polymers: Polymers with rigid anisotropic side groups: 1. Side chain induced crystallinity in substituted biphenyl acrylates and methacrylates, 1342
Liquid crystalline polyesters: Thermotropic ———— with terphenyl moieties and flexible 'ether' spacers in the main chain, 1281
Liquid crystalline polymer: Pretransitional phenomena in the isotropic melt of a mesogenic side chain polymer, 1271
Liquid crystalline polymers: Synthesis and mesomorphic properties of a new thermotropic liquid-crystalline 'backbone' copolyester, 808
Liquid crystalline polymers: Walls in ———— and electron microscopy study, 1235
Liquid crystals: Mesomorphic transitions in a mixture of a flexible and a semi-rigid polymer, 1073
Lithium salts: Ionic conductivities for poly(ethylene oxide) complexes with lithium salts of monobasic and dibasic acids and blends of poly(ethylene oxide) with lithium salts of anionic polymers, 1291
Lithographic study: Poly(α-methylstyrene) and α-methylstyrene–maleic anhdyride copolymer: an electron beam ————, 1087
Low frequency excitations: in amorphous polycarbonate studied by Raman spectroscopy, 1411

Macrophase separation: Small-angle light scattering studies of ———— in segmented polyurethane block copolymers, 171
Macroradical reactions: study of the mechanism of ———— in solid polymers: 1. Molecular aspects of reactivity and activation energy model of reactions, 274

Macrotexture: A tailor-made polymer for tyre applications, 132
Maleic anhydride: Preparation of potentially electroactive thallium polymers derived from the acidic copolymers of ————, 115
Marker movements: Interdiffusion and ———— in concentrated polymer–polymer diffusion couples, 473
Mass spectrometry: New developments in polymer surface analysis, 1379
Mechanical fracture: Ionic products from the ———— of solid polypropylene, 944
Mechanical properties: Polyurethane microcellular elastomers: 2. Effect of chain extender on the ————, 1211
Mechanical properties: Physical ageing of polycarbonate and PMMA by dynamic mechanical measurements, 1392
Mechanical properties: Segmented organosiloxane copolymers: 2. Thermal and ———— of siloxane urea copolymers, 1807
Mechanical relaxation: Aliphatic polyesters as models for relaxation processes in crystalline polymers: 3. ———— in copolymers of adipic acid with 1,6- and 2,5-hexanediols, 340
Mechanical relaxation: Dielectric, mechanical and thermal properties of some chlorinated poly(*p*-phenylene oxide)s in the solid state, 625
Mechanical relaxations: Ultrasonic measurements of the ———— and complex stiffnesses in oriented linear polyethylene, 447
Melamine: Characterization of urea–formaldehyde and ———— formaldehyde adducts and resins by ^{15}N n.m.r. spectrosocpy, 821
Melting behaviour: Influence of composition and molecular mass on the morphology, crystallization and ———— of poly(ethylene oxide)/poly(methyl methacrylate) blends, 1097
Membranes: Observations relating to oxygen permeability measurements on ————, 1441
Metallic catalysts: Aspects of the chemistry of poly(ethylene terephthalate): 5. Polymerization of bis(hydroxyethyl) terephthalate by various ————, 1333
Methacrylates: Polymers with rigid anisotropic side groups: 1. Side chain induced crystallinity in substituted biphenyl acrylates and ————, 1342
Methacrylic acid: Synthesis of lead dimethacrylate, 1020
Methylcellulose: Structural interpretation of the interfacial properties of aqueous solutions of ———— in hydroxypropyl methylcellulose, 481
Methyl cyclopentane: Upper and lower critical solution temperatures for polystyrene in ———— and in dimethyl cyclohexane, 1107
Methylethers: Thermodynamics of oligomeric binary mixtures of polyethylene glycol and polypropylene glycol ————, 239
Methyl methacrylate: Novel excimer fluorescence method for monitoring polymerization: 1. Polymerization of ————, 690
Methyl methacrylate: Copolymers of 2-hydroxyethyl methacrylate and ————: an electron beam resist study, 1090
Methyl methacrylate: Bulk copolymerization of ———— and styrene in presence of an acrylic elastomer: 1. Kinetic investigations, 1475
Methyl methacrylate–chloroprene: copolymerization: an evaluation of copolymerization models, 569
Methyl motion: A broad-line n.m.r. investigation of ———— in poly(methylmethacrylate), 1227
α-Methylstyrene: Electro-initiated cationic polymerization of ———— by direct electron transfer, 1028
Mesogenic elements: Polymers with ———— in the main chain: a nematic aromatic copolyester, 263
Mesomorphic properties: Synthesis and ———— of a new thermotropic liquid-crystalline 'backbone' copolyester, 808
Mesomorphic transitions in a mixture of a flexible and a semi-rigid polymer, 1073
Mesophase: Walls in liquid crystalline polymers: an electron microscopy study, 1235
Micellization: of three-block copolymer poly[styrene-*b*-(ethene-co-butene)-*b*-styrene] in mixed solvents of tetrahydrofuran/ethanol, 1178
Microcellular: Polyurethane ———— elastomers: 2. Effect of chain extender on the mechanical properties, 1211
Microdomain structure: Morphology control of a poly(styrene-butadiene-*b*-4-vinylpyridine) ABC three-block polymer by binary solvent casting, 230
Microemulsion: Styrene polymerized in an oil-in-water ————, 1357
Microenvironments: effect of solvent vapour on the properties of vapour-swollen polymers, 399
Micro-hysteresis: A tailor-made polymer for tyre applications, 132
Microparacrystal-bundles: Small-angle scattering of ———— in cold-drawn and annealed isotactic polypropylene, 1747
Microphase structure features of network block polymer over a wide temperature range, 459
Microscopy: Molecular fractionation in melt-crystallized polyethylene: 3. ———— of solvent-treated samples, 1263
Microstructural changes: Spectroscopic study of the electric field induced ———— in poly(vinylidene fluoride), 1247
Microstructure: of solution-chlorinated polyethylene by ^{13}C nuclear magnetic resonance, 369
Microstructure: Dielectric studies of nitrocellulose–nitroglycerine mixtures, 815
Microstructure: Graded block and randomized copolymers of butadiene–styrene, 1011
Microstructure: of as-polymerized thermoplastic polyurethane elastomers, 1734
Microtexture: A tailor-made polymer for tyre applications, 132
Migration: of low molecular weight components from polymers: 1. Methodology and diffusion of straight chain octadecane in polyolefins, 209
Miscibility: A binary interaction model for ———— of copolymers in blends, 487
Miscibility: The ———— of polyacrylates and polymethacrylates with PVC: *In situ* polymerization and the miscibility of poly(methacrylate) and poly(ethyl acrylate) with PVC, 495
Miscibility: The ———— of polyacrylates and polymethacrylates with PVC: An interpretation of the heats of mixing of oligomers, 499
Miscibility: Polymer mixing in aqueous solution, 979
Miscibility: *In situ* polymerization of n-butyl acrylate in poly(vinyl chloride), 1023
Mixing: Polymer ———— in aqueous solution, 979
Mixing effects: on the mid-kilohertz mobility of polystyrene in glassy polystyrene–diluent blends, 645
Models: Methyl methacrylate–chloroprene copolymerization: an evaluation of copolymerization ————, 569
Modification: Light-sensitive elastomers modified by 4-(*N*-dimethylmaleimido)-benzenesulphenyl chloride, 1629
Molecular characterization: of sodium poly(acrylate) by an aqueous g.p.c./LS method, 218
Molecular conformation: Structure of polystyrene glasses, 906
Molecular fractionation: in melt-crystallized polyethylene: 3. Microscopy of solvent-treated samples, 1263
Molecular orientation: A wide-angle X-ray study of the development of ———— in crosslinked natural rubber, 1562
Molecular packing: in alkylated and chlorinated poly-*p*-xylylenes, 1093
Molecular motion: Dielectric relaxation and the ———— of poly(vinylidene fluoride) crystal form II under high pressure, 63
Molecular motion: Monte Carlo simulation of ———— and phase transition in poly(ethylene) crystal, 178
Molecular motion: An e.s.r. study of the motion of peroxy radicals in isotactic and atactic polypropylenes, 1436
Molecular structure: Influence of the ———— of poly(vinyl alcohol) on the ultrasonic absorption, 985
Molecular symmetry: Raman scattering activities for partially-oriented systems: the case of a unique ———— axis perpendicular to the uniaxial direction, 165
Molecular weight distribution: of phenol–formaldehyde resols by high performance gel permeation chromatography, 403
Molecular weight distribution: A simple viscoelastic model for fatigue crack propagation in polymers as a function of molecular weight, 1657
Monomer complexes: Studies of absolute rate coefficients in alternating copolymerization by observation of pre- and after-effects, 1791
Monomolecular films: Photoresponsive polymeric systems. Mixed ———— of some synthetic polymers and indolinospiropyrans, 999
Monte Carlo calculations: Studies of cyclic and linear poly(dimethyl siloxanes) 14. Particle scattering functions, 365
Monte Carlo simulation: of molecular motion and phase transition in poly(ethylene) crystal, 178
Morphology: control of a poly(styrene–butadiene-*b*–4-vinylpyridine) ABC three-block polymer by binary solvent casting, 230
Morphology: Phase structure of impact-modified polypropylene blends, 279
Morphology: Creep rupture of a linear polyethylene: 1. Rupture and pre-rupture phenomena, 727
Morphology: of polypivalolactone: A polymer with a direction, 773
Morphology: The effect of cooling rate upon the ———— of quenched melts of isotactic polypropylenes, 785
Morphology: Extrusion drawn amorphous and semi-crystalline poly(ethylene terephthalate): 3. Linear thermal expansion analysis, 869
Morphology: Effect of ———— on the crack propagation of the semicrystalline polyester poly(1,4-dimethylene-*trans*-cyclohexyl suberate), 1031

Morphology: Temperature dependence of crack-propagation parameters and crack of the semicrystalline polyester poly(1,4-dimethylene-*trans*- cyclohexyl suberate), 1040
Morphology: Influence of composition and molecular mass on the ——— crystallization and melting behaviour of poly(ethylene oxide)/poly(methyl methacrylate) blends, 1097
Morphology: Rubber phase dispersion in polypropylene, 1527
Morphology: Acrylic terpolymer modified by blending with polyorganosiloxane polymer or reinforcing, 1603
Morphology: Effect of solvent on the polymorphism of poly(4-methylpentene-1): 1. Solution grown single crystals, 1613

Naphthalene: Energy transfer studies from polymer bound naphthalene to anthracene in solution: translational and segmental diffusion rates, 1767
Natural rubber: Comparative d.s.c. studies of the crystallization ——— and its synthetic analogues, 1823
Necking: Creep rupture of a linear polyethylene: 1. Rupture and pre-rupture phenomena, 727
Nematic: Polymers with mesogenic elements in the main chain: a ——— aromatic copolyester, 263
Network: Microphase structure features of ——— block polymer over a wide temperature range, 459
Network structure: Studies of the ——— of rubber vulcanizates by a cryoscopic method: 1., 225
Network structure: Structure–property relations of polyethertriamine-cured bisphenol-A-diglycidyl ether epoxies, 375
Network structure: Studies of the ——— of rubber vulcanizates by cryoscopic methods: 2., 1117
Networks: The van der Waals-network — a phenomenological approach to dense ———, 71
Networks: Physical characterization of suspension-crosslinked polystyrene particles and their sulphonated products: 1. Nonionic ———, 245
Networks: Physical characterization of suspension-crosslinked polystyrene particles and their sulphonated products: 2. Ionic ———, 249
Networks: Assessment of the sliding link model of chain entanglement in polymer ———, 609
Networks: Effect of crosslinking density on the orientational order generated in strained ———: A deuterium magnetic resonance study, 1405
Networks: Polyurethane–polysiloxane interpenetrating polymer ———: 1. A poly(ether urethane)–poly(dimethylsiloxane) system, 1633
Networks: Small-angle neutron scattering from polystyrene–DVB ——— containing a delta fraction of deuterated polystyrene: Evidence for aggregation during polymerization, 1718
Neutron scattering: Compatibility and ———, ——— studies of mixtures of polystyrene with poly(2,6-dimethyl 1,4-phenylene oxide) and its brominated derivatives, 357
Neutron scattering: Studies of cyclic and linear poly(dimethyl siloxanes): 14. Particle scattering functions, 365
Neutron scattering: Studies on solution-grown crystals of polyethylene: a statistical preference for adjacent re-entry, 739
Neutron scattering: Infra-red study of solution-grown crystals of polyethylene: correlation with the model from ———, 749
Neutron scattering: On the assessment of incoherent ——— intensities from polymer systems, 1068
Neutron scattering: A ——— study of slowly crystallized bulk polyethylene, 1219
Nitrocellulose: Dielectric studies of ———nitroglycerine mixtures, 815
Nitroglycerine: Dielectric studies of nitrocellulose——— mixtures, 815
Nonionic: Physical characterization of suspension-crosslinked polystyrene particles and their sulphonated products: 1. ——— networks, 245
N.m.r.: Characteristic molecular weights in the dynamics of polymer melts: ——— and zero-shear viscosity, 187
Nuclear magnetic resonance: Microstructure of solution-chlorinated polyethylene by ^{13}C ———, 369
Nuclear magnetic resonance: Carbon-13 ——— study of ethylene-1 octene and ethylene-4-methyl-1-pentene copolymers, 441
Nuclear magnetic resonance: Diluent effects on carbonate mobility in bisphenol-A polycarbonate in the solid state, 452
Nuclear magnetic resonance: Mixing effects on the mid-kilohertz mobility of polystyrene in glassy polystyrene–diluent blends, 645
^{15}N nuclear magnetic resonance spectroscopy: Characterization of urea–formaldehyde and melamine–formaldehyde adducts and resins by ———, 821
Nuclear magnetic resonance: Synthesis and characterization of piperazine-derived poly(amido-amine)s with different distributions of amido- and amino-groups along the macromolecular chain, 863
Nuclear magnetetic resonance: Influence of the molecular structure of poly(vinyl alcohol) on the ultrasonic absorption, 985
Nuclear magnetic resonance: Analysis of epoxidized natural rubber. A comparative study of d.s.c., ———, elemental analysis and direct titration methods, 995
Nuclear magnetic resonance: Graded block and randomized copolymers of butadiene–styrene, 1011
Nuclear magnetic resonance: Deutron ——— study of chain motion in solid polyethylene, 1078
Nuclear magnetic resonance: ^{13}C ——— study of solvation mechanisms in the radiation-induced polymerization of vinyl ethers, 1131
Nuclear magnetic resonance: Chain branching in high pressure polymerized polyethylene: 2., 1173
Nuclear magnetic resonance: A broad-line ——— investigation of methyl motion in poly(methylmethacrylate), 1227
Nuclear magnetic resonance: The determination of the degree of hydrolysis in poly(acrylamides): simple methods using C^{13} ——— and elementary analysis, 1314
Nuclear magnetic resonance: A study of conformation, configuration and phase structure of polyacrylonitrile and their mutual dependence by means of WAXS and ^{1}H BL———, 1415
Nuclear magnetic resonance: Quantitative determination of the monoclinic crystalline phase content in polyethylene by ^{13}C ———, 1589
Nuclear magnetic resonance: Studies of the stereospecific polymerization mechanism of propylene by a modified Ziegler–Natta catalyst based on 125 MHz ^{13}C ——— spectra, 1640
Nuclear magnetic resonance: Characterization of poly(vinyl alcohol acetate) by ^{13}C ——— and thermal analyses, 1759
Nucleation: A model for chain folding polymer crystals: rough faces are consistent with the observed growth rates, 1446
Nucleation: Comparative d.s.c. studies of the crystallization of natural rubber and its synthetic analogues, 1823
Nuclei migration: Spherulite nucleation in polypropylene blends with low density polyethylene, 1323
Nylon-4: I an amorphous polyamide, 1755
Nylon-6: Selective permeability of grafted ——— membranes: 1. Permeability of urea and potassium chloride in acrylamide and acrylic acid grafted membranes, 963
Nylon-6: Selective permeability of grafted ——— membranes: 2. Potassium chloride permeation in acrylic acid grafted membranes, 968
Nylon-6: Grafting of acrylamide to ——— by the electron beam preirradiation technique: 3. Degree of crystallinity at high grafting yields, 1431
Nylon salts: Solid-state polyamidation of dodecamethylenediammonium adipate, 791

Oligomerization: Kinetics and mechanism of cationic ——— of styrene using poly(styrenesulphonic acid) resin as catalyst, 1486
Optical absorption: Infra-red ——— of oriented polyacetylene, 1253
Optical anisotropy: Infra-red optical absorption of oriented polyacetylene, 1253
Optical textures: Synthesis and mesormorphic properties of a new thermotropic liquid-crystalline 'backbone' copolyester, 808
Organosiloxane copolymers: Segmented ———. 1. Synthesis of silicone–urea copolymers, 1800
Organosiloxane copolymers: Segmented ——— 2. Thermal and mechanical properties of siloxane urea copolymers, 1807
Orientation: and relaxation in uniaxially-stretched poly(2,6-dimethyl 1,4-phenylene oxide) – atactic polystyrene blends, 318
Orientation: Aliphatic polyesters as models for relaxation processes in crystalline polymers: 4. Dielectric relaxation in oriented specimens, 347
Orientation: Craze behaviour in isotactic polystyrene: 1. Craze–spherulite interaction, 417
Orientation: Ultrasonic measurements of the mechanical relaxations and complex stiffnesses in oriented linear polyethylene, 447
Orientation: Pretransitional phenomena in the isotropic melt of a mesogenic side chain polymer, 1271
Orientation: Quantitative determination of the monoclinic crystalline phase content in polyethylene by ^{13}C n.m.r., 1589
Oxidation: An electron spectroscopy for chemical application investigation of the surface ——— of bisphenol-A polycarbonate films induced by reactive oxygen species, 826
Oxygen permeability: Observations relating to ——— measurements on membranes, 1441

Pariser–Parr–People calculation: Electrical conductivity of polySchiff bases: a theoretical study, 129
Particle scattering: Studies of cyclic and linear poly(dimethyl siloxanes): 14. ———— functions, 365
Permanganic etching: On the lamellar morphology of isotactic polypropylene spherulites, 935
Permeability: Selective permeability of grafted nylon-6 membranes: 1. ———— of urea and potassium chloride in acrylamide and acrylic acid grafted membranes, 963
Permeability: Selective ———— of grafted nylon-6 membranes: 2. Potassium chloride permeation in acrylic acid grafted membranes, 968
Peroxide: Studies on ———— vulcanization of silica-filled EPDM rubber in presence of vinyl silane coupling agent, 855
Peroxy radicals: An e.s.r. study of the motion of ———— in isotactic and atactic polypropylenes, 1436
Phase dispersion: Rubber ———— in polypropylene, 1527
Phase separation: in polystyrene–poly(vinylmethylether) blends: a fluorescence emission analysis, 956
Phase separation: Polymer mixing in aqueous solution, 979
Phase structure: of impact-modified polypropylene blends, 279
Phase structure: A study of conformation, configuration and ———— of polyacrylonitrile and their mutual dependence by means of WAXS and ^{1}H BL-n.m.r., 1415
Phase transfer: Some novel polymer-supported optically active ———— catalysts: 1. Synthesis, 1491
Phase transformation: Spectroscopic study of the electric field induced microstructural changes in poly(vinylidene fluoride), 1247
Phase transition: Monte Carlo simulation of molecular motion and ———— in polyethylene crystal, 178
Phase transition: Structure and ferroelectric ———— of vinylidene fluoride–trifluoroethylene copolymers: 2. VDF 55% copolymer, 195
Phase transitions: Mesomorphic transitions in a mixture of a flexible and a semi-rigid polymer, 1073
Phenol-formaldehyde: Molecular weight distribution of ———— resols by high performance gel permeation chromatography, 403
Phenylacetylene: Copolymerization of ———— with various acetylenes by W- and Mo-based catalysts, 503
Phonons: Low frequency excitations in amorphous polycarbonate studied by Raman spectroscopy, 1411
Photochromic polymers: Photoresponsive polymers: 2. The monolayer behaviour of ———— containing aromatic azobenzene residues, 1347
Photochromism: Photoresponsive polymeric systems. Mixed monomolecular films of some synthetic polymers and indolinospiropyrans, 999
Photo conductivity: Control of electrical properties of polymers by chemical modification, 3
Photoisomerization: Photoresponsive polymers: 2. The monolayer behaviour of photochromic polymers containing aromatic azobenzene residues, 1347
Photolytic degradation: Thermal and ———— of plates of poly(methyl methacrylate) containing monomer, 706
Photon correlation spectroscopy: An investigation of precipitation polymerization in liquid vinyl chloride ————, 1185
Photo-oxidation: Thermal and photolytic degradation of plates of poly(methyl methacrylate) containing monomer, 706
Photoresponsive: polymeric systems. Mixed monomolecular films of some synthetic polymers and indolinospiropyrans, 999
Photoresponsive polymers: 2. The monolayer behaviour of photochromic polymers containing aromatic azobenzene residues, 1347
Physical ageing: of polycarbonate and PMMA by dynamic mechanical measurements, 1392
Physical ageing: Attempt to correlate the yield processes above and below the glass transition in glassy polymers, 1523
Physical ageing: Time-dependent deformation and craze initiation in PMMA: Volume effects, 1679
Physical migration: Study of the mechanism of macroradical reactions in solid polymers: 1. Molecular aspects of reactivity and activation energy model of reactions, 274
Physico-chemical modifications: of superficial regions of low-density polyethylene (LDPE) film under corona discharge, 766
Piezoelectricity: Spectroscopic study of the electric field induced microstructural changes in poly(vinylidene fluoride), 1247
Piperazine: Synthesis and characterization of ————-derived poly(amido-amine)s with different distributions of amido- and amino-groups along the macromolecular chain, 863
Plastic cavitation: Theory of slow, steady state crack growth in polymer glasses, 1667
Plastic deformation: and subsequent crystallization of thin films of isotactic/atactic polystyrene (iPS/aPS) blends, 1687
Plasticization: Interaction of epoxy resins with water: the depression of glass transition temperature, 664
Plasticization: Characterization and exposure of poly(etheretherketone)(PEEK) to fluid environments, 1845
Plasticizer: Influence of aqueous acetone medium on the thermal behaviour of solvent treated poly(ethylene terephthalate), 1774
Plastics: Tests for obtaining and investigating pre-stressed ————, 722
Polarization: Raman scattering activities for partially-oriented systems: the case of a unique molecular symmetry axis perpendicular to the uniaxial direction, 165
Polyacetylene: New routes to conjugated polymers: 1. A two step route to polyacetylene, 395
Polyacetylene: Electrochemical studies on doping of ————, 1112
Polyacetylene: Infra-red optical absorption of oriented ————, 1253
Polyacrylamide gel: Observations on the structure of a ———— from electron micrographs, 1419
Poly(acrylamides): The determination of the degree of hydrolysis in ————: simple methods using ^{13}C n.m.r. and elementary analysis, 1314
Polyacrylamides: Some aspects of the thermal stability action of the structure in aliphatic polyamides and ————, 1699
Poly(acrylate): Molecular characterization of sodium ———— by an aqueous g.p.c./LS method, 218
Polyacrylates: The miscibility of ———— and polymethacrylates with PVC: *In situ* polymerization and the miscibility of poly(methyl acrylate) and poly(ethyl acrylate) with PVC, 495
Polyacrylates: The miscibility of ———— and polymethacrylates with PVC: An interpretation of the heats of mixing of oligomers, 499
Polyacrylonitrile: A study of conformation, configuration and phase structure of ———— and their mutual dependence by means of WAXS and ^{1}H BL-n.m.r., 1415
Polyamidation: Solid-state ———— of dodecamethylenediammonium adipate, 791
Polyamide: Nylon-4, I an amorphous polyamide, 1755
Polyamideimides: Processable heat-resistant polymers: 14. Polyamides and ———— containing azo linkages, 551
Polyamides: Processable heat-resistant polymers: 14. ———— and polyamideimides containing azo linkages, 551
Polyamides: Polymerization of *N,N'*-bismaleimido-4,4′ diphenylmethane with arenedithiols. Synthesis of some new polyimidosulphides, 850
Polyamides: Some aspects of the thermal stability action of the structure in aliphatic ———— and polyacrilamides, 1699
Poly(amido-amine)s: Synthesis and characterization of piperazine-derived ———— with different distributions of amido- and amino-groups along the macromolecular chain, 863
Poly(amino acid): Scattering function of ———— in helix–coil transition, 1258
Poly(arylene ether sulphones): Synthesis, kinetic observations and characteristics of ————, prepared via a potassium carbonate DMAC process, 1827
Poly(γ-benzyl L-glutamate): Anomalous properties of ———— film composed of unusual 7/2 helices, 1711
Polybutadiene: Effect of crosslinking density on the orientational order generated in strained networks: A deuterium magnetic resonance study, 1405
Poly(butyl acrylate): *In situ* polymerization of n-butyl acrylate in poly(vinyl chloride), 1023
Polycarbonate: Diluent effects on carbonate mobility in bisphenol-A ———— in the solid state, 452
Polycarbonate: An electron spectroscopy for chemical application investigation of the surface oxidation of bisphenol-A ———— films induced by reactive oxygen species, 826
Polycarbonate: Physical ageing of ———— and PMMA by dynamic mechanical measurements, 1392
Polycarbonate: Low frequency excitations in amorphous ———— studied by Raman spectroscopy, 1411
Polycarbonate: Isothermal relaxation of specific volume and density fluctuation in poly(methyl methacrylate) and ————, 1424
Polycarbonate: Attempt to correlate the yield processes above and below the glass transition in glassy polymers, 1523
Poly(*m,p*-chloromethylstyrene): Synthesis of electroreactive polymers from ———— and copoly(*m,p*-chloromethylstyrene–styrene), 716
Polycondensation: New polymer syntheses: 10. Syntheses of high molecular weight poly (4-hydroxybenzoate)s by bulk condensations of 4-hydroxybenzoic acids, 520
Polycondensation: Processable heat-resistant polymers: 14. Polyamides and polyamideimides containing azo linkages, 551
Polycondensation: Kinetics of poly(phenylene ether sulphone), 1363

Polydiene: Graft copolymers from azodicarboxylate-functional pre-polymers 2. Preparation in solution of graft copolymers of ———— with polystyrene, 1146

Poly(2,6-dimethyl 1,4-phenylene oxide): Orientation and relaxation in uniaxially-stretched ———— – atactic polystyrene blends, 318

Poly(2,6-dimethyl 1,4-phenylene oxide): Compatibility and neutron scattering studies of mixtures of polystyrene with ———— and its brominated derivatives, 357

Poly(dimethylsiloxane): Effect of crosslinking density on the orientational order generated in strained networks: A deuterium magnetic resonance study, 1405

Poly(dimethylsiloxane): Interaction parameters in the n-undecane/butanone/———— system, 1479

Poly(dimethylsiloxane): Polyurethane–polysiloxane interpenetrating polymer networks: 1. A polyether urethane–poly(dimethylsiloxane) system, 1633

Poly(dimethyl siloxanes): Studies of cyclic and linear ————: 14. Particle scattering functions, 365

Poly(1,4-dimethylene-*trans*-cyclohexyl suberate): Effect of morphology on the crack propagation of the semicrystalline polyester ————, 1031

Poly(1,4-dimethylene-*trans*-cyclohexyl suberate): Temperature dependence of crack-propagation parameters and crack morphology of the semicrystalline polyester ————, 1040

Poly(1,4-dimethylene-*trans*-cyclohexyl suberate): stress relaxation of, 1690

Polyelectrolytes: Polymer-bound flavins: 2. Immobilization of linear flavin-containing ———— by adsorption onto silica, 1327

Polyesters: Aliphatic ———— as models for relaxation processes in crystalline polymers: 1. Characterization, 323

Polyesters: Aliphatic ———— as models for relaxation processes in crystalline polymers: 2. Dielectric relaxation in copolymers of adipic acid with 1,6- and 2,5-hexandiols, 330

Polyesters: Aliphatic ———— as models for relaxation processes in crystalline polymers: 3. Mechanical relaxation in copolymers of adipic acid with 1,6 and 2,5-hexanediols, 340

Polyesters: Aliphatic ———— as models for relaxation processes in crystalline polymers: 4. Dielectric relaxation in oriented specimens, 347

Poly(ether-etherketone): Characterization and exposure of ———— (PEEK) to fluid environments, 1845

Poly(ether ketone)s: New polymer syntheses: 11. Preparation of aromatic ———— from silylated bisphenols, 1151

Polyethertriamine: Structure-property relations of ———— cured bisphenol-A-diglycidyl ether epoxies, 375

Polyether urethane: Polyurethane–polysiloxane interpenetrating polymer networks: 1. A ———— poly(dimethylsiloxane) system, 1633

Polyethylene: Twisting orientation and the role of transient states in polymer crystallization, 28

Polyethylene: Creep and recovery behaviour of ultra-high molecular weight ———— in the region of small uniaxial deformations, 57

Polyethylene: Microstructure of solution-chlorinated ———— by ^{13}C nuclear magnetic resonance, 369

Polyethylene: Carbon-13 nuclear magnetic resonance study of ethylene-1-octene and ethylene-4-methyl-1-pentene copolymers, 441

Polyethylene: Ultrasonic measurements of the mechanical relaxations and complex stiffnesses in oriented linear ————, 447

Polyethylene: Crosslinking of ultra-high molecular weight ———— in the oriented state with dicumylperoxide, 513

Polyethylene: Temperature dependence of some thermodynamic functions for amorphous and semicrystalline polymers, 579

Polyethylene: Crystal growth kinetics and the lateral habits of ———— crystals, 631

Polyethylene: Creep rupture of a linear ———— 1. Rupture and pre-rupture phenomena, 727

Polyethylene: Neutron scattering studies on solution-grown crystals of ————: a statistical preference for adjacent re-entry, 739

Polyethylene: Infra-red study of solution-grown crystals of ————: correlation with the model from neutron scattering, 749

Polyethylene: Physico-chemical modifications of superficial regions of low-density ———— (LDPE) film under corona discharge, 766

Polyethylene: Deutron n.m.r. study of chain motion in solid ————, 1078

Polyethylene: Chain branching in high pressure polymerized ————: 2., 1173

Polyethylene: The thermal expansion behaviour of highly oriented ————, 1203

Polyethylene: A neutron scattering study of slowly crystallized bulk ————, 1219

Polyethylene: Molecular fractionation in melt-crystallized ————: 3. Microscopy of solvent-treated samples, 1263

Polyethylene: Distribution of lamella thicknesses in isothermally crystallized polypropylene and ———— by differential scanning calorimetry, 1268

Polyethylene: The lamella size distribution in non-isothermally crystallized low density polyethylene, 1277

Polyethylene: Spherulite nucleation in polypropylene blends with low density ————, 1323

Polyethylene: Vibrations of crystallographic defects associated with a single chain in ————, 1549

Polyethylene: Quantitative determination of the monoclinic crystalline phase content in ———— by ^{13}C n.m.r., 1589

Polyethylene: A novel fluorescence technique for measurements of additive migration from polymers, 1626

Polyethylene: The synthesis of low molecular weight hydroxy-tipped ———— and polypropylene by the intermediacy of Ziegler-Natta catalysts, 1817

Poly(ethylene) crystal: Monte Carlo simulation of molecular motion and phase transition in ————, 178

Poly(ethylene glycol): Thermodynamics of oligomeric binary mixtures of ———— and polypropylene glycol methylethers, 239

Poly(ethylene glycol): Ionic conductivities of poly(methoxy polyethylene glycol monomethacrylate) complexes with $LiSO_3CH_3$, 1600

Poly(ethylene oxide): The concentration dependence of diffusion in semi-dilute polymer solutions, 680

Poly(ethylene oxide): Characterization of styrene–ethylene oxide and methyl methacrylate–styrene block copolymers by light scattering, 693

Poly(ethylene oxide): Influence of composition and molecular mass on the morphology, crystallization and melting behaviour of ————/poly(methyl methacrylate) blends, 1097

Poly(ethylene oxide): Ionic conductivities for ———— complexes with lithium salts of monobasic and dibasic acids and blends of poly(ethylene oxide) with lithium salts of anionic polymers, 1291

Poly(ethylene oxide): Influence of the solvent on the conformations of ———— chain grafted on silica, 1297

Poly(ethylene oxide): Selective intermacromolecular complex formation between phenolic and nonionic polymers, 1367

Poly(ethylene oxide): Gas–liquid chromatography study of ————solvent interactions: A molecular approach to solvation mechanisms, 1784

Poly(ethylene terephthalate): Effect of silica nucleants on the rates of crystallization of ————, 659

Poly(ethylene terephthalate): Chemical nucleation, a new concept applied to the mechanism of action of organic acid salts on the crystallization of ———— and bisphenol-A polycarbonate, 835

Poly(ethylene terephthalate): Extrusion drawn amorphous and semi-crystalline ———— 3. Linear thermal expansion analysis, 869

Poly(ethylene terephthalate): Extrusion drawn amorphous ————: 4. Irreversible spontaneous elongation, 877

Poly(ethylene terephthalate): Aspects of the chemistry of ———— 5. Polymerization of bis(hydroxyethyl) terephthalate by various metallic catalysts, 1333

Poly(ethylene terephthalate): Analysis of polynomial yield criteria applied to oriented polymers, 1505

Poly(ethylene terephthalate): Influence of an aqueous acetone medium on the thermal behaviour of solvent treated ————, 1774

Poly(ethyl vinyl ether): ^{13}C n.m.r. study of solvation mechanisms in the radiation-induced polymerization of vinyl ethers, 1131

Polyheteroacrylenes: Reductive polyheterocyclization: A new approach to the synthesis of ————, 1539

Polyheteroacrylenes: Reductive polyheterocyclization: A new approach to the synthesis of ————, 1539

Poly(hexylisocyanate): The dielectric properties of ———— solutions in electric fields, 1465

Poly(4-hydroxybenzoate)s: New polymer syntheses: 10. Syntheses of high molecular weight ———— by bulk condensations of 4-hydroxybenzoic acids, 520

Polyimides: from dianhydride and diamine: structure property relations by thermogravimetric analysis (t.g.a.), 1353

Polyimidosulphides: Polymerization of *N,N'*-bismaleimido-4,4'-diphenylmethane with arenedithiols. Synthesis of some new ————, 850

Polyisoprenes: Comparative d.s.c. studies of the crystallization of natural rubber and its synthetic analogues, 1823

Polymer melts: Characteristic molecular weights in the dynamics of ————: n.m.r. and zero-shear viscosity, 187

Polymer melts: Stress relaxation of ———— subjected to large unixial tension, 1049
Polymer solution: Scattering from a ———— at an arbitrary concentration, 1059
Polymer solutions: A unified model for the structure of polymers in semidilute solution, 387
Polymer supported: Some novel ———— optically active phase transfer catalysts: 1. Synthesis, 1491
Polymer supported: Some novel ———— optically active phase transfer catalysts: 2. Use in displacement, reduction, epoxidation and addition reactions, 1499
Polymer supported reagent: Influence of the polymer on an anionic activation reaction promoted by a supported crown ether, 1136
Polymer synthesis: New polymer syntheses: 10. Syntheses of high molecular weight poly (4-hydroxybenzoate)s by bulk condensations of 4-hydroxybenzoic acids, 520
Polymer systems: On the assessment of incoherent neutron scattering intensities from ————, 1068
Polymerization: Configurational statistics of copolymers prepared by complex – radical ————, 100
Polymerization: Vinyl polymerization: 414. ———— of vinyl monomer initiated by poly(*N,N,N*-trimethyl-*N*-2-methacryloxyethyl) ammonium chloride, 412
Polymerization: The miscibility of polyacrylates and polymethacrylates with PVC: *In situ* ———— and the miscibility of poly(methyl acrylate) and Poly(ethyl acrylate) with PVC, 495
Polymerization: Synthesis of methacrylic acid–styrene block copolymers by living radical ———— in the presence of chitosan, 507
Polymerization: of vinyl acetate using visible radiation and a dye-reducing agent sensitizer: 1. Pre-initiation and initiation reactions involving ethyl eosin and ascorbic acid, 529
Polymerization: of vinyl acetate using visible radiation and a dye-reducing agent sensitizer: 2. Kinetic studies and polymerization mechanism, 536
Polymerization: Epitaxial synthesis of poly(*p*-xylylene), 615
Polymerization: Novel excimer fluorescence method for monitoring ———— 1: Polymerization of methyl methacrylate, 690
Polymerization: Rheokinetics of free-radical ————, 778
Polymerization: of acrylamide with diffusion-controlled termination, 845
Polymerization: of *N,N'*-bismaleimido-4,4'-diphenylmethane with arenedithiols. Synthesis of some new polyimidosulphides, 850
Polymerization: *In situ* ———— of n-butyl acrylate in poly(vinyl chloride), 1023
Polymerization: Electro-initiated cationic ———— of α-methylstyrene by direct electron transfer, 1028
Polymerization: ^{13}C n.m.r. study of solvation mechanisms in the radiation-induced ———— of vinyl ethers, 1131
Polymerization: Chain branching in high pressure polymerized polyethylene: 2., 1173
Polymerization: An investigation of precipitation ———— in liquid vinyl chloride by photon correlation spectroscopy, 1185
Polymerization: Aspects of the chemistry of poly(ethylene terephthalate): 5. ———— of bis(hydroxyethyl) terephthalate by various metallic catalysts, 1333
Polymerization: Styrene polymerized in an oil-in-water microemulsion, 1357
Polymerization: Polycondensation kinetics of poly(phenylene ether sulphone), 1363
Polymerization: Polyvinylpyridine–divinylbenzene asbestos composites, 1513
Polymerization: Studies of the stereospecific ———— mechanism of propylene by a modified Ziegler–Natta catalyst based on 125 MHz ^{13}C n.m.r. spectra, 1640
Polymerization: Ziegler–Natta ———— The nature of the propagation step, 1645
Polymerization: Small-angle neutron scattering from polystyrene–DVB networks containing a delta fraction of deuterated polystyrene: Evidence for aggregation during ————, 1718
Polymerization: Microstructure of as-polymerized thermoplastic polyurethane elastomers, 1734
Polymerization: Synthesis of polymers and copolymers of c-(N^{ε}-AcrLys–Sar) and their interaction with small molecules in solution, 1837
Polymethacrylates: The miscibility of polyacrylates and ———— with PVC: *In Situ* polymerization and the miscibility of poly(methyl acrylate) and poly(ethyl acrylate) with PVC, 495
Polymethacrylates: The miscibility of polyacrylates and ———— with PVC: An interpretation of the heats of mixing of oligomers, 499
Poly(γ-methyl L-glutamate): Crystalline complex between ————, and dimethyl phthalate, 698
Poly(methoxy polyethylene glycol monomethacrylate): Ionic conductivities of ———— complexes with $LiDO_3CH_3$, 1600
Poly(methyl methacrylate): Quantitative evaluation of the Gibbs theory of the glass transition, 600
Poly(methylmethacrylate): Characterization of styrene–ethylene oxide and methyl methacrylate–styrene block copolymers by light scattering, 693
Poly(methyl methacrylate): Thermal and photolytic degradation of plates of ———— containing monomer, 706
Poly(methyl methacrylate): Low frequency excitation in amorphous acrylic polymers, 899
Poly(methyl methacrylate): Quantitative evaluation of the Gibbs–Di Marzio theory of the glass transition, 927
Poly(methyl methacrylate): Stress relaxation of polymer melts subjected to large uniaxial tension, 1049
Poly(methyl methacrylate): Influence of composition and molecular mass on the morphology, crystallization and melting behaviour of poly(ethylene oxide)/———— blends, 1097
Poly(methylmethacrylate): A broad-line n.m.r. investigation of methyl motion in ————, 1227
Poly(methylmethacrylate): Cosolvency, coil expansion and dimensions of ———— in mixed solvents, 1307
Polymethylmethacrylate: Physical ageing of polycarbonate and ———— by dynamic mechanical measurements, 1392
Poly(methyl methacrylate): Isothermal relaxation of specific volume and density fluctuation in ———— and polycarbonate, 1424
Poly(methylmethacrylate): Time-dependent deformation and craze initiation in ————: Volume effects, 1679
Poly(methylmethacrylate): Energy transfer studies from polymer bound naphthalene to anthracene in solution: translational and segmental diffusion rates, 1767
Poly(4-methylpentene-1): Effect of solvent on the polymorphism of ————: 1. Solution grown single crystals, 1613
Poly(4-methylpentene-1): Effect of solvent on the polymorphism of ————: 2. Crystallization in semi-dilute solutions, 1619
Poly(α-methyl styrene): Quantitative evaluation of the Gibbs–DiMarzio theory of the glass transition, 927
Poly(α-methyl styrene): Electro initiated cationic polymerization of α-methylstyrene by direct electron transfer, 1028
Poly(α-methylstyrene): and α-methylstyrene–maleic anhydride copolymer: an electron beam lithographic study, 1087
Poly(α-methyl styrene): Polymer–polymer interaction parameters in the ternary system polystyrene ————/n-butyl chloride, 1779
Polymorphism: Effect of solvent on the ———— of poly(4-methylpentene-1): 1. Solution grown single crystals, 1613
Polymorphism: Effect of solvent on the ———— of poly(4-methylpentene-1): 2. Crystallization in semi-dilute solutions, 1619
Polynomial yield criteria: Analysis of ———— applied to oriented polymers, 1505
Polyolefins: Migration of low molecular weight components from polymers: 1. Methodology and diffusion of straight chain octadecane in ————, 209
Polyorganosiloxane: Acrylic terpolymer modified by blending with ———— polymer or reinforcing, 1603
Poly(oxyethylene): Gas–liquid chromatography study of poly(ethylene oxide)–solvent interactions: A molecular approach to solvation mechanisms, 1784
Poly(phenylene ether sulphone): Polycondensation kinetics of ————, 1363
Poly(*p*-phenylene oxide)s: Dielectric, mechanical and thermal properties of some chlorinated ———— in the solid state, 625
Polypivalolactone: Morphology of ———— a polymer with a direction, 773
Polypropylene: Phase structure of impact-modified ———— blends, 279
Polypropylene: The freezing-in of non-equilibrium values of the limiting compliances as a mechanism of physical ageing, 291
Polypropylene: The kinetics of α and β relaxations in isotactic ————, 299
Polypropylene: Reversible secondary crystallization during cooling of ————, 921
Polypropylene: On the lamellar morphology of isotactic ———— spherulites, 935
Polypropylene:Ionic products from the mechanical fracture of solid ————, 944
Polypropylene: Mechanisms of antioxidant action: effect of processing conditions on the stabilizing effectiveness of metal xanthates and related dixanthogen in ————, 1006
Polypropylene: Distribution of lamella thicknesses in isothermally crystallized ———— and polyethylene by differential scanning calorimetry, 1268

Polypropylene: Spherulite nucleation in ———— blends with low density polyethylene, 1323
Polypropylene: Recrystallization kinetics of isotactic ———— (α form), 1462
Polypropylene: Analysis of polynomial yield criteria applied to oriented polymers, 1505
Polypropylene: Rubber phase dispersion in ————, 1527
Polypropylene: Small-angle scattering of microparacrystal-bundles in cold-drawn and annealed isotactic ————, 1747
Polypropylene: The synthesis of low molecular weight hydroxy-tipped polyethylene and ———— by the intermediacy of Ziegler–Natta catalysts, 1817
Polypropylenes: The effect of cooling rate upon the morphology of quenched melts of isotactic ————, 785
Polypropylenes: An e.s.r. study of the motion of peroxy radicals in isotactic and atactic ————, 1436
Polypropylene glycol: Thermodynamics of oligomeric binary mixtures of poly(ethylene glycol) and ———— methylethers, 239
PolySchiff bases: Electrical conductivity of ————: a theoretical study, 129
Polysiloxane: Polyurethane ———— interpenetrating polymer networks: 1. A polyether urethane–poly(dimethylsiloxane) system, 1633
Poly(sodium styrenesulphonate): Mediated electron transfer reactions at electrodes coated with poly(viologen)s, 1302
Polystyrene: Physical characterization of suspension-crosslinked ———— particles and their sulphonated products: 1. Nonionic networks, 245
Polystyrene: Physical characterization of suspension-crosslinked ———— particles and their sulphonated products: 2. Ionic networks, 249
Polystyrene: Orientation and relaxation in uniaxially-stretched poly(2,6-dimethyl 1,4-phenylene oxide) – atactic ———— blends, 318
Polystyrene: Compatibility and neutron scattering studies of mixtures of ———— with poly(2,6-dimethyl 1,4-phenylene oxide) and its brominated derivatives, 357
Polystyrene: Craze behaviour in isotactic ———— 1. Craze–spherulite interaction, 417
Polystyrene: Residual temperature dependence of normalized diffusion of ———— latex in aqueous solvents, 467
Polystyrene: Mixing effects on the mid-kilohertz mobility of ———— in glassy polystyrene–diluent blends, 645
Polystyrene: Dynamic light scattering measurements of ———— in semi-dilute theta solutions, 650
Polystyrene: The concentration dependence of diffusion in semi-dilute polymer solutions, 680
Polystyrene: Characterization of styrene–ethylene oxide and methyl methacrylate–styrene block copolymers by light scattering, 693
Polystyrene: Interaction parameters in ternary ———— solutions at high temperature, 803
Polystyrene: Structure of ———— glasses, 906
Polystyrene: Quantitative evaluation of the Gibbs–DiMarzio theory of the glass transition, 927
Polystyrene: Phase separation in ————poly(vinylmethylether) blends: a fluorescence emission analysis, 956
Polystyrene: Intramolecular excimer formation and energy migration in head-to-head ————, 989
Polystyrene: Strees relaxation of polymer melts subjected to large uniaxial tension, 1049
Polystyrene: Upper and lower critical solution temperatures for ———— in methyl cyclopentane and in dimethyl cyclohexane, 1107
Polystyrene: Graft copolymers from azodicarboxylate-functional pre-polymers: 1. Synthesis of azodicarboxylate-functional ————, 1141
Polystyrene: Graft copolymers from azodicarboxylate-functional pre-polymers: 2. Preparation in solution of graft copolymers of polydiene with ————, 1146
Polystyrene: Direct lattice imageing in single crystals of isotactic ————, 1573
Polystyrene: Plastic deformation and subsequent crystallization of thin films of isotactic/atactic ———— (iPS/aPS) blends, 1687
Polystyrene: Small-angle neutron scattering from polystyrene–DVB networks containing a delta fraction of deuterated ————. Evidence for aggregation during polymerization, 1718
Polystyrene: Polymer–polymer interaction parameters in the ternary system ———— poly(α-methyl styrene)/n-butyl chloride, 1779
Polystyrenes: cyclization dynamics of polymers: 10. Synthesis, fractionation, and fluorescent spectroscopy of pyrene end-capped polystyrenes, 91
Poly(styrene-butadiene-*b*-4-vinylpyridine): Morphology control of a ———— ABC three-block polymer by binary solvent casting, 230
Poly[styrene-*b*-(ethene-co-butene)-*b*-styrene]: Micellization of three-block copolymer: ———— in mixed solvents of tetrahydrofuran/ethanol, 1178
Polystyrene sulphonate: Electro-optical and viscometric behaviour of sodium ———— in formamide, 1397
Poly(styrenesulphonic acid): Kinetics and mechanism of cationic oligomerization of styrene using ———— resin as catalyst, 1486
Poly(sulphopropylbetaines): 1. Synthesis and characterization, 121
Poly(sulphopropylbetaines): 2. Dilute solution properties, 254
Poly(*N*,*N*,*N*-trimethyl-*N*-2-methacryloxyethyl) ammonium chloride: Vinyl polymerization: 414. Polymerization of vinyl monomer initiated by ————, 412
Poly(trimethylene sulphide): Conformational stability of ————, 511
Polyurethane: Small-angle light scattering studies of macrophase separation in segmented ———— block copolymers, 171
Polyurethane: Properties of oligomeric ———— blends *versus* high molecular weight block copolymers, 947
Polyurethane: The γ-radiation induced grafting of unsaturated segmented ———— with *N*-vinyl pyrrolidone, 1157
Polyurethane: Microcellular elastomers: 2. Effect of chain extender on the mechanical properties, 1211
Polyurethane: polysiloxane interpenetrating polymer networks: 1. A polyether urethane–poly(dimethylsiloxane) system, 1633
Polyurethane elastomers: Microstructure of as-polymerized thermoplastic ————, 1734
Poly(vinyl acetate): Studies on the characterization of partly hydrolysed derivatives of ———— and their red iodine complex, 543
Poly(vinyl alcohol): Influence of the molecular structure of ———— on the ultrasonic absorption, 985
Poly(vinyl alcohol-acetate): Characterization of ———— by ^{13}C n.m.r. and thermal analyses, 1759
Poly(vinylbenzo-18-crown-6): Interaction of 1-pyrenebutyrate with ———— and poly(vinylbenzoglyme) in water, 1166
Poly(vinylbenzoglyme): Interaction of 1-pyrenebuty-rate with poly(vinylbenzo-18-crown-6) and ———— in water, 1166
Poly(vinyl chloride): Factors determining glass transition temperature and relaxation time of ————, 75
PVC: The Miscibility of polyacrylates and polymethacrylates with ————: *In situ* polymerization and the miscibility of poly(methyl acrylate) and poly(ethyl acrylate) with PVC, 495
PVC: The miscibility of polyacrylates and polymethacrylates with ————: An interpretation of the heats of mixing of oligomers, 499
Poly(vinyl chloride): *In situ* polymerization of n-butyl acrylate in ————, 1023
Poly(vinyl chloride): An investigation of precipitation polymerization in liquid vinyl chloride by photon correlation spectroscopy, 1185
Poly(vinyl chloride): Thermal degradation of ———— in oxidative and non-oxidative atmospheres, 1337
Poly(vinyl chloride): Analysis of polynomial yield criteria applied to oriented polymers, 1505
Poly(vinylidene chloride): Studies on the reactivity of polymers: 2. Chlorination of ———— by sulphuryl chloride in the presence of azobisisobutyronitrile, 1371
Poly(vinylidene fluoride): Dielectric relaxation and the molecular motion of crystal form II under high pressure, 63
Poly(vinylidene fluoride): Spectroscopic study of the electric field induced microstructural changes in ————, 1247
Poly(vinylmethylether): Phase separation in polystyrene———— blends: a fluorescence emission analysis, 956
Polyvinylpyridine–divinylbenzene: asbestos composites, 1513
Poly(vinylpyrrolidone): Selective intermacromolecular complex formation between phenolic and nonionic polymers, 1367
Poly(viologen)s: Mediated electron transfer reactions at electrodes coated with ————, 1302
Poly(*p*-xylylene): Epitaxial synthesis of ————, 615
Poly-*p*-xylenes: Molecular packing in alkylated and chlorinated ————, 1093
Potential energy calculations: Crystal structure of cellulose polymorphs by ————: 1. Most probable models for mercerized cellulose, 107
Precipitation: An investigation of polymerization in liquid vinyl chloride by photon correlation spectroscopy, 1185
Petransitional phenomena: in the isotropic melt of a mesogenic side chain polymer, 1271
Propagation: Ziegler–Natta polymerization: The nature of the ———— step, 1645

Properties: Structure and ———— of crystalline polymers, 147
Polypropylene: Studies of the stereospecific polymerization mechanism of ———— by a modified Ziegler–Natta catalyst based on 125 MHz ^{13}C n.m.r. spectra, 1640
1-Pyrenebutyrate: Interaction of ———— with poly(vinylbenzo-18-crown-6) and poly(vinylbenzoglyme) in water, 1166
Pyrolysis: Thermal degradation of poly(vinyl chloride) in oxidative and non-oxidative atmospheres, 1337

Radiation: Electron spin resonance study of a cured epoxy resin exposed to high-energy ————, 54
Radiation: ^{13}C n.m.r. study of solvation mechanisms in the ———— - induced polymerization of vinyl ethers, 1131
Radiation: The γ———— induced grafting of unsaturated segmented polyurethane with n-vinyl pyrrolidone, 1157
Radiation: Induced copolymerization of trioxane with tetrahydrofuran, 1193
Radiation crosslinking: Micellization of three-block copolymer poly[styrene-*b*-(ethene-co-butene)-*b*-styrene] in mixed solvents of tetrahydrofuran/ethanol, 1178
Radiation damage: Direct lattice imageing in single crystals of isotactic polystyrene, 1573
Radius of gyration: Studies on the characterization of partly hydrolysed derivatives of poly(vinyl acetate) and their red iodine complex, 543
Radius of gyration: Scattering function of poly(amino acid) in helix–coil transition, 1258
Radius of gyration: Effects of the excluded volume interactions on the conformational properties of star polymers, 1607
Raman scattering: activities for partially-oriented systems: the case of a unique molecular symmetry axis perpendicular to the uniaxial direction, 165
Raman spectroscopy: Low frequency excitation in amorphous acrylic polymers, 899
Raman spectroscopy: Low frequency excitations in amorphous polycarbonate studies by ————, 1411
Rate coefficients: Studies of absolute ———— in alternating copolymerization by observation of pre- and after-effects, 1791
Rate determining step: Ziegler–Natta polymerization: The nature of the propagation step, 1645
Reaction mechanisms: Studies of absolute rate coefficients in alternating copolymerization by observation of pre- and after-effects, 1791
Reactivity: Study of the mechanism of macroradical reactions in solid polymers: 1. Molecular aspects of ———— and activation energy model of reactions, 274
Reactivity: Studies on the ———— of polymers: 2. Chlorination of poly(vinylidene chloride) by sulphuryl chloride in the presence of azobisisobutyronitrile, 1371
Reactivity ratios: Copolymerization of alkyl acrylates with triallyl cyanurate: Kelen–Tudös method applied for determining copolymerization ————, 555
Recovery: Creep and ———— behaviour of ultra-high molecular weight polyethylene in the region of small uniaxial deformations, 57
Recrystallization: Kinetics of isotactic polypropylene (α form), 1462
Red iodine complex: Studies on the characterization of partly hydrolysed derivatives of poly(vinyl acetate) and their ————, 543
Reduction: of smoke formation from and flammibility of thermoplastic polymers by metal oxides, 405
Reduction: Some novel polymer supported optically active phase transfer catalysts: 2. Use in displacement, ————, epoxidation and addition reactions, 1499
Reinforced plastics: Tests for obtaining and investigating pre-stressed plastics, 722
Relaxation: Orientation and ———— in uniaxially-stretched poly(2,6-dimethyl 1,4-phenylene oxide) – atactic polystyrene blends, 318
Relaxation: Dielectric studies of nitrocellulose–nitroglycerine mixtures, 815
Relaxation: Stress ———— of polymer melts subjected to large uniaxial tension, 1049
Relaxation: Isothermal ———— of specific volume and density fluctuation in poly(methyl methacrylate) and polycarbonate, 1424
Relaxation kinetics: The kinetics of the relaxation in an amorphous polymer at temperatures close to the glass transition, 309
Relaxation processes: Aliphatic polyesters as models for ———— in crystalline polymers: 1. Characterization, 323
Relaxation processes: Aliphatic polyesters as models for ———— in crystalline polymers: 2. Dielectric relaxation in copolymers of adipic acid with 1,6 and 2,5-hexanediols, 330
Relaxation processes: Aliphatic polyesters as models for ———— in crystalline polymers: 3. Mechanical relaxation in copolymers of adipic acid with 1,6- and 2,5-hexanediols, 340
Relaxation processes: Aliphatic polyesters as models for ———— in crystalline polymers: 4. Dielectric relaxation in oriented specimens, 347
Relaxation time: Factors determining glass transition temperature and ———— of poly(vinyl chloride), 75
Reptation: Characteristic molecular weights in the dynamics of polymer melts: n.m.r. and zero-shear viscosity, 187
Reptation: Dynamic light scattering measurements of polystyrene in semi-dilute theta solutions, 650
Reptation: Viscoelasticity of ionomer gels: 2. The elastic moduli, 1469
Reptation model: Stress relaxation of polymer melts subjected to large uniaxial tension, 1049
Resins: Non-Fickian diffusion of water in melamine-formaldehyde ————, 84
Resins: Characterization of urea-formaldehyde and melamine–formaldehyde adducts and ———— by ^{15}N nuclear magnetic resonance spectroscopy, 821
Resist study: Copolymers of 2-hydroxyethyl methacrylate and methyl methacrylate: an electron beam ————, 1090
Resols: Molecular weight distribution of phenol–formaldehyde ———— by high performance gel permeation chromatography, 403
Retardation: Effect of silica nucleants on the rates of crystallization of poly(ethylene terephthalate), 659
Rheokinetics: of free-radical polymerization, 778
Rubber: The van der Waals-network — a phenomenological approach to dense networks, 71
Rubber: Studies on peroxide vulcanization of silica-filled EPDM ———— in presence of vinyl silane coupling agent, 855
Rubber: Analysis of epoxidized natural ————. A comparative study of d.s.c., n.m.r., elemental analysis and direct titration methods, 995
Rubber: Effect of crosslinking density on the orientation order generated in strained networks: A deuterium magnetic resonance study, 1405
Rubber: phase dispersion in polypropylene, 1527
Rubber: A wide-angle X-ray study of the development of molecular orientation in crosslinked natural ————, 1562
Rubber vulcanizates: Studies of the network structure of ———— by a cryoscopic method: 1., 225
Rubber vulcanizates: Stress relaxation in carbon-black filled ———— at moderate strains, 559
Rubber vulcanizates: Studies of the network structure of ———— by cryoscopic methods: 2., 1117
Rupture: Creep rupture of a linear polyethylene: 1. ———— and pre-rupture phenomena, 727

Scaling: Conformations of star-branched macromolecules, 1453
Scaling theory: A unified model for the structure of polymers in semi-dilute solution, 387
Scattering function: of poly(amino acid) in helix–coil transition, 1258
Second virial coefficients: Interaction parameters in the n-undecane/butanone/poly(dimethylsiloxane) system, 1479
Segmental interaction: Properties of oligomeric polyurethane blends *versus* high molecular weight block copolymers, 947
Shear field: Effectiveness thickness of adsorbed polymer in a ————, 1198
Shrinkage force: The thermal expansion behaviour of highly oriented polyethylene, 1203
Silica: Polymer-bound flavins: 2. Immobilization of linear flaving containing polyelectrolytes by adsorption onto ————, 1327
Silica nucleants: Effect of ———— on the rates of crystallization of poly(ethylene terephthalate), 659
Silicone–urea: Segmented organosiloxane copolymers: 1. Synthesis of ———— copolymers, 1800
Siloxane urea: Segmented organosiloxane copolymers: 2. Thermal and mechanical properties of ———— copolymers, 1807
Sliding link model: Assessment of the ———— of chain entanglement in polymer networks, 609
Small-angle light scattering: Studies of macrophase separation in segmented polyurethane block copolymers, 171
Small-angle neutron scattering: Scattering from a polymer solution at an arbitrary concentration, 1059
Small-angle neutron scattering: On the assessment of incoherent neutron scattering intensities from polymer systems, 1068
Small-angle neutron scattering: from polystyrene–DVB networks containing a delta fraction of deuterated polystyrene: Evidence for aggregation during polymerization, 1718

Small-angle scattering: of microparacrystal-bundles in cold-drawn and annealed isotactic polypropylene, 1747

Small-angle X-ray scattering: Distribution of lamella thicknesses in isothermally crystallized polypropylene and polyethylene by differential scanning claorimetry, 1268

Smoke formation: Reduction of ———— from and flammability of thermoplastic polymers by metal oxides, 405

Smoke suppressants: Reduction of smoke formation from and flammibility of thermoplastic polymers by metal oxides, 405

Solution properties: Poly(sulphopropylbetaines): 2. Dilute ————, 254

Solution properties: Synthesis and ———— of water soluble copolymers based on acrylamide and quaternary ammonium acrylic comonomer, 1317

Solvation coefficients: Interaction parameters in the n-undecane/butanone/poly(dimethylsiloxane) system, 1479

Solvation mechanisms: ^{13}C n.m.r. study of ———— in the radiation-induced polymerization of vinyl ethers, 1131

Solvation mechanisms: Gas–liquid chromatography study of poly(ethylene oxide)–solvent interactions: A molecular approach to ————, 1784

Solvent casting: Morphology control of a poly(styrene–butadiene-*b*-4-vinylpyridine) ABC three-block polymer by binary ————, 230

Solvent effect: Fluorescence probe for microenvironments: effect of solvent vapour on the properties of vapour-swollen polymers, 399

Solvent effect: Effect of solvent on the polymorphism of poly(4-methylpentene-1): 2. Crystallization in semi-dilute solutions, 1619

Solvent treatment: Molecular fractionation in melt-crystallized polyethylene: 3. Microscopy of solvent-treated samples, 1263

Solvent vapour: Fluorescence probe for microenvironments: effect of ———— on the properties of vapour-swollen polymers, 399

Specific heat: Low frequency excitations in amorphous polycarbonate studied by Raman spectroscopy, 1411

Spherulite: Craze behaviour in isotactic polystyrene: 1. Craze———— interaction, 417

Spherulite: Microstructure of as-polymerized thermoplastic polyurethane elastomers, 1734

Spherulite nucleation: in polypropylene blends with low density polyethylene, 1323

Spherulites: Morphology of polypivalolactone: A polymer with a direction, 773

Spherulites: Reversible secondary crystallization during cooling of polypropylene, 921

Spherulites: On the lamellar morphology of isotactic polypropylene ————, 935

Star-branched macromolecules: Conformations of ————, 1453

Star polymers: Effect of the excluded volume interactions on the conformational properties of ————, 1607

Statistical conformations: Dipole moments and ———— of cyclic and linear dimethylsiloxane oligomers, 1122

Stereoregularity: Studies of the stereospecific polymerization mechanism of propylene by a modified Ziegler–Natta catalyst based on 125 MHz ^{13}C n.m.r. spectra, 1640

Strain: Stress relaxation in carbon-black filled rubber vulcanizates at moderate strains, 559

Stress: The ———— and displacement fields at the tip of crazes in glassy polymers, 43

Stress: Electron paramagnetic resonance studies of Kevlar 49 fibres: ———— induced free radicals, 759

Stress: relaxation of polymer melts subject3d to large uniaxial tension, 1049

Stress: Distribution of ———— in a craze of the top of a uniformly extending crack, 1727

Stress-relaxation: Creep and recovery behaviour of ultra-high molecular weight polyethylene in the region of small uniaxial deformations, 57

Stress-relaxation: Non-Fickian diffusion of water in melamine–formaldehyde resins, 84

Stress relaxation: in carbon-black filled rubber vulcanizates at moderate strains, 559

Stress relaxation: Viscoelasticity of ionomer gels: 2. The elastic moduli, 1469

Stress relaxation: of poly(1,4-dimethylene-*trans*-cyclohexyl suberate), 1690

Stretching: Effective thickness of adsorbed polymer in a shear field, 1198

Structure: A unified model for the ———— of polymers in semi-dilute solution, 387

Structure: The ———— of copoly(4-hydroxybenzoic acid/2-hydroxy-6-naphthoic acid): 2. An atomic model for the copolyester chain, 435

Structure: of polystyrene glasses, 906

Structure: Observations on the ———— of a polyacrylamide gel from electron micrographs, 1419

Structure: Effect of solvent on the polymorphism of poly(4-methylpentene-1): 1. Solution grown single crystals, 1613

Structure: Some aspects of the thermal stability action of the ———— in aliphatic polyamides and polyacrilamides, 1699

Structure–property relations: of polyethertriamine cured bisphenol-A-diglycidyl ether epoxies, 375

Structure property relations: Polyimides from dianhydride and diamine: ———— by thermogravimetric analysis (t.g.a.), 1353

Styrene: polymerized in an oil-in-water microemulsion, 1357

Styrene: Bulk copolymerization of methyl methacrylate and ———— in presence of an acrylic elastomer: 1. Kinetic investigations, 1475

Styrene: Kinetics and mechanism of cationic oligomerization of ———— using poly(styrenesulphonic acid) resin as catalyst, 1486

Styrene–butadiene–styrene: Dynamic and static properties of ———— triblock copolymer and their blends, 882

Superficial regions: Physico-chemical modifications of ———— of low density polyethylene (LDPE) film under corona discharge, 766

Surface activity: Structural interpretation of the interfacial properties of aqueous solutions of methylcellulose and hydroxypropyl methylcellulose, 481

Surface analysis: New developments in polymer ————, 1379

Surface energies: Crystal growth kinetics and the lateral habits of polyethylene crystals, 631

Synthesis: Cyclization dynamics of polymers: 10. ————, fractionation, and fluorescent spectroscopy of pyrene end-capped polystyrenes, 91

Synthesis: Poly(sulphopropylbetaines): 1. ———— and characterization, 121

Synthesis: New routes to conjugated polymers: 1. A two step route to polyacetylene, 395

Synthesis: of methacrylic acid–styrene block copolymers by living radical polymerization in the presence of chitosan, 507

Synthesis: of electroreactive polymers from poly(*m,p*-chloromethylstyrene) and poly(*m,p*-chloromethylstyrene–styrene), 716

Synthesis: and mesomorphic properties of a new thermotropic liquid-crystalline 'backbone' copolyester, 808

Synthesis: and characterization of piperazine-derived poly(amido-amine)s with different distributions of amido- and amino-groups along the macromolecular chain, 863

Synthesis: of lead dimethacrylate, 1020

Synthesis: Graft copolymers from azodicarboxylate-functional pre-polymers: 1. ———— of azodicarboxylate-functional polystyrene, 1141

Synthesis: New polymer syntheses: 11. Preparation of aromatic poly(ether ketone)s from silylated bisphenols, 1151

Synthesis: and solution properties of water soluble copolymers based on acrylamide and quaternary ammonium acrylic comonomer, 1317

Synthesis: Some novel polymer-supported optically active phase transfer catalysts: 1. ————, 1491

Synthesis: Reductive polyheterocyclization: A new approach to the ———— of polyheteroacrylenes, 1539

Synthesis: Nylon-4,I an amorphous polyamide, 1755

Synthesis: Segmented organosiloxane copolymers. 1. ———— of silicone–urea copolymers, 1800

Synthesis: The ———— of low molecular weight hydroxy-tipped polyethylene and polypropylene by the intermediacy of Ziegler–Natta catalysts, 1817

Synthesis: Kinetic observations and characteristics of poly(arylene ether sulphones) prepared via a potassium carbonate DMAC process, 1827

Synthesis: of polymers and copolymers of c-(*Nε*-AcrLys–Sar) and their interaction with small molecules in solution, 1837

Tailor-made polymer: A ———— for tyre applications, 132

Temperature coefficients: Dipole moments and statistical conformations of cyclic and linear dimethylsiloxane oligomers, 1122

Temperature dependence of the zero-shear melt viscosity of oligomeric epoxy resins, 463

Temperature dependence: Residual ———— of normalized diffusion of polystyrene latex in aqueous solvents, 467

Temperature dependence: of some thermodynamic functions for amorphousand semicrystalline polymers, 579

Temperature dependence: of the tensile properties of lignin/paper composites, 890

Temperature dependence: of crack-propagation parameters and crack morphology of the semicrystalline polyester poly(1,4-dimethylene-*trans*-cyclohexyl suberate), 1040

Tensile properties: Temperature dependence of the ———— of lignin/paper composites, 890

Tensile tests: Tests for obtaining and investigating pre-stressed plastics, 722

Tension: Stress relaxation of polymer melts subjected to large uniaxial ————, 1049

Termination: Polymerization of acrylamide with diffusion-controlled ————, 845
Terphenyl moieties: Thermotropic liquid crystalline polyesters with ———— and flexible 'ether' spacers in the main chain, 1281
Terpolymer: Acrylic ———— modified by blending with polyorganosiloxane polymer or reinforcing, 1603
Tetrahydrofuran: Radiation-induced copolymerization of trioxane with ————, 1193
Thallium polymers: Preparation of potentially electroactive ———— derived from the acidic copolymers of maleic anhydride, 115
Thermal analysis: Characterization of poly(vinyl alcohol-acetate) by ^{13}C n.m.r. and thermal analyses, 1759
Thermal behaviour: Influence of an aqueous acetone medium on the thermal ———— of solvent treated poly(ethylene terephthalate), 1774
Thermal degradation: Thermal and photolytic degradation of plates of poly(methyl methacrylate) containing monomer, 706
Thermal degradation: Studies of the network structure of rubber vulcanizates .f cryoscopic methods: 2., 1117
Thermal degradation: of poly(vinyl chloride) in oxidative and non-oxidative atmospheres, 1337
Thermal expansion: The ———— behaviour of highly oriented polyethylene, 1203
Thermal expansion analysis: Extrusion drawn amorphous and semi-crystalline poly(ethylene terephthalate): 3. Linear ————, 869
Thermal properties: Segmented organosiloxane copolymers: 2. Thermal and mechanical, properties of siloxane–urea copolymers, 1807
Thermal stability: Some aspects of the ———— action of the structure in aliphatic polyamides and polyacrylamides, 1699
Thermodynamic properties: Influence of polymer molecular weight on selected ———— of polymer/solvent systems and the application of the UNIFAC theory, 670
Thermodynamic functions: Temperature dependence of some ———— for amorphous and semi-crystalline polymers, 579
Thermodynamics: of oligomeric binary mixtures by polyethylene glycol and polypropylene glycol methylethers, 239
Thermodynamics: A binary interaction model for miscibility of copolymers in blends, 487
Thermodynamics: Scattering from a polymer solution at an arbitrary concentration, 1059
Thermogravimetric analysis: Polyimides from dianhydride and diamine: structure property relations by ———— (t.g.a.), 1353
Thermoplastic polymers: Reduction of smoke formation from and flammability of ———— by metal oxides, 405
Thermoplastic: Microstructure of as-polymerized ———— polyurethane elastomers, 1734
Thermostable polymers: Reductive polyheterocyclization: A new approach to the synthesis of polyheteroacrylenes, 1539
Theta solutions: Dynamic light scattering measurements of polystyrene in semidilute ————, 650
Tortuosity factor: Selective permeability of grafted nylon-6membranes: 2. Potassium chloride permeation in acrylic acid grafted membranes, 968
Transition metal catalysts: Copolymerization of phenylacetylene with various acetylenes by W- and Mo-based catalysts, 503
Triboelectric charging: Control of electrical properties of polymers by chemical modification, 3
Trioxane- Radiation-induced copolymerization of ———— with tetrahydrofuran, 1193
Twisting orientation: and the role of transient states in polymer crystallization, 28
Tyre applications: A tailor-made polymer for ————, 132

Ultrasonic absorption: Influence of the molecular structure of poly(vinyl alcohol) on the ————, 985
Ultrasonic measurements: of the mechanical relaxations and complex stiffnesses in oriented linear polyethylene, 447
Ultra-violet microscopy: Reversible secondary crystallization during cooling of polypropylene, 921
Ultra-violet radiation: Crosslinking of ultra-high molecular weight polyethylene in the oriented state with dicumylperoxide, 513
UNIFAC theory: Influence of polymer molecular weight on selected thermodynamic properties of polymer/solvent systems and the application of the ————, 670
Urea: Characterization of ———— formaldehyde and melamine–formaldehyde adducts and resins by ^{15}N nuclear magnetic resonance spectrosocpy, 821

Van der Waals-network: The ———— — a phenomenological approach to dense networks, 71
Vibrations: of crystallographic defects associated with a single chaun in polyethylene, 1549
Vinyl acetate: Polymerization of ———— using visible radiation and a dye-reducing agent sensitizer: 1. Pre-initiation and initiation reactions involving ethyl eosin and ascorbic acid, 529
Vinyl acetate: Polymerization of ———— using visible radiation and a dye-reducing agent sensitizer: 2. Kinetics studies and polymerization mechanism, 536
Vinyl chloride: An investigation of precipitation polymerization in liquid ———— by photon correlation spectroscopy, 1185
Vinyl ethers: ^{13}C n.m.r. study ofsolvation mechanisms in the radiation-induced polymerization ————, 1131
Vinyl polymerization: 414. Polymerization of vinyl monomer initiated by poly(*N*,*N*,*N*-trimethyl-*N*-2-methacryloxyethyl) ammonium chloride, 412
N-Vinyl pyrrolidone: The γ-radiation induced grafting of unsaturated segmented polyurethane with ————, 1157
Viscoelastic creep: The kinetics of the α and β relaxations in isotactic polypropylene, 299
Viscoelastic model: A simple ———— for fatigue crack propagation in polymers as a function of molecular weight, 1657
Viscoelasticity: of ionomer gels: 2. The elastic moduli, 1469
Viscometric behaviour: Electro-optical and ———— of sodium polystyrene sulphonate in formamide, 1397
Viscometry: Interaction parameters in ternary polystyrene solutions at high temperature, 803
Viscosity: Characteristic molecular weights in the dynamics of polymer melts: n.m.r. and zero-shear ————, 187
Viscosity: Temperature dependence of the zero-shear melt ———— of oligomeric epoxy resins, 463
Viscosity: Influence of polymer molecular weight on selected thermodynamic properties or polymer/solvent systems and the application of the UNIFAC theory, 670
Viscosity: Rheokinetics of free-radical polymerization, 778
Viscosity: Dynamic and static properties of styrene–butadiene–styrene triblock copolymer and their blends, 882
Viscosity: Cosolvency, coil expansion and dimensions of PMMA in mixed solvents, 1307
Viscosity: Electro-optical and viscometric behaviour of sodium polystyrene sulphonate in formamide, 1397
Viscosity: Interaction parameters in the n-undecane/butanone/poly(dimethylsiloxane) system, 1479
Visible radiation: Polymerization of vinyl acetate using ———— and a dye-reducing agent sensitizer: 1. Pre-initiation and initiation reactions involving ethyl eosin and ascorbic acid, 529
Visible radiation: Polymerization of vinyl acetate using ———— and a dye-reducing agent sensitizer: 2. Kinetic studies and polymerization mechanism, 536
Volume effects: Time-dependent deformation and craze initiation in PMMA: ————, 1679
Volume interactions: Effects of the excluded ———— on the conformational properties of star polymers, 1607
Vulcanization: Studies on peroxide of silica-filled EPDM rubber in presence of vinyl silane coupling agent, 855

Walls: in liquid crystalline polymers: an electron microscopy study, 1235
Water: Non-Fickian diffusion of ———— in melamine-formaldehyde resins, 84
Water: Interaction of epoxy resins with the depression of glass transition temperature, 664
Water: Interaction of 1-pyrenebutyrate with poly(vinylbenzo-18-crown-6) and poly(vinyl-benzoglyme) in ————, 1166
Water sorption: and desorption in 2-hydroxyethyl-methacrylate/methylmethacrylate copolymers, 686
Wide-angle X-ray scattering: A study of conformation, configuration and phase structure of polyacrylonitrile and their mutual dependence by means of ———— and ^{1}H BL-n.m.r., 1415
Wide-angle X-ray study: A ———— of the development of molecular orientation in crosslinked natural rubber, 1562

Xanthates: Mechanisms of antioxidant action: effect of processing conditions on the stabilizing effectiveness of metal ———— and related dixanthogen in polypropylene, 1006
X-ray diffraction: Aliphatic polyesters as models for relaxation processes in crystalline polymers: 1. Characterization, 323
X-ray diffraction: The structure of copoly(4-hydroxybenzoic acid/2-hydroxy-6-naphthoic acid): 2. An atomic model for the copolyester chain, 435

X-ray diffraction: Crystalline complex between poly(γ-methyl L-glutamate) and dimethyl phthalate, 698
X-ray diffraction: Molecular packing in alkylated and chlorinated poly-*p*-xylenes, 1093
X-ray diffraction: Thermotropic liquid crystalline polyesters with terphenyl moieties and flexible 'ether' spacers in the main chain, 1281
X-ray diffraction: Grafting of acrylamide to nylon-6 by the electron beam pre-irradiation technique: 3. Degree of crystallinity at high grafting yields, 1431
X-ray scattering: Microphase structure features of network block polymer over a wide temperature range, 459
X-ray scattering: Structure of polystyrene glasses, 906
X-ray scattering: A wide-angle X-ray study of the development of molecular orientation in crosslinked natural rubber, 1562
X-ray photoelectron spectroscopy: An electron spectroscopy for chemical application investigation of the surface oxidation of disphenol-A polycarbonate films induced by reactive oxygen species, 826
X-ray photoelectron spectroscopy: New developments in polymer surface analysis, 1379
Yield processes: Attempt to correlate the ———— above and below the glass transition in glassy polymers, 1523
Ziegler–Natta catalyst: Studies of the stereospecific polymerization mechanism of propylene by a modified ———— based on 125 MHz ^{13}C n.m.r. spectra, 1640
Ziegler–Natta catalysts: The synthesis of low molecular weight hydroxy-tipped polyethylene and polypropylene by the intermediacy of ————, 1817
Ziegler–Natta: polymerization: The nature of the propagation step, 1645

Journal of

MOLECULAR GRAPHICS

published in association with the Molecular Graphics Society

Dr. W. G. Richards, University of Oxford

Computer graphics is an important and useful technique for chemists, molecular biologists, pharmaceutical researchers and others engaged in investigating molecular structure, function and interaction.
The **Journal of Molecular Graphics** assists researchers in using computers to visualize, manipulate and interact with molecular models, by publishing new results from a wide range of disciplines.



For further details and a sample copy, please contact:

Mrs. Sheila King, Butterworth Scientific Ltd., P.O. Box 63, Westbury House, Bury Street, Guildford, Surrey GU2 5BH. UK

POLYMER COMMUNICATIONS AUTHOR INDEX
VOLUME 25 1984

Addy, S. W.: *see* Clegg, D. W., 73
Afaunov, M. D.: *see* Babchinitser, T. M., 229
Ahmad, Munir M. and Feast, W. James: The synthesis and properties of poly(1,7-7H-heptafluoromethylenecyclo-hexenylene), a fluorinated conjugated polymer, 231
Alberda van Ekenstein, G. O. R., and Tan, Y. Y.: The influence of temperature on the template polymerization of methacrylic acid in the presence of poly(vinyl-pyrrolidone). A d.s.c. investigation, 105
Allen, Norman S., Kotecha, Jitendra, Gardette, Jean-Luc and Lemaire, Jacques: Thermal and photochemical behaviour of structurally related hindered piperidine light stabilizers in polyolefins, 235
Al-Malaika, S., Kok, L. and Scott, G.: Mechanisms of antioxidant action: the effect of nitroxyl-substituted xanthates in the stabilization of polypropylene, 233
Ando, D. J.: *see* Rughooputh, S. D. D. V., 242
Ando, Tadanao: *see* Kataoka, Seiichi, 24
Angeloni, Annino Sante, Ferruti, Paolo and Laus, Michele: The Mannich bases in polymer synthesis: 7. Poly (*N*-amino methylenamides) by polycondesation reaction of bis Mannich bases of dicarboxyamides with bis secondary amines, 119
Angeloni, Annino Sante: *see* Laus, Michele, 281
Anwaruddin, Q.: *see* Kasinithi, K., 179
Anzai, Jun-ichi,; Susuki, Yasuhiro,; Ueno, Akihiko,; and Osa, Tetsuo: Cation transport through liquid membranes mediated by photoreactive crown ethers, 254
Arakawa, Tatsumi: *see* Ikeda, Yukhiro, 79
Avramova, N. and Fakirov, S.: The β-structure of nylon-6 determined by reflection high energy electron diffraction, 27

Babchinitser, T. M., Genin, Ya. V., Korigodsky, A. R., Afaunov, M. D., Kutepov, D. F. and Korshak, V. V.: Structure of poly(triazine urethane)-polybutadiene block copolymers, 229
Banerjee, S.: *see* Ghosh, A. K., 152
Bansod, V. P.: *see* Gupta, M. C., 334
Bao, Jingsheng: *see* Chu, Benjamin, 211
Beckwith, Paul L. M., Fornasiero, Daniel, Horr, Tom, Rye, Kerry-Ann and Kurucsev, Thomas: Polymer heat engines: 1. Study of poly(vinylamine) and some of its derivatives as potential working substances in heat engines, 18
Beevers, M. S. and Mumby, S. J.: Dielectric and Kerr effect studies on stereoregular poly(*N*-vinylcarbazole) 173
Bekturov, E. A., Kudaibergenov, S. E., Kanapyanova, G. S. and Kurmanbaeva, A. A.: Complexation of poly(*N*-vinylpyrrolidone) and *N*-vinylpyrrolidone copolymers with cupric(II) ions in aqueous solution, 220
Belfkira, A.: *see* Monthéard, J. P., 337
Bevington, J. C., Breuer, S. W., and Huckerby, T. N.: N. m. r. study of end-groups in polymers and copolymers of methyl methacrylate and styrene, prepared using 2-cyano-2-propylazoformamide as initiator, 260
Bhattacharya, Swapan K.: Fracture toughness of carbon/black/acrylic composite, 10
Bilen, C. S.: *see* Harrison, N., 15
Binder, K.: *see* Ewen, B., 133
Birley, Arthur W.: *see* Ng, Pek Choo, 250
Biswas, Mukul and Uryu, Toshiyuki: A note on the use of $Zn(C_2H_5)_2/CoCl_2$–pyridine as a catalyst for the stereospecific polymerization of *N*-vinylcarbazole, 286
Bloor, D.: *see* Rughooputh, S. D. D. V., 242
Bonner, P.: *see* Sherrington, D. C., 71
Boots, H. M. J.: *see* Kloosterboer, J. G., 354
Bootsma, Jan P. C., Challa, Ger, and Muller, Franz: Polymer-bound flavins: 4. Application of flavin-containing polyelectrolyte adsorbed on macroporous silica beads in a reactive column, 342
Borsig, E.: *see* Hlouskova, Z., 112
Bott, D. C.: *see* White, D., 98
Breuer, S. W.: *see* Bevington, J. C., 260
Burton, R. H., Day, T. M. and Folkes, M. J.: Localized flow-induced morphological features in fibre reinforced thermoplastics, 361
Busfield, W. K.: *see* Woods, D. W., 298

Camps, M.: *see* Mountheard, J. P., 337
Capiati, Numa J.: *see* Picon, Pedro R., 36
Castro, J. M., Macosko, C. W. and Parry, S. J.: Viscosity changes during urethane polymerization with phase separation, 82
Challa, Ger: *see* Bootsma, Jan P. C., 342
Chen, Y. C., Ni., F. L., Shiramatsu, T., and Tzeng, J. S.: Electrical properties and stability of HCl-doped polyacetylene, 315
Cheng, H. N.: Characterization of 1-octene copolymers by ^{13}C n. m. r., 99
Chu, Benjamin, Ying, Qicong, Wu, Chi, Ford, James R., Dhadwal, Harbans, Qian, Renyuan, Bao, Jingsheng, Zhang, Jiyu and Xu, Chaochou: Laser light scattering characterization of rod like polymers in cor osive solvents: Kevlar in concentrated sulphuric acid, 211
Chujo, Yoshiki,; Kobayashi, Hisaaki and Yamashita, Yuya: Synthesis of polyamide graft copolymers using poly(2-hydroxyethyl methacrylate) macromonomers, 278
Clark, D. T., Munro, H. S., Finocchiaro, P., Libertini, E. and Recca, A.: Surface aspects of metal complexed polymeric Schiff bases as studied by means of e.s.c.a., 5
Clark, D. T.: *see* Finocchiaro, P., 275
Clarson, S. J.: *see* Garrido, L., 218
Clegg, D. W., Addy, S. E., Collyer, A. A., Jones, I. K. and Webb, S.: Determination of the physical stress relaxation response of poly(dimethylsiloxane) (PDMS) and Bitron E60C elastomers from dynamic mechanical measurements, 73
Collyer, A. A.: *see* Clegg, D. W., 73
Cook, Robert: A simple kinetic approach to fibre failure, 246
Costa Bizzari, Paolo, Della Casa, Carlo, Ferruti, Paolo, Ghedini, Nadia, Pilati, Francesco and Scapini, Giancarlo: The Mannich bases in polymer synthesis: 6. Sulphur-containing polymers by exchange reaction between 2,6-bis(dimethylaminomethyl)-4-methylphenol and dithiols, 115
Cowie, J. M. G. and Ferguson, R.: Calculations to substantiate possible origins of some low temperature relaxation processes in comb branch polymers with pendant cycloalkyl rings, 66
Crist, B., Graessley, W. W. and Wignall, G. D.: Response to 'Comments on Crist *et al.*'s paper on chain dimensions of crystallizable polymers, an alternative interpretation of the experimental data', 136
Cudby, M. E. A., Packer, K. J. and Hendra, P. J.: Proton n. m. r. spin-lattice relaxation in the rotating frame and the thickness of the crystalline lamellae in some polyethylenes, 303

Darlington, Michael W.: *see* Hutley, Trevor J., 226
Das, C. K.: *see* Ghosh, A. K., 152
Day, T. M.: *see* Burton, R. H., 361
De, Prajna P.: *see* Pal, Pranab K., 49
de Jong, P. J.: *see* Roerdink, E., 194
Della Casa, Carlo: *see* Costa Bizzari, Paolo, 115
Dhadwal, Harbans: *see* Chu, Benjamin, 211
Diaz, F. R.: *see* Tagle, L. H., 223
Doi, Y.: *see* Soga, K., 171
Domard, A. and Rinaudo M.: Gel permeation chromatography of cationic polymer on cationic porous silica gels, 55
Dortant, G. C. M.: *see* Kloosterboer, J. G., 322

Erman, B. and Flory, P. J.: The equation-of-state theory of mixtures and the polymer–solvent interaction parameter, 132
Ewen, B., Stuhn, B., Binder, K., Richter, D., and Hayter, J. B.: Hydrodynamic interactions and the dynamics of polymer solutions, 133
Fairgrieve, Stuart P. and MacCallum, James R.: Photostabilization by hindered amines: The role of transition metal complexation, 44
Fakirov, S.: *see* Avramova, N., 27
Farraye, E. A.: *see* Kambour, R. P., 357
Fawcett, Allan H., Mulemwa, Jane N., and Tan, C. E.: Copolymers of acrylonitrile with furan, methyl furan and dimethyl furan, 300
Feast, W. James: *see* Ahmad, Munir M., 231
Ferguson, R.: *see* Cowie, J. M. G., 66
Ferruti, Paolo: *see* Bizzari, Paolo Costa, 115
Ferruti, Paolo: *see* Angeloni, Annino Sante, 119
Ferruti, Paolo: *see* Laus, Michele, 281
Finocchiaro, P.: *see* Clark, D. T., 5
Finocchiaro, P., Libertini, E., Recca, A., Munro, H. S., and Clark, D. T.: Surface aspects of the metal selectivity in polymeric Schiff bases as studied by e.s.c.a., 275
Flory, P. J.: *see* Erman, B., 132
Flory, P. J.: *see* Vacatello, M., 258
Folkes, M. J.: *see* Burton, R. H., 361
Ford, James R.: *see* Chu, Benjamin, 211
Fornasiero, Daniel: *see* Beckwith, Paul L. M., 18
Fortunato, B.: *see* Pilati, F., 190
Francois, J.: *see* Truong, D. N., 208
Furukawa, Tohru: *see* Uragami, Tadashi, 30

Gadd, F. K.: Regenerated cellulose membranes from solutions in aqueous copper(II)/1,3-diaminopropane and the dependence of physical properties on regenerating conditions, 88
Galin, J. C.: *see* Truong, D. N., 208
Gardette, Jean-Luc: *see* Allen, Norman S., 235
Gardette, Jean-Luc and Phillips, David: Fluorescence polarization in polystyrene, 366
Garrido, L., Mark, J. E., Clarson, S. J., and Semlyen, J. A.: Studies of cyclic and linear poly(dimethylsiloxanes): 15. Diffusion coefficients from network sorption measurements, 218
Garrido, L.: *see* Tang, M. Y., 347
Genin, Ya. V.: *see* Babchinitser, T. M., 229
George, Adrian V.: *see* Isaacs, Neil S., 268
Gerrard, D. L., Maddams, W. F. and Williams, K. P. J.: The Raman spectra of some branched polyethylenes, 182
Gerrard, D. L., and Maddams, W. F.: The origin of the band at 450 nm in the ultra violet/visible adsorption spectrum of degraded poly(vinyl chloride), 185
Ghedini, Nadia: *see* Bizzari, Paolo Costa, 115
Ghosh, A. K., Das, C. K. and Bannerjee, S.: Compounding of styrene–butadiene rubber with card-phenol in the presence of calcium carbonate, 152
Gilbert, Marianne: *see* Ng, Pek Choo, 250
Goldenfeld, Nigel: Growth rate of polymer crystals, 47
Gossing, R. G.: *see* Kloosterboer, J. G., 322
Graessley, W. W.: *see* Crist, B., 136
Grubb, D. T.: *see* Morel, D. E., 68
Guenet, J. M.: *see* Sadler, D. M., 290
Gupta, M. C., Srirao, B. S., Kanphade, B. P. and Bansod, V. P.: Radiation effects on high-impact polystyrene, 334
Guthrie, J., Otterburn, M. S., Rooney, J. M. and Tsang, C. N.: The determination of the molecular weight of poly(ethyl-2-cyanoacrylate) adhesive, 318
Guzman, J.: *see* San Roman, J., 373

Hanabusa, K.: *see* Hirabaru, O., 284
Haq, Z. and Mingins, J.: The contact angle of water on polymer films, 269
Harrison, N., Bilen, C. S. and Morantz, D. J.: The measurement of infra-red emission and spectral emittance of thin polymer films, 15
Hasegawa, Taisuke: *see* Nogami, Takashi, 329
Hashimoto, Toshimasa: *see* Inoue, Takashi, 148
Hay, J. N., Kemmish, D. J., Langford, J. I. and Rae, A. I. M.: The structure of crystalline PEEK. 175
Hayter, J. B.: *see* Ewen, B., 133
Heckmann, W.: *see* Ramsteiner, F., 178
Hendra, P. J.: *see* Cudby, M. E. A., 303
Hirabaru, O., Nakase, T., Hanabusa, K., Shirai, H., Takemoto, K., Hojo, N.: Functional metal–porphyrazine derivatives and their polymers: 13. Secondary cells using metal–phthalocyanine bound to poly(2-vinylpyridine-co-styrene) as positive electrodes, 284
Hirooka, Masaaki: *see* Murase, Ichiki, 327
Hlouskova, Z., Tino, J., And Borsig, E.: Study of crosslinked i-polypropylene by spin probe methods, 112
Hojo, N.: *see* Hirabaru, O., 284
Honda, Chikako: *see* Kambe, Yuko, 154
Hong, K. M. and Noolandi, J.: The effect of polydispersity on the microphase separation of a block copolymer system, 265
Horn, A. F.: *see* Merrill, E. W., 144
Horr, Tom: *see* Beckwith, Paul L. M., 18
Huckerby, T. N.: *see* Bevington, J. C., 260
Hutley, Trevor J., Darlington, Michael W.: Impact strength – d. s. c. correlation in mineral-filled polypropylene, 226

Ikeda, Yukhiro, Ozaki, Masaru, Arakawa, Tatsumi, Takahashi, Akio and Kambara, Shu: Synthesis of poly(vinylene sulphide), 79
Imamura, Akira: *see* Ohsaku, Masaru, 251
Inoue, Kazuhiko: *see* Nogami, Takashi, 329
Inoue, Takashi,; Kobayashi, Takashi,; Hashimoto, Toshimasa,; Tanigami, Tetsuya,; and Miyasaka, Keizo: Studies on the structure of poly(vinyl chloride)/poly(acrylonitrile-co-butadiene) blends, 148
Irvine, Peter A.: *see* Smith, Paul, 294
Isaacs, Neil S. and George, Sdrian V.: Anionic polymerization of vinyl monomers under high pressure, 268
Ishikawa, Hiroshi: *see* Nagura, Masanobu, 313

Johnson III, Joseph A., and Santiago, Jaime P.: Turbulent boundary layer treatment for reacting polymer jets, 34
Jones, I. K.: *see* Clegg, D. W., 73

Kaim, Andrezej and Kolodziejski, Waclaw: Radicals in the polymerization system of valeraldehyde and methyl acrylate, 308
Kajiwara, M. and Shiomoto, K.: The solution polymerization reaction of hexachlorocyclotriphosphazene by sulphur compounds, 93
Kamata, Kaoru: *see* Ochiai, Hiroshi, 158
Kambara, Shu: *see* Ideda, Yukhiro, 79
Kambe, Yuko, and Honda, Chikako: Diffusion of poly(ethylene oxide) in water, 154
Kambour, R. P.: Maximum strains for craze initiation in ductile glassy polymers, 130
Kambour, R. P. and Farraye, E. A.: Crazing beneath notches in ductile glassy polymers: A materials correlation, 357
Kanapyanova, G. S.: *see* Bekturov, E. A., 220
Kanphade, B. P.: *see* Gupta, M. C., 334
Karakelle, M.: *see* Phillips, P. J., 204
Karger-Kocsis, J., Kiss, L. and Kuleznev, V. N.: Optical microscopic study on the phase separation of impact-modified PP blends and PP block copolymers, 122
Kasinithi, K., Tajuddin, I., and Anwaruddin, Q.: Polymerization of acrylonitrile initiated by peroxydisulphate–thioglycollic acid redox system, 179
Kataoka, Seiichi and Ando, Tadanao: Induced optical activity of acridine orange bonded to optically active poly(methacrylic acid) by radical polymerization in the presence of chitosan, 24
Keller, A.: *see* Sadler, D. M., 290
Keller, Teddy M. and Price, Thomas R.: Synthesis of polysulphone phthalonitriles, 42
Kemmish, D. J.: *see* Hay, J. N., 175
Kiss, L.: *see* Karger-Kocsis, J., 122
Kloosterboer, J. G., van de Hei, G. M. M., Gossink, R. G. and Dortant, G. C. M.: The effects of volume relaxation and thermal mobilization of trapped radicals on the final conversion of photopolymerized diacrylates, 322
Kloosterboer, J. G., van de Hei, G. M. M. and Boots, H. M. J.: Inhomogeneity during the photopolymerization of diacrylates: d. s. c. experiments and percolation theory, 354
Kobayashi, Hisaaki: *see* Chujo, Yoshiki, 278
Kobayashi, Takashi: *see* Inoue, Takashi, 148
Koeda, Susumu: *see* Kondo, Shingo, 59
Kojima, M. and Magill, J. H.: Hexatic phase in poly(bistrifuoroethoxyphosphazene), (PBFP), thin films, 273
Kok, L.: *see* Al-Malaika, S., 233
Kolodziehski, Waclaw: *see* Kaim, Andrzej, 308
Kondo, Shingo, Naoki, Motosuke, Tanioka, Toshiya and Koeda, Susumu: Hypersonic dispersion properties in networks of an end-linked dimethylsiloxane oligomer, 59
Korigodsky, A. R.: *see* Babchinitser, T. M., 229
Korshak, V. V.: *see* Babchinitser, T. M., 229
Kotecha, Jitendra: *see* Allen, Norman S., 235
Kudaibergenov, S. E.: *see* Bekturov, E. A., 220
Kuleznev, V. N.: *see* Karger-Kocsis, J., 122
Kutepov, D. F.: *see* Babchinitser, T. M., 229
Kurmanbaeva, A. A.: *see* Bekturov, E. A., 220
Kurucsev, Thomas: *see* Beckwith, Paul L. M., 18

Landry, Michael R.: *see* Nemoto, Norio, 141
Langford, J. I.: *see* Hay, J. N., 175
Laus, Michele: *see* Angeloni, Annino Sante, 119
Laus, Michele,; Angeloni, Annino Sante,; Tramontini, Maurilio and Ferruti, Paolo: The Mannich bases in polymer synthesis: 9. Sulphur containing polymers polycondensation reaction of bis Mannich bases of dicarboxyamides with 1,3-dimercaptobenzene, 281
Lavia, M. A.: *see* Madruga, E. L., 309
Leising, G.: Single-fibre poly(acetylene), 201
Lemaire, Jacques: *see* Allen, Norman S., 235
Libertini, E.: *see* Clark, D. T., 5
Libertini, E.: *see* Finocchiaro, P., 275
Lindsell, W. E., Service, D. M. and Soutar, I.: Anionic polymerization of acenaphtylene: Identification of impurity species formed as by-products, 108
Liptak, P., Rado, R., Mlejnek, O. and Lacuska, M.: Reactions of unsaturated trialkoxysilane in a hydrocarbon medium in the presence of aluminium hydroxide, 126
Lloyd, Douglas R.: *see* Tseng, Hsiao-Show, 262
Lucas, J. M.: *see* Monthéard, J. P., 337
Lucuska, M.: *see* Liptak, P., 126

MacCallum, James R.: *see* Fairgrieve, Stuart P., 44
Macosko, C. W.: *see* Castro, J. M., 82
Maddams, W. F.: *see* Gerrard, D. L., 182
Maddams, W. F.: *see* Gerrard, D. L., 185
Madruga, E. L., San Roman, J., and Lavia, M. A.: Radical copolymerization of acrylic monomers: 7. High conversion polymerization of methyl methacrylate in

the presence of low concentrations of methyl α-benzylacrylate, 309
Madruga, E. L.: *see* San Roman, J., 373
Magill, J. H.: *see* Kojima, M., 273
Manaresi, P.: *see* Pilati, F., 187
Maret, G.: *see* Weill, G., 147
Mark, J. E.: *see* Garrido, L., 218
Mark, J. E.: *see* Tang, M. Y., 347
Martin, James E.: Effect of polydispersity on scattering functions of linear polymers at intermediate momentum transfer, 350
Masi, P., Nicodemo, L., Migliaresi, C., and Nicolais, L.: Water uptake and volumetric changes in poly(methylmethacrylate), 331
Masoni, S.: *see* Pilati, F., 190
Matheson, Robert R., Jr.: *see* Smith, Paul, 294
Matsuda, Minoru: *see* Miyasita, Tokuji, 138
McCrum, N. G.: Sequential relaxation as the mechanism of physical ageing in amorphous polymers, 2
McCrum, N. G.: The determination of $d\ln r_0^2/dT$ by the method of temperature induced creep, 213
McGarvey, Bruce R.: *see* Schlick, Schulamith, 369
Merrill, E. W. and Horn, A. F.: Scission of macromolecules in dilute solution: Extensional and turbulent flows, 144
Migliaresi, C.: *see* Masi, P., 331
Mihailov, M.: *see* Terlemezyan, L., 80
Mijovic, Jovan: On processing–property relationships in graphite/epoxy composites, 271
Mikawa, Hiroshi: *see* Nogami, Takashi, 329
Mingins, J.: *see* Haq, Z., 269
Miyasaka, Keizo: *see* Inoue, Takashi, 148
Miyashita, Tokuji and matsuda, Minoru: Emission decay kinetics of photoexcited $Ru(phen)^{2+}_3$ in poly(vinylsulphate) solution, 138
Mlejnek, O.: *see* Liptak, P., 126
Moad, Graeme, Serelis, Algirdas K., Solomon, David H. and Spurling, Thomas H.: On the relative importance of cross- and homotermination in radical copolymerization, 240
Montheard, J. P., Camps, M., Belfkira, A., Steffan G., and Lucas, J. M.: Synthesis and polymerization of acylated α-acetoxy-4-hydroxy styrenes, 337
Morantz, D. J.: *see* Harrison, N., 15
Morel, D. E. and Grubb, D. T.: Staining of melt crystallized isotactic polystyrene by RuO_4, 68
Mukherjee, P. S.: Structure-property relations in cellulose I fibres: 1. Dielectric properties, 382
Mulemwa, Jane N.: *see* Fawcett, Allan H., 300
Muller, Franz: *see* Bootsma, Jan P. C., 342
Mumby, S. J.: *see* Beevers, M. S., 173
Munari, A.: *see* Pilati, F., 187
Munro, H. S.: *see* Clark, D. T., 5
Munro, H. S.: *see* Finocchiaro, P., 275
Murakami, Ichiro: *see* Ochiai, Hiroshi, 158
Murase, Ichiki; Ohnishi, Toshihiro; Noguchi, Takanobu; and Hirooka, Masaaki: Highly conducting poly(*p*-phenylene vinylene) prepared from a sulphonium salt, 327

Nagura, Masanobu, Nagura, Masahiro and Iskikawa, Hiroshi: State of water in highly elastic poly (vinyl alcohol) hydrogels prepared by repeated freezing and melting, 313
Nagura, Masahiro: *see* Nagura, Masanobu, 313
Naoki, Motosuke: *see* Kondo, Shingo, 59
Nakase, T.: *see* Hirabaru, O., 284
Nemoto, Norio, Landry, Michael R., Noh, Icksam and Yu, Hyuk: Temperature dependence of the self diffusion coefficient of polyisoprene in the bulk state, 141
Ng, Pek Choo,; Yeh, Po-Len,; Gilbert, Marianne, and Birley, Arthur W.: The determination of ethylene units in ethylene – propylene systems, 250
Ni, F. L.: *see* Chen, Y. C., 315
Nicodemo, L.: *see* Masi, P., 331
Nicolais, L.: *see* Masi, P., 331
Nogami, Takashi; Hasegawa, Taisuke; Inoue, Kazuhiko and Mikawa, Hiroshi: Syntheses of aliphatic tellurium polymers: Poly(polymethylene telluride)s and poly(polymethylene ditelluride)s, 329
Noguchi, Takanobu: *see* Murase, Ichiki, 327
Noh, Icksam: *see* Nemoto, Norio, 141
Noolandi, J.: *see* Hong, K. M., 265
Nystrom, B.: *see* Roots, J., 166

Ochiai, Hiroshi, Kamata, Kaoru, and Murakami, Ichiro: Refractive index increments of poly(methylmethacrylate) at 633nm, 158
Odijk, T.: *see* Weill, G., 147
Ohnishi, R.: *see* Soga, K., 171
Ohnishi, Toshihiro: *see* Murase, Ichiki, 327
Ohsaku, Masaru, and Imamura, Akira: Conformational analyses of poly(methylene disulphide), 251
Ohtake, M.: *see* Soga, K., 171
Osa, Tetsuo: *see* Anzai, Jun-ichi, 254
Otterburn, M. S.: *see* Guthrie, J., 318
Ozaki, Masaru: *see* Tdeda, Yukhiro, 79

Packer, K. J.: *see* Cudby, M. E. A., 303
Pai Verneker, V. R. and Shaha, B.: Lithium and sodium initiated transition polymerization of acrylamide, 363
Pal, Pranab K. and De, Prajna P.: Titanate coupling agent [Isopropyl tri(dioctylpyrophosphato) titanate] as a retarder in natural rubber vulcanization, 49
Parry, S. J.: *see* Castro, J. M., 82
Peacock, A. J.: Computer aided calculation of crosslinking efficiency, 169
Peguy, A. and St John Manley, R.: Ultra-drawing of high molecular weight polypropylene, 39
Phillips, D.: *see* Rughooputh, S. D. D. V., 242
Phillips, David: *see* Gardette, Jean-Luc, 366
Phillips, P. J., Karakelle, M., and Vatansever, A.: Evidence for the influence of XLPE morphology on treeing probability, 204
Pham, Q. T.: *see* Truong, D. N., 208
Picon, Pedro R., Valles, Enrique M., and Capiati, Numa J.: Viscoelastic properties of poly(vinyl chloride): influence of crystallinity, 36
Pilati, Francesco: *see* Bizzari, Paolo Costa, 115
Pilati, F., Munari, A., and Manaresi, P.: A reappraisal of the catalytic effects of tin(IV) compounds on transesterification and esterification reactions, 187
Pilati, F., Masoni, S., and Fortunato, B.: Thermal degradation of polyesteramide 6NT6, 190
Price, Thomas, R.: *see* Keller, Teddy M., 42

Qian, Renyuan: *see* Chu, Benjamin, 211

Rado, R.: *see* Liptak, P., 126
Rae, A. I. M.: *see* Hay, J. N., 175
Ramsteiner, F. and Heckmann, W.: Deformation behaviour of styrene–butadiene block copolymers, 178
Recca, A.: *see* Clark, D. T., 5
Recca, A.: *see* Finocchiaro, P., 275
Richel, C.: *see* Wu, W., 76
Richter, D.: *see* Ewen, B., 133
Rinaudo, M.: *see* Domard, A., 55
Roerdink, E., de Jong, P. J. and Warnier, J.: Study on the polycondensation kinetics of nylon-4,6 salt, 194
Rogal, Eugeniusz: *see* Wejchan-Judek, Maria, 53
Rooney, J. M.: *see* Guthrie, J., 318
Roots, J., and Nystrom, B.: Effect of pressure on intramolecular excimer formation of polystyrene in solution, 166
Rughooputh, S. D. D. V., Phillips, D., Bloor, D., and Ando, D. J.: Chromism of a polydiacetylene with weakly interacting sidegroups, 242
Rye, Kerry-Ann: *see* Beckwith, Paul L. M., 18

Sadler, David M.: The importance of twin morphology for theories of crystallization of polymers, 196
Sadler, D. M., Spells, S. J., Keller, A., and Guenet, J. M.: Wide-angle neutron scattering from isotactic polystyrene: the fold arrangement in solution grown crystals, 290
St. John Manley, R.: *see* Peguy, A., 39
Santiago, Jamie P.: *see* Johnson III, Joseph A., 34
San Roman, J.: *see* Madruga, E. L., 309
San Roman, J., Madruga, E. L. and Guzman, J.: Glass transition temperatures of acrylic polymers and copolymers containing phenyl side groups, 373
Scapini, Giancarlo: *see* Bizzari, Paolo Costa, 115
Schlick, Shulamith and McGarvey, Bruce R.: Study of dynamics in poly(*p*-phenylene sulphide) by pulsed ^1H nuclear magnetic resonance, 369
Schulz, G. and Worsfold, D. J.: The heterogeneous hydrogenation of polyisoprene, 206
Scott, G.: *see* Al-Malaika, S., 233
Semlyen, J. A.: *see* Garrido, L., 218
Serelis, Algirdas, K.: *see* Moad, Graeme, 240
Service, D. M.: *see* Lindsell, W. E., 108
Setua, D. K.: Temperature dependence of the tear strength of short silk fibre reinforced rubber composites, 345
Shah, B.: *see* Pai Verneker, V. R., 363
Sherrington, D. C. and Bonner, P.: Use of polymer derivatzation in gel permeation chromatography, 71
Shindo, Yohji and Takigaura, Ryosei: An improved highly sensitive instrument for measuring optical birefringence, 378
Shiomoto, K.: *see* Kajiwara, M., 93
Shirai, H.: *see* Hirabaru, O., 284
Shiramatsu, T.: *see* Chen, Y. C., 315
Smith, Paul, Matheson, Robert R., Jr., and Irvine, Peter A.: Extension ratios of polymer molecules, 294
Soga, K., Ohtake, M., Ohnishi, R., and Doi, Y.: Copolymerization of ethylene and propylene with the catalytic system of $TiCl_4$ and MgR_2, 171
Solomon, David H.: *see* Moad, Graeme, 240
Soutar, I.: *see* Lindsell, W. E., 108

Spells, Stephen J.: Fourier self-deconvolution of mixed crystal polyethylene infra-red spectra, 162
Spells, S. J.: *see* Sadler, D. M., 290
Spurling, Thomas H.: *see* Moad, Graeme, 240
Srirao, B. S.: *see* Gupta, M. C., 334
Steffan, G.: *see* Monthéard, J. P., 337
Stuhn, B.: *see* Ewen, B., 133
Sugihara, Mizuho: *see* Uragami, Tadashi, 30
Suzuki, Yasuhiro: *see* Anzai, Jun-ichi, 254

Tagle, L. H., Diaz, F. R. and Bega, R. J.: Synthesis and characterization of poly(amide–imides) from 3,4-dicarboxy-4'-chloroformyl-biphenyl anhydride with aliphatic diamines, 223
Tajuddin, I.: *see* Kasinithi, K., 179
Takahashi, Akio: *see* Ikeda, Yukhiro, 79
Takemoto, K.: *see* Hirabaru, O., 284
Takigaura, Ryosei: *see* Shindo, Yohji, 378
Tan, C. E.: *see* Fawcett, Allan, H., 300
Tan, Y. Y.: *see* Alberda van Ekenstein, G. O. R., 105
Tang, M. Y., Garrido, L., and Mark, J. E.: The effect of crosslink functionality on the elastomeric properties of bidomal networks, 347
Tanigami, Tetsuya: *see* Inoue, Takashi, 148
Tanioka, Toshiya: *see* Kondo, Shingo, 59
Terlemezyan, L. and Mihailov, M.: Conformational changes of trioxane–dioxolane copolymer induced by pressure and mechanical treatment, 80
Tinker, A. J.: Preparation of polypropylene/natural rubber blends having high impact strength at low temperatures, 325
Tino, J.: *see* Hlouskova, Z., 112
Tramontini, Maurilio: *see* Laus, Michele, 281
Truong, D. N., Galin, J. C., Francois, J., and Pham, Q. T.: Stability of sodium acrylate–acrylamide copolymers in aqueous solutions in presence of Ca^{2+} influence of the microstructure, 208
Tsang, C. N.: *see* Guthrie, J., 318
Tseng, Hsiao-Show, Lloyd, Douglas R., and Ward, T. C.: Correlation of organic solubility in poly(vinyl acetate), 262
Tzeng, J. S.: *see* Chen, Y. C., 315

Ueno, Akihiko: *see* Anzai, Jun-ichi, 254
Uragami, Tadashi, Furukawa, Tohru and Sugihara, Mizuho: Studies on synthesis and permeabilities of special polymer membranes: 57. Permeability of solute through polymer membranes and state of water in their membranes, 30
Uryu, Toshiyuki: *see* Biswas, Mukul, 286

Vacatello, M. and Flory, P. J.: Helical conformations of isotactic poly(methyl methacrylate). Energies computed with bond angle relaxation, 258
Valles, Enrique M.: *see* Picon, Pedro R., 36
van de Hei, G. M. M.: *see* Kloosterboer, J. G., 322
van de Hei, G. M. M.: *see* Kloosterboer, J. G., 354
Vatansever, A.: *see* Phillips, P. J., 204
Vega, R. J.: *see* Tagle, L. H., 223

Wakelyn, N. T.: On the structure of poly(etheretherketone) (PEEK), 306
Ward, I. M.: *see* Woods, D. W., 298
Ward, T. C.: *see* Tseng, Hsiao-Show, 262
Warnier, J.: *see* Roerdink, E., 194
Webb, S.: *see* Clegg, D. W., 73
Weill, G., Maret, G. and Odijk, T.: On the molecular weight dependence of the magnetic birefringence of poly(styrene sulphonate) at low ionic strength, 147
Wejchan-Judek, Maria and Rogal, Eugeniusz: The influence of a catalyst on the synthesis of poly(*p*-phenylene sulphide) from thiophenol and thionyl chloride, 53
White, D. and Bott, D. C.: The production of oriented, crystalline poly(acetylene) by the Durham route, 98
Wignall, G. D.: *see* Crist, B., 136
Williams, K. P. J.: *see* Gerrard, D. L., 182
Woods, D. W., Busfield, W. K., and Ward, I. M.: Improved mechanical behaviour in ultra high modulus polyethylenes by controlled crosslinking, 298
Worsfold, D. J.: *see* Schulz, G., 206
Wu, Chi: *see* Chu, Benjamin, 211
Wu, W., Zachmann, H. G. and Rickel, C.: The role of melt-recrystallization mechanism in deformation of crystalline polymers, 76

Xu, Chaochou: *see* Chu, Benjamin, 211

Yamashita, Yuya: *see* Chujo, Yoshiki, 278
Yeh, Po-Len: *see* Ng, Pek Choo, 250
Ying, Qicong: *see* Chu, Benjamin, 211
Yoda, Osamu: The radiation effect on non-crystalline poly(aryl-ether-ketone) as revealed by X-ray diffraction and thermal analysis, 238
Yu, Hyuk: *see* Nemoto, Norio, 141

Zachmann, H. G.: *see* Wu, W., 76
Zhang, Jiyu: *see* Chu, Benjamin, 211
Zhikuan, Chai: The interaction parameter χ^o and its dependence, 21

POLYMER COMMUNICATIONS CLASSIFIED CONTENTS VOLUME 25 1984

Acenaphthylene: Anionic polymerization of ————: Identification of impiurity species formed as by-products, 108
α-Acetoxy-4-hydroxy styrenes: Synthesis and polymerization of acylated ————, 337
Acridine orange: Induced optical activity of ———— bonded to optically active poly(methacrylic acid) by radical polymerization in the presence of chitosan, 24
Acrylamide: Lithium and sodium initiated transition polymerization of ————, 363
Acrylic monomers: Radical copolymerization of ———— 7. High conversion polymerization of methyl methacrylate in the presence of low concentrations of methyl α-benzylacrylate, 309
Acrylic polymers: Glass transition temperatures of ———— and copolymers containing phenyl side groups, 373
Acrylonitrile: Polymerization of ———— initiated by peroxydisulphate–thioglycollic acid redox system, 179
Acrylonitrile: Anionic polymerization of vinyl monomers under high pressure, 268
Acrylonitrile: Copolymers of ———— with furan, methyl furan and dimethyl furan, 300
Activation parameters: The influence of temperature on the template polymerization of methacrylic acid in the presence of poly(vinylpyrrolidone). A d.s.c. investigation, 105
Adhesive: The determination of the molecular weight of poly(ethyl-2-cyanoacrylate) ————, 318
Adjacent re-entry: Fourier self-deconvolution of mixed crystal polyethylene infra-red spectra, 162
Ageing: Compounding of styrene–butadiene rubber with card-phenol in the presence of calcium carbonate, 152
Aggregation: Chromism of a polydiacetylene with weakly interacting sidegroups, 242
Aluminium hydroxide: Reactions of unsaturated trialkoxysilane in a hydrocarbon medium in the presence of ————, 126
Analysis: The determination of ethylene units in ethylene–propylene systems, 250
Antioxidant action: Mechanisms of ———— the effect of nitroxyl-substituted xanthates in the stabilization of polypropylene, 233
Beta relaxation: Calculations to substantiate possible origins of some low temperature relaxation processes in comb branch polymers with pendant cycloalkyl rings, 66
Birefringence: On the molecular weight dependence of the magnetic ———— of polystyrene sulphonate at low ionic strength, 147
Birefringence: An improved highly sensitive instrument for measuring optical ————, 378
2,6-Bis(dimethylaminomethyl)-4-methylphenol: The Mannich bases in polymer synthesis: 6. Sulphur-containing polymers by exchange reaction between ———— and dithiols, 115
Boundary layer treatment: Turbulent ———— for reacting polymer jets, 34
Brillouin scattering: Hypersonic dispersion properties in networks of an end-linked dimethylsiloxane oligomer, 59
Butadiene: Compounding of styrene–———— rubber with card-phenol in the presence of calcium carbonate, 152
Butadiene: Deformation behaviour of styrene ———— block copolymers, 178

Capacitance bridge: Structure–property relations in cellulose 1 fibres: 1. Dielectric properties, 382
Carbon black filler: Fracture toughness of carbon black/acrylic composite, 10
Card-phenol: Compounding of styrene–butadiene rubber with ———— in the presence of calcium carbonate, 152
Catalysis: The deterogeneous hydrogenation of polyisoprene, 206
Catalytic effects: A reappraisal of the ———— of tin (IV) compounds on transesterification and esterification reactions, 187
Catalytic system: Copolymerization of ethylene and propylene with the catalytic system of $TiCl_4$ and MgR_2, 171
Catalyst: The influence of a ———— on the synthesis of poly(*p*-phenylene sulphide) from thiophenol and thionyl chloride, 53
Catalyst: A note on the use of $Zn(C_2H_5)_2/CoCl_2$-pyridine as a ———— for the stereospecific polymerization of *N*-vinylcarbazole, 286
Cellulose 1 fibres: Structure–property relations in ————: 1. Dielectric properties, 382
Cellulose membranes: Regenerated ———— from solutions in aqueous copper(II)/1.3-diaminopropane and the dependence of physical properties on regenerating conditions, 88
Chain dimensions: Response to 'Comments on Crist *et al.*'s paper on ———— of crystallizable polymers, an alternative interpretation of the experimental data', 136
Characterization: Surface aspects of metal complexed polymeric Schiff bases as studied by means of e.s.c.a., 5
Characterization: The influence of a catalyst on the synthesis of poly(*p*-phenylene sulphide) from thiophenol and thionyl chloride, 53
Characterization: Synthesis of poly(vinylene sulphide), 79
Characterization: of 1-octene copolymers by ^{13}C n.m.r., 99
Characterization: Laser light scattering ———— of rod-like polymers in corrosive solvents: Kevlar in concentrated sulphuric acid, 211
Characterization: Synthesis and ———— of poly(amide-imides) from 3,4-dicarboxy-4'-chloroformylbiphenyl anhydride with aliphatic diamines, 223
Characterization: Surface aspects of the metal selectivity in polymeric Schiff bases as studied by e.s.c.a., 275
Characterization: Synthesis and polymerization of acylated α-acetoxy-4-hydroxy styrenes, 337
Charge transfer complex: The origin of the band at 450 nm in the ultra violet/visible absorption spectrum of degraded poly(vinyl chloride), 185
Chemical potentials: The equation-of-state theory of mixtures and the polymer–solvent interaction parameter, 132
Chitosan: Induced optical activity of acridine orange bonded to optically active poly(methacrylic acid) by radical polymerization in the presence of chitosan, 24
Chitosan: Gel permeation chromatography of cationic polymer on cationic porous silica gels, 55
Chromism: of polydiacetylene with weakly interacting sidegroups, 242
Comb branch polymers: Calculations to substantiate possible origins of some low temperature relaxation processes in ———— with pendant cycloakyl rings, 66
Complex viscosity: Viscoelastic properties of polyvinylchloride: influence of crystallinity, 36
Complexation: Photostabilization by hindered amines: The role of transition metal ————, 44
Complexation: of poly(*N*-vinylpyrrolidone) and *N*-vinylpyrrolidone copolymers with cupric(III)ions in aqueous solution, 220
Composite: Fracture toughness of carbon black/acrylic ————, 10
Composites: Temperature dependence of the tear strength of short silk fibre reinforced rubber ————, 345
Compounding: of styrene–butadiene rubber with card-phenol in the presence of calcium carbonate, 152
Computer aided calculation: of crosslinking efficiency, 169
Concentration dependence: The interaction parameter χ^0 and its ————, 21
Condensation: Synthesis of poly(sulphone phthalonitrile)s, 42
Conduction: Synthesis of poly(vinylene sulphide), 79
Conformational analyses: of poly(methylene disulphide), 251
Conformational changes: of trioxane–dioxolane copolymer induced by pressure and mechanical treatment, 80
Conformations: Helical — ———— of isotactic poly(methyl methacrylate). Energies computed with bond angle relaxation, 258
Conjugation: Synthesis of poly(vinylene sulphide), 79
Contact angle: The ———— of water on polymer films, 269
Conversion: The effects of volume relaxation and thermal mobilization of trapped radicals on the final ———— of photopolymerized diacrylates, 322
Copolymer: Conformational changes of trioxane–dioxolane ———— induced by pressure and mechanical treatment, 80
Copolymer: The determination of ethylene units in ethylene–propylene systems, 250
Copolymer: The effect of polydispersity on the microphase separation of a block ———— system, 265
Copolymers: Characterization of 1-octene ———— by ^{13}C n.m.r., 99
Copolymers: Optical microscopic study on the phase separation of impact-modified PP blends and PP block ————, 122
Copolymers: Deformation behaviour of styrene butadiene block ————, 178
Copolymers: Stability of sodium acrylate–acrylamide ———— in aqueous solutions in presence of Ca^{2+} influence of the microstructure, 208
Copolymers: Complexation of poly(*N*-vinylpyrrolidone) and *N*-vinylpyrrolidone ———— with cupric(II) ions in aqueous solution, 220
Copolymers: Structure of poly(triazine urethane)–polybutadiene block ————, 229
Copolymers: N.m.r. study of end-groups in polymers and ———— of methyl methacrylate and styrene, prepared using 2-cyano-2-propylazoformamide as initiator, 260
Copolymers: Synthesis of polyamide graft ———— using poly(2-hydroxyethyl methacrylate) macromonomers, 278
Copolymers: of acrylonitrile with furan, methyl furan and dimethyl furan, 300
Copolymers: Glass transition temperatures of acrylic polymers and ———— containing phenyl side groups, 373
Copolymerization: of ethylene and propylene with the catalytic system of $TiCl_4$ and MgR_2, 171
Copolymerization: On the relative importance of cross- and homo-termination in radical ————, 240
Copolymerization: Copolymers of acrylonitrile with furan, methyl furan and dimethyl furan, 300
Copolymerization: Radical ———— of acrylic monomers: 7. High conversion polymerization of methyl methacrylate in the presence of low concentrations of methyl α-benzylacrylate, 309
Copper(II)/1,3-diaminopropane: Regenerated cellulose membranes from solutions in aqueous ———— and the dependence of physical properties on regenerating conditions, 88
Corrosive solvents: Laser light scattering characterization of rod like polymers in ————: Kevlar in concentrated sulphuric acid, 211
Cation transport: through liquid membranes mediated by photoreactive crown ethers, 254
Craze initiation: Maximum strains for ———— in ductile glassy polymers, 130
Crazes: Deformation behaviour of styrene–butadiene block copolymers, 178
Crazing: beneath notches in ductile glassy polymers: A materials correlation, 357
Creep: Sequential relaxation as the mechanism of physical ageing in amorphous polymers, 2
Creep: The determination of $d\ln r_0^{-2}/dT$ by the method of temperature induced ————, 213
Crosslink functionality: The effect of ———— on the elastomeric properties of bimodal networks, 347
Crosslinking: Polymer heat engines: 1. Study of poly(vinylamine) and some of its derivatives as potential working substances in heat engines, 18
Crosslinking: Study of crosslinked i-polypropylene by spin probe methods, 112
Crosslinking: Computer aided calculation of ———— efficiency, 169
Crosslinking: Evidence for the influence of XLPE morphology on treeing probability, 204
Crosslinking: Improved mechanical behaviour in ultra high modulus polyethylenes by controlled ————, 298
Crosslinking: Radiation effects on high-impact polystyrene, 334
Cross-termination: On the relative importance of cross- and homo-termination in radical copolymerization, 240
Crown ethers: Cation transport through liquid membranes mediated by photoreactive ————, 254
Crystal structure: The β-structure of nylon-6 determined by reflection high energy electron diffraction, 27
Crystalline lammellae: Proton n.m.r. spin-lattice relaxation in the rotating frame and the thickness of the ———— in some polyethylenes, 303
Crystallinity: Viscoelastic properties of poly(vinyl chloride) influence of ————, 36
Crystallinity: Study of dynamics in poly(*p*-phenylene sulphide) by pulsed ^1H nuclear magnetic resonance, 369
Crystallization: Growth rate of polymer crystals, 47

Crystallization: Response to 'Comments on Crist *et al.*'s paper on chain dimensions of crystallizable polymers, an alternative interpretation of the experimental data', 136
Crystallization: The importance of twin morphology for theories of ———— of polymers, 196
Crystallization: Impact strength–d.s.c. correlation in mineral-filled polypropylene, 226
Crystals: Growth rate of polymer ————, 47
Crystals: Wide-angle neutron scattering from isotactic polystyrene: the fold arrangement in solution grown ————, 290
Cycloakyl rings: Calculations to substantiate possible origins of some low temperature relaxation processes in comb branch polymers with pendant ————, 66
2-Cyano-2-propylazoformamide: N.m.r. study of end-groups in polymers and copolymers of methyl methacrylate and styrene, prepared using ———— as initiator, 260

Deformation: The role of melt-recrystallization mechanism in ———— of crystalline polymers, 76
Deformation: Crazing beneath notches in ductile glassy polymers: A materials correlation, 357
Deformation behaviour: of styrene–butadiene block copolymers, 178
Degradation: Scission of macromolecules in dilute solution: Extensional and turbulent flows, 144
Degradation: Radiation effects on high-impact polystyrene, 334
Derivation: Use of polymer ———— in gel permeation chromatography, 71
DiDiacrylates: The effects of volume relaxation and thermal mobilization of trapped radicals on the final conversion of photopolymerized ————, 322
Diacrylates: Inhomogeneity during the photopolymerization of ———— d.s.c. experiments and percolation theory, 354
Dicarboxyamides: The Mannich bases in polymer synthesis: 9. Sulphur containing polymers by polycondensation reaction of bis Mannich bases of ———— with 1,3-dimercaptobenzene, 28
Dielectric: and Kerr effect studies on stereoregular poly(*N*-vinylcarbazole), 173
Dielectric properties: Structure–property relations in cellulose I fibres: 1. ————, 382
Differential scanning: Studies on synthesis and permeabilities of special polymer membranes: 57. Permeability of solute through polymer membranes and state of water in their membranes, 30
Differential scanning calorimetry: The influence of temperature on the template polymerization of methacrylic acid in the presence of poly(vinylpyrrolidone). A ———— investigation, 105
Differential scanning calorimetry: Impact strength ———— correlation in mineral-filled polypropylene, 226
Differential scanning calorimetry: The effects of volume relaxation and thermal mobilization of trapped radicals on the final conversion of photopolymerized diacrylates, 322
Differential scanning calorimetry: Inhomogeneity during the photopolymerization of diacrylates ———— experiments and percolation theory, 354
Diffusion: of poly(ethylene oxide) in water, 154
Diffusion coefficient: Studies on synthesis and permeabilities of special polymer membranes: 57. Permeability of solute through polymer membranes and state of water in their membranes, 30
Diffusion coefficients: Studies of cyclic and linear poly(dimethylsiloxanes): 15. ———— from network sorption measurements, 218
1,3-Dimercaptobenzene: The Mannich bases in polymer synthesis: 9. Sulphur containing polymers by polycondensation reaction of bis Mannich bases of dicarboxyamides with ————, 281
Dimethylsiloxane oligomer: Hypersonic dispersion properties in networks of an end-linked ————, 59
Disorder: Chromism of a polydiacetylene with weakly interacting sidegroups, 242
Dispersion properties: Hypersonic ———— in networks of an end-linked dimethylsiloxane oligomer, 59
Doping: Highly conducting poly(*p*-phenylene vinylene) prepared from a sulphonium salt, 327
Ductile glassy polymers: Maximum strains for craze initiation in ————, 130
Durham route: The production of oriented, crystalline poly(acetylene) by the ————, 98
Dynamic mechanical measurements: Determination of the physical stress relaxation response of poly(dimethylsiloxane) (PDMS) and Vitron E60C elastomers from ————, 73
Dynamics: Hydrodynamic interactions and the ———— of polymer solutions, 133
Dynamics: Study of ———— in poly(*p*-phenylene sulphide) by pulsed ^{1}H nuclear magnetic resonance, 369

Elastomer: The determination of $d\ln \bar{r_0^2}/dT$ by the method of temperature induced creep, 213
Elastomeric properties: The effect of crosslink functionality on the ———— of bimodal networks, 347
Electric dipole moments: Dielectric and Kerr effect studies on stereoregular poly(*N*-vinylcarbazole), 173
Electrical conductivity: The synthesis and properties of poly(1,7-7H-heptafluoromethylenecyclohexenylene), a fluorinated conjugated polymer, 231
Electrical conductivity: Electrical properties and stability of HCl-doped polyacetylene, 315
Electrical properties: and stability of HCl-doped polyacetylene, 315
Electroconductivity: Highly conducting poly(*p*-phenylene vinylene) prepared from a sulphinium salt, 327
Electrodes: Functional metal–porphyrazine derivatives and their polymers: 13. Secondary cells using metal–phthalocyanine bound to poly(2-vinylpyridine-co-styrene) as positive ————, 284
Electron diffraction: The β-structure of nylon-6 determined by reflection high energy ————, 27
Electron diffraction: Single-fibre polyacetylene ————, 201
Electron diffraction: Hexatic phase in poly(bistrifluoroethoxyphosphazene), (PBFP), thin films, 273
Electron diffraction crystallinity: The production of oriented, crystallinity poly(acetylene) by the Durham route, 98
Electron microscopy: Structure of poly(triazine urethane)–polybutadiene block copolymers, 229
Electron microscopy: Hexatic phase in poly(bistrifluoroethoxyphosphazene), (PBFP), thin films, 273
Electron paramagnetic resonance spectroscopy: Radicals in the polymerization system of valeraldehyde and methyl–acrylate, 308
Electron spectroscopy for chemical applications: Surface aspects of metal complexed polymeric Schiff bases as studied by means of ————, 5
Electron spin resonance: Study of crosslinked i-polypropylene by spin probe methods, 112
Electron transfer: Emission decay kinetics of photoexcited $Ru(phen)_3^{2+}$ in poly(vinylsulphate) solution, 138
Emission decay: kinetics of photoexcited $Ru(phen)_3^{2+}$ in poly(vinylsulphate) solution, 138
Emission quenching: Emission decay kinetics of photoexcited $Ru(phen)_3^{2+}$ in poly(vinylsulphate) solution, 138
Energy calculations: Helical conformations of isotactic poly(methyl methacrylate). Energies computed with bond angle relaxation, 258
Energy transfer: Fluorescence polarization in polystyrene, 366
Epoxy composites: On processing–property relationships in graphite ————, 271
Equation-of-state theory: The ———— of mixtures and the polymer solvent interaction parameter, 132
Ester degradation: Thermal degradation of polyesteramide 6NT6, 190
Esterification: A reappraisal of the catalytic effects of tin(IV) compounds on transesterification and ———— reactions, 187
Ethylene: Copolymerization of ———— and propylene with the catalytic system of $TiCl_4$ and MgR_2, 171
Ethylene: The determination of ———— units in ethylene–propylene systems, 250
Exchange reaction: The Mannich bases in polymer synthesis: 6. Sulphur-containing polymers by ———— between 2,6-bis (dimethylaminomethyl)-4-methylphenol and dithiols, 115
Excimer: Anionic polymerization of acenaphthylene: Identification of impurity species formed as by products, 108
Excimer: Fluorescence polarization in polystyrene, 366
Excimer formation: Effect of pressure on intramolecular ———— of polystyrene in solution, 166
Extension ratios: of polymer molecules, 294
Extensional flows: Scission of macromolecules in dilute solution: Extensional and turbulent flows, 144
Extraction: Inhomogeneity during the photopolymerization of diacrylates d.s.c. experiments and percolation theory, 354

Fatigue cycling: Improved mechanical behaviour in ultra high modulus polyethylenes by controlled crosslinking, 298
Fibre failure: A simple kinetic approach to ————, 246
Fibre orientation: Temperature dependence of the tear strength of short silk fibre reinforced rubber ————, 345
Flavins: Polymer-bound ————: 4. Application of flavin-containing polyelectrolyte absorbed on macroporous silica beads in a reactive column, 342

Fluorescence: Anionic polymerization of acenaphthylene: Indentification of impurity species formed as by-products, 108
Fluorescence: polarization in polystyrene, 366
Fold arrangement: Wide-angle neutron scattering from isotactic polystyrene: the ———— in solution grown crystals, 290
Fourier self-deconvolution of mixed crystal polyethylene infra-red spectra, 162
Fracture toughness: of carbon black/acrylic composite, 10
Freezing: State of water in highly elastic poly(vinyl alcohol hydrogels prepared by repeated ———— and melting, 313
Furan: Copolymers of acrylonitrile with ———— methyl furan and dimethyl furan, 300

Gel content: Computer aided calculation of crosslinking efficiency, 169
Gel films: Ultra-drawing of high molecular weight polypropylene, 39
Gel permeation chromatography: of cationic polymer on cationic porous silica gels, 55
Gel permeation chromatography: Use of polymer derivatization in ————, 71
Gel permeation chromatography: The determination of the molecular weight of poly(ethyl-2-cyanoacrylate) adhesive, 318
Gels: Turbulent boundary layer treatment for reacting polymer jets, 34
Glass transition temperatures: of acrylic polymers and copolymers containing phenyl side groups, 373
Glassy polymers: Crazing beneath notches in ductile ————: A materials correlation, 357
Graphite: On processing–property relationships in ———— epoxy composites, 271
Growth rate: of polymer crystals, 47
Growth regimes: The importance of twin morphology for theories of crystallization of polymers, 196

Helical model: Conformational analyses of poly(methylene disulphide), 251
Hexachlorocyclotriphosphazene: The solution polymerization reaction of ———— by sulphur compounds, 93
Hexatic phase: in poly(bistrifluoroethoxyphosphazene), (PBFP), thin films, 273
Homotermination: On the relative importance of cross- and ———— in radical copolymerization, 240
Hydrocarbon medium: Reactions of unsaturated trialkoxysilane in a ———— in the presence of aluminium hydroxide, 126
Hydrodynamic interactions: and the dynamics of polymer solutions, 133
Hydrogels: State of water in highly elastic poly(vinyl alcohol) ———— prepared by repeated freezing and melting, 313
Hydrogenation: The heterogeneous ———— polyisoprene, 206
Hypersonic relaxation: Hypersonic dispersion properties in networks of an end-linked dimethylsiloxane oligomer, 59

Identification: Anionic polymerization of acenaphthylene: ———— of impurity species formed as by-products, 108
Immobilization: Polymer-bound flavins: 4. Application of flavin-containing polyelectrolyte absorbed on macroporous silica beads in a reactive column, 342
Impact strength: –d.s.c. correlation in mineral-filled polypropylene, 226
Impact strength: Preparation of polypropylene natural rubber blends having high impact strength at low temperatures, 325
Infra-red emission: The measurement of ———— and spectral emittance of thin polymer films, 15
Infra-red spectra: Fourier self-deconvolution of mixed crystal polyethylene ————, 162
Infra-red spectroscopy: Conformational changes of trioxane–dioxolane copolymer induced by pressure and mechanical treatment, 80
Inhomogeneity: during the photopolymerization of diacrylates d.s.c. experiments and percolation theory, 354
Initiator: N.m.r. study of end-groups in polymers and copolymers of methyl methacrylate and styrene, prepared using 2-cyano-2-propylazoformamide as ————, 260
Injection moulding: Localized flow-induced morphological features in fibre reinforced thermoplastics, 361
Interaction: Reactions of unsaturated trialkoxysilane in a hydrocarbon medium in the presence of aluminium hydroxide, 126
Interaction parameter: The ———— χ^0 and its concentration dependence, 21
Interaction parameter: The equation-of-state theory of mixtures and the polymer–solvent ————, 132
Inverse gas chromatography: Correlation of organic solubility in poly(vinyl acetate), 262
[Isopropyl tri(dioctylpyrophosphato) titanate]: Titanate coupling agent ———— as a retarder in natural rubber vulcanization, 49

Kevlar: Laser light scattering characterization of rod-like polymers in corrosive solvents: ———— in concentrated sulphuric acid, 211
Kevlar: A simple kinetic approach to fibre failure, 246
Kerr effect: Dielectric and ———— studies on stereoregular poly(n-vinylcarbazole), 173
Kinetic: A simple ———— approach to fibre failure, 246
Kinetics: Growth rate of polymer crystals, 47
Kinetics: Emission decay ———— of photoexcited $Ru(phen)_3^{2+}$ in poly(vinylsulphate) solution, 138
Kinetics: Study on the polycondensation ———— of nylon-4,6 salt, 194
Kuhn chain segment: Extension ratios of polymer molecules, 294

Laser light scattering: characterization of rod-like polymers in corrosive solvents: Kevlar in concentrated sulphuric acid, 211
Laser low-angle light scattering: Gel permeation chromatography of cationic polymer on cationic porous silica gels, 55
Lattice model theory: The interaction parameter χ^0 and its concentration dependence, 21
Light scattering: Studies on the structure of poly(vinyl chloride)/poly(acrylonitrile-co-butadiene) blends, 148
Light scattering: Diffusion of poly(ethylene oxide) in water, 154
Light stabilizers: Thermal and photochemical behaviour of structurally related hindered piperdine ———— in polyolefins, 235
Linear polymers: Effect of polydispersity on scattering functions of ———— at intermediate momentum transfer, 350
Lithium: and sodium initiated transition polymerization of acrylamide, 363

Mannich bases: The ———— in polymer synthesis: 6. Sulphur-containing polymers by exchange reaction between 2,6-bis(dimethylaminothyl)-4-methylphenol and dithiols, 115
Mannich bases: The ———— in polymer synthesis: 7. Poly(*N*-amino methylenamides) by polycondensation reaction of bis Mannich bases of dicarboxyamides with bis secondary amines, 119
Mannich bases: The ———— in polymer synthesis: 9. Sulphur containing polymers by polycondensation reaction of bis Mannich bases of dicarboxyamides with 1,3,-dimercaptobenzene, 281
Markov statistics: Characterization of 1-octene copolymers by ^{13}C n.m.r., 99
Materials correlation: Crazing beneath notches in ductile glassy polymers: A ————, 357
Mechanical behaviour: Improved ———— in ultra high modulus polyethylenes by controlled crosslinking, 298
Mechanical treatment: Conformational changes of trioxane–dioxolane copolymer induced by pressure and ————, 80
Melting: State of water in highly elastic poly(vinyl aocohol) hydrogels prepared by repeated freezing and ————, 313
Melt-recrystallization: The role of ———— mechanism in deformation of crystalline polymers, 76
Membranes: Cation transport through liquid membranes mediated by photoreactive crown ethers, 254
Metal complexes: Complexation of poly(*N*-vinylpyrrolidone) and *N*-vinylpyrrolidone copolymers with cupric(II) ions in aqueous solution, 220
Metal complexes: Surface aspects of the metal selectivity in polymeric Schiff bases as studied by e.s.c.a., 275
Metal–phthalocyanine: Functional metal–porphyrazine derivatives and their polymers: 13. Secondary cells using ———— bound to poly(2-vinylpyridine-co-styrene) as positive electrodes, 284
Metal selectivity: Surface aspects of the ———— in polymeric Schiff bases as studied by e.s.c.a., 275
Methacrylic acid: The influence of temperature on the template polymerization of ———— in the presence of poly(vinylpyrrolidone). A d.s.c. investigation, 105
Methyl–acrylate: Radicals in the polymerization system of valeraldehyde and ————, 308
Methyl α-benzylacrylate: Radical copolymerization of acrylic monomers: 7. High conversion polymerization of methyl methacrylate in the presence of low concentrations of ————, 309
Methyl methacrylate: On the relative importance of cross- and homo-termination in radical copolymerization, 240
Methyl methacrylate: N.m.r. study of end-groups in polymers and copolymers of ———— and styrene, prepared using 2-cyano-2-propylazoformamide as initiator, 260

Methyl methacrylate: Radical copolymerization of acrylic monomers: 7. High conversion polymerization of ———— in the presence of low concentrations of methyl α-benzylacrylate, 309
Meuller matrix approach: An improved highly sensitive instrument for measuring optical birefringence, 378
Microphase separation: The effect of polydispersity on the ———— of a block copolymer system, 265
Microstructural effects: Glass transition temperatures of acrylic polymers and copolymers containing phenyl side groups, 373
Microstructure: Stability of sodium acrylate–acrylamide copolymers in aqueous solutions in presence of Ca^{2+} influence of the ————, 208
Mineral: Impact strength–d.s.c. correlation in ————filled polypropylene, 226
Modulation: An improved highly sensitive instrument for measuring optical birefringence, 378
Molecular mechanics: Calculations to substantiate possible origins of some low temperature relaxation processes in comb branch polymers with pendant cycloalkyl rings, 66
Molecular weight: The determination of the ———— of poly(ethyl-2-cyanoacrylate) adhesive, 318
Molecular weight dependence: On the ———— of the magnetic birefringence of polystyrene sulphonate at low ionic strength, 147
Momentum transfer: Effect of polydispersity on scattering functions fo linear polymers at intermediate ————, 350
Morphological features: Localized flow induced ———— in fibre reinforced thermoplastics, 361
Morphology: The role of melt-recrystallization mechanism in deformation of crystalline polymers, 76
Morphology: The importance of twin ———— for theories of crystallization of polymers, 196
Morphology: Evidence for the influence of XLPE ———— on treeing probability, 204

Network: Studies of cyclic and linear poly(dimethylsiloxanes): 15. Diffusion coefficients from ———— sorption measurements, 218
Networks: Hypersonic dispersion properties in ———— of an end-linked dimethylsiloxane oligomer, 59
Networks: The effect of crosslink functionality on the elastomeric properties of bimodal ————, 347
Neutron scattering: Hydrodynamic interactions and the dynamics of polymer solutions, 133
Neutron scattering: Response to 'Comments on Crist *et al.*'s paper on chain dimensions of crystallizable polymers, an alternative interpretation of the experimental data', 136
Neutron scattering: The effect of polydispersity on the microphase separation of a block copolymer system, 265
Notches: Crazing beneath ———— in ductile glassy polymers: A materials correlation, 357
Nuclear magnetic resonance: Characterization of 1-octene copolymers by ^{13}C n.m.r., 99
Nuclear magnetic resonance: Study of endgroups in polymers and copolymers of methyl methacrylate and styrene, prepared using 2-cyano-2-propylazoformamide as initiator, 260
Nuclear magnetic resonance: A note on the use of $Zn(C_2H_5)_2/CoCl_2$–pyridine as a catalyst for the stereospecific polymerization of *N*-vinylcarbazole, 286
Nuclear magnetic resonance: Proton ———— spin-lattice relaxation in the rotating frame and the thickness of the crystalline lamellae in some polyethylenes, 303
Nuclear magnetic resonance: Study of dynamics in poly(*p*-phenylene sulphide) by pulsed ^1H ————, 369
Nucleation: Growth rate of polymer crystals, 47
Nucleation: The importance of twin morphology for theories of crystallization of polymers, 196
Nucleation: Impact strength–d.s.c. correlation in mineral-filled polypropylene, 226
Nylon-6: The β-structure of ———— determined by reflection high energy electron diffraction, 27
Nylon-4,6 salt: Study on the polycondensation kinetics of ————, 194

Optical activity: Induced ———— of acridine orange bonded to optically active poly(methacrylic acid) by radical polymerization in the presence of chitosan, 24
Optical microscopy: Optical microscopic study on the phase separation of impact-modified PP blends and PP block copolymers, 122
Optical polarizability: Dielectric and Kerr effect studies on stereoregular poly(*N*-vinylcarbazole), 173
Organic solubility: Correlation of ———— in poly(vinyl acetate), 262
Orientation: Highly conducting poly(*p*-phenylene vinylene) prepared from a sulphonium salt, 327
Orthorhombic density: The structure of crystalline PEEK, 175
Oxidation: The influence of a catalyst on the synthesis of poly(*p*-phenylene sulphide) from thiophenol and thionyl chloride, 53
Oxidation: Radiation effects on high-impact polystyrene, 334
Oxidation: Polymer-bound flavins: 4. Application of flavin-containing polyelectrolyte absorbed on macroporous silica beads in a reactive column, 342
Oxidative stability: The synthesis and properties of poly(1,7-7H-heptafluoromethylenecyclohexenylene) a fluorinated conjugated polymers, 231

Palladium catalyst: The heterogeneous hydrogenation of polyisoprene, 206
Percolation theory: Inhomogeneity during the photopolymerization of diacrylates d.s.c. experiments and ————, 354
Permeability: Studies on synthesis and permeabilities of special polymer membranes: 57. ———— of solute through polymer membranes and state of water in their membranes, 30
Peroxydisulphate-thioglycollic acid: Polymerization of acrylonitrile initiated by ———— redox sysyem, 179
Phase separation: Viscosity changes during urethane polymerization with ————, 82
Phase separation: Optical microscopic study on the ———— of impact-modified PP blends and PP block copolymers, 122
M-phenylenebismaleimide: Preparation of polypropylene natural rubber blends having high impact strength at low temperatures, 325
Photochemical behaviour: Thermal and ———— of structurally related hindered piperidine light stabilizers in polyolefins, 235
Photodimerization: Cation transport through liquid membranes mediated by photoreactive crown ethers, 254
Photoexcitation: Emission decay kinetics of photoexcited $Ru(phen)_3^{2+}$ in poly(vinylsulphate) solution, 138
Photoisomerization: Cation transport through liquid membranes mediated by photoreactive crown ethers, 254
Photopolymerization: Inhomogeneity during the ———— of diacrylates d.s.c. experiments and percolation theory, 354
Photostabilization: by hindered amines: The role of transition metal complexation, 44
Physical ageing: Sequential relaxation as the mechanism of ———— in amorphous polymers, 2
Physical properties: Regenerated cellulose membranes from solutions in aqueous copper (II)/1,3-diaminopropane and the dependence of ———— on regenerating conditions, 88
Piperidine: Thermal and photochemical behaviour of structurally related hindered ————light stabilizers in polyolefins, 235
Plastic composite: Fracture toughness of carbon black/acrylic composite, 10
Plasticity: Crazing beneath notches in ductile glassy polymers: A materials correlation, 357
Polarization: Fluorescence ———— in polystyrene, 366
Polarization: An improved highly sensitive instrument for measuring optical birefringence, 378
Poly(acetylene): The production of oriented, crystalline ———— by the Durham route, 98
Poly(acetylene): Single-fibre ————, 196
Polyacetylene: Electrical properties and stability of HCl-doped ————, 315
Polyacrylamide: Stability of sodium acrylate–acrylamide copolymers in aqueous solutions in presence of Ca^{2+} influence of the microstructure, 208
Poly(acrylic acid): Use of polymer derivatization in gel permeation chromatography, 71
Poly(acrylonitrile-co-butadiene): Studies on the structure of poly(vinyl chloride)/———— blends, 148
Poly(-β-alanine): Lithium and sodium initiated transition polymerization of acrylamide, 363
Polyamidation: Study on the polycondensation kinetics of nylon-4,6 salt, 194
Polyamide: Synthesis of ———— graft copolymers using poly(2-hydroxyethyl methacrylate) macromonomers, 278
Poly(amide-imides): Synthesis and characterization of ———— from 3,4-dicarboxy-4'-chloroformylbiphenyl anhydride with aliphatic diamines, 223

Poly(*N*-amino methylenamides): The Mannich bases in polymer synthesis: 7. ——— by polycondensation reaction of bis Mannich bases of dicarboxyamides with bis secondary amines, 119
Poly(aryl-ether-ether-ketone): The structure of crystalline ———, 175
Poly(acryl-ether-ketone): The radiation effect on non-crystalline ——— as revealed by X-ray diffraction and thermal analysis, 238
Poly(bistrifluoroethoxyphosphazene): Hexatic phase in ———, (PBFP), thin films, 273
Polybutadiene: Structure of poly(triazine urethane)——— block copolymers, 229
Poly(butyleneterephthalate): A reappraisal of the catalytic effects of tin(IV) compounds on transesterification and esterification reactions, 187
Polycondensation: The Mannich bases in polymer synthesis: 6. Sulphur-containing polymers by exchange reaction between 2,6-bis(dimethylamino-methyl)-4-methylphenol and dithiols, 115
Polycondensation: The Mannich bases in polymer synthesis: 7. Poly(*N*-amino methylenamides) by ——— reaction of bis Mannich bases of dicarboxyamides with bis secondary amines, 119
Polycondensation: Study on the ——— kinetics of nylon-4,6 salt, 194
Polycondensation: Synthesis of polyamide graft copolymers using poly(2-hydroxyethyl methacrylate) macronomers, 278
Polycondensation: The Mannich in polymer synthesis: 9. Sulphur containing polymers by ——— reaction of bis Mannich bases of dicarboxyamides with 1,3-dimercaptobenzene, 281
Polydiacetylene: Chromism of a ——— with weakly interacting sidegroups, 242
Polydispersity: The effect of ——— on the microphase separation of ablock copolymer system, 265
Poly(dichlorophosphazene): The solution polymerization reaction of hexachorocyclotriphosphazene by sulphur compounds, 93
Poly(dimethyl siloxane): Determination of the physical stress relaxation of ——— (PDMS) and Vitron E60C elastomers from dynamic mechanical measurements, 73
Poly(dimethylsiloxanes): Studies of cyclic and linear ———: 15. Diffusion coefficients from network sorption measurements, 218
Polydispersity: Effect of ——— on scattering functions of linear polymers at intermediate momentum transfer, 350
Polyelectrolytes: Polymer heat engines: 1. Study of poly(vinylamine) and some of its derivatives as potential working substances in heat engines, 18
Polyelectrolytes: On the molecular weight dependence of the magnetic birefringence of polystyrene sulphonate at low ionic strength, 147
Polyelectrolyte: Polymer-bound flavins: 4. Application of flavin-containing ——— absorbed on macroporous silica beads in a reactive column, 342
Polyesteramide 6NT6: Thermal degradation of ———, 190
Poly(etheretherketone): On the structure of ——— (PEEK), 306
Poly(ethyl-2-cyanoacrylate): The determination of the molecular weight of ——— adhesive, 318
Polyethylene: Fourier self-deconvolution of mixed crystal ——— infra-red spectra, 162
Polyethylene: Computer aided calculation of crosslinking efficiency, 169
Polyethylene: The importance of twin morphology for theories of crystallization of polymers, 196
Polyethylene: Evidence for the influence of XLPE morphology on treeing probability, 204
Polyethylene: Thermal and photochemical behaviour of structurally related hindered piperdine light stabilizers in polyolefins, 235
Polyethylenes: The Raman spectra of some branched ———, 182
Polyethylenes: Improved mechanical behaviour in ultra high modulus ——— by controlled crosslinking, 298
Polyethylenes: Proton n.m.r. spin-lattice relaxation in the rotating frame and the thickness of the crystalline lamellae in some ———, 303
Poly(ethylene-co-1-octene): Characterization of 1-octene copolymers by ^{13}C n.m.r., 99
Poly(ethylene oxide): Diffusion of ——— in water, 154
Poly(ethylene terephthalate): The measurement of infra-red emission and spectral emittance of thin polymer films, 15
Poly(1,7-7H-heptafluoromethylenecyclohexenylene): The synthesis and properties of ———, a fluorinated conjugated polymer, 231
Poly(2-hydroxyethyl methacrylate): Synthesis of polyamide graft copolymers using ——— macromonomers, 278
Polyisoprene: Temperature dependence of the self diffusion coefficient of ——— in the bulk state, 141
Polyisoprene: The heterogeneous hydrogenation of ———, 206
Polymeric fibres: The role of melt-recrystallization mechanism in deformation of crystalline polymers, 76
Polymer films: The measurement of infra-red emission and spectral emittance of thin ———, 15
Polymer films: The contact angle of water on ———, 269
Polymer heat engines: 1. Study of poly(vinylamine) and some of its derivatives as potential working substances in heat engines, 18
Polymer jets: Turbulent boundary layer treatment for reacting ———, 34
Polymer membranes: Studies on synthesis and permeabilities of special ———: 57. Permeability of solute through polymer membranes and state of water in their membranes, 30
Polymer molecules: Extension ratios of ———, 294
Polymerization: Induced optical activity of acridine orange bonded to optically active poly(methacrylic acid) by radical ——— in the presence of chitosan, 24
Polymerization: Viscosity changes during urethane ——— with phase separation, 82
Polymerization: The solution ——— reaction of hexachlorocyclotriphosphazene by sulphur compounds, 93
Polymerization: The influence of temperature on the template ——— of methacrylic acid in the presence of poly(vinylpyrrolidone). A d.s.c. investigation, 105
Polymerization: Anionic ——— of acenaphthylene: Indentification of impurity species formed as by-products, 108
Polymerization: of acrylonitrile initiated by peroxydisulphate–thioglycollic acid redox system, 179
Polymerization: Anionic ——— of vinyl monomers under high pressure, 268
Polymerization: A note on the use of $Zn(C_2H_5)_2/CoCl_2$–pyridine as a catalyst for the stereospecific ——— of *N*-vinylcarbazole, 286
Polymerization: Radicals in the ——— system of valeraldehyde and methyl–acrylate, 308
Polymerization: Radical copolymerization of acrylic monomers: 7. High conversion ——— of methyl methacrylate in the presence of low concentrations of methyl α-benzylacrylate, 309
Polymerization: The effects of volume relaxation and thermal mobilization of trapped radicals on the final conversion of photopolymerized diacrylates, 322
Polymerization: Synthesis and ——— of acylated α-acetoxy-4-hydroxy styrenes, 337
Polymerization: Lithium and sodium initiated transition ——— of acrylamide, 363
Poly(methacrylic acid): Induced optical activity of acridine orange bonded to optically active ——— by radical polymerization in the presence of chitosan, 24
Poly(methylene disulphide): Conformational analyses of ———, 251
Poly(methylmethacrylate): Refractive index increments of ——— at 633 nm, 158
Poly(methylmethacrylate): Helical conformations of isotactic ———. Energies computed with bond angle relaxation, 258
Poly(methylmethacrylate): Water uptake and volumetric changes in ———, 331
Polymorphism: The β-structure of nylon-6 determined by reflection high energy electron diffraction, 27
Polyolefins: Thermal and photochemical behaviour of structurally related hindered piperdine light stabilizers in ———, 235
Polyoxymethylene: Conformational changes of trioxane–dioxolane copolymer induced by pressure and mechanical treatment, 80
Poly(*p*-phenylene oxide): On the structure of poly(etheretherketone) (PEEK), 306
Poly(*p*-phenylene sulphide): The influence of a catalyst on the synthesis of ——— from thiophenol and thionyl chloride, 53
Poly(*p*-phenylene sulphide): Study of dynamics in ——— by pulsed ^1H nuclear magnetic resonance, 369
Poly(*p*-phenylene vinylene): Highly conducting ——— prepared from a sulphonium salt, 327
Poly(polymethylene dietlluride)s: Syntheses of aliphatic tellurium polymers: poly(polymethylene telluride)s and ———, 329
Poly(polymethylene telluride)s: Syntheses of aliphatic tellurium polymers: ——— and poly(polymethylene dietlluride)s, 329
Polypropylene: Ultra-drawing of high molecular weight ———, 39
i-Polypropylene: Study of crosslinked ——— by spin probe methods, 112
Polypropylene: Optical microscopic study on the phase separation of impact-modified PP blends and PP block copolymers, 122
Polypropylene: Impact strength–d.s.c. correlation in mineral-filled polypropylene, 226

Polypropylene: Mechanisms of antioxidant action: the effect of nitroxyl-substituted xanthates in the stabilization of ————, 233
Polypropylene: Thermal and photochemical behaviour of structurally related hindered piperdine light stabilizers in polyolefins, 235
Polypropylene: The determination of ethylene units in ethylene–propylene systems, 250
Polypropylene: Preparation of ———— natural rubber blends having high impact strength at low temperatures, 325
Polypropylene: Localized flow-induced morphological features in fibre reinforced thermoplastics, 361
Poly(propylene-co-1-octene): Characterization of 1-octene copolymers by ^{13}C n.m.r., 99
Polystyrene: Staining of melt crystallized isotactic ———— by RuO_4, 68
Polystyrene: Scission of macromolecules in dilute solution: Extensional and turbulent flows, 144
Polystyrene: Effect of pressure on intramolecular excimer formation of ———— in solution, 166
Polystyrene: Wide-angle neutron scattering from isotactic ————: the fold arrangement in solution grown crystals, 290
Polystyrene: Radiation effects on high-impact ————, 334
Polystyrene: Synthesis and polymerization of acylated α-acetoxy-4-hydroxy styrenes, 337
Polystyrene: Fluorescence polarization in ————, 366
Polystyrene sulphonate: On the molecular weight dependence of the magnetic birefringence of ———— at low ionic strength, 147
Polysulphone phthalonitriles: Synthesis of ————, 42
Poly(tetramethylene adipamide): Study on the polycondensation kinetics of nylon-4,6 salt, 194
Poly(thioarylene): The influence of a catalyst on the synthesis of poly(*p*-phenylene sulphide) from thiophenol and thionyl chloride, 53
Poly(triazine urethane): Structure of ————polybutadiene block copolymers, 229
Poly(vinyl acetate): Correlation of organic solubility in ————, 262
Poly(vinyl alcohol): State of water in highly elastic ———— hydrogels prepared by repeated freezing and melting, 313
Poly(vinylamine): Polymer heat engines: 1. Study of ———— and some of its derivatives as potential working substances in heat engines, 18
Poly(n-vinylcarbazole): Dielectric and Kerr effect studies on stereoregular ————, 173
Poly(*N*-vinylcarbazole): A note on the use of $Zn(C_2H_5)_2/CoCl_2$–pyridine as a catalyst for the stereospecific polymerization of *N*-vinylcarbazole, 286
Poly(vinyl chloride): Viscoelastic properties of ———— influence of crystallinity, 36
Poly(vinyl chloride): Studies on the structure of ————/poly(acrylonitrile-co-butadiene) blends, 148
Poly(vinyl chloride): The origin of the band at 450 nm in the ultra violet/visible adsorption spectrum of degraded ————, 185
Poly(vinylene sulphide): Synthesis of, 79
Poly(2-vinylpyridine-co-styrene): Functional metal–porphyrazine derivatives and their polymers: 13 Secondary cells using metal–phthalocyanine bound to ———— as positive electrodes, 284
Poly(vinylpyrrolidone): The influence of temperature on the template polymerization of methacrylic acid in the presence of ————. A d.s.c. investigation, 105
Poly(*N*-vinylpyrrolidone): Complexation of ———— and *N*-vinylpyrrolidone copolymers with cupric(II) ions in aqueous solution, 220
Poly(vinylsulphate): Emission decay kinetics of photoexcited $Ru(phen)_3^{2+}$ in ———— solution, 138
Porphyrazine derivatives: Functional metal–———— and their polymers: 13. Secondary cells using metal–phthalocyanine bound to poly(2-vinylpyridine-co-styrene) as positive electrodes, 284
Pressure: Effect of ———— on intramolecular excimer formation of polystyrene in solution, 166
Processing: On ————property relationships in graphite epoxy composites, 271
Property: On processing ———— relationships in graphite epoxy composites, 271
Property: Structure ———— relations in cellulose 1 fibres: 1. Dielectric properties, 382
Propylene: Copolymerization of ethylene and ———— with the catalytic system of $TiCl_4$ MgR_2, 171
Propylene: The determination of ethylene units in ethylene———— systems, 250

Radiation: The ———— effect on non-crystalline poly(aryl-ether-ketone) as revealed by X-ray diffraction and thermal analysis, 238
Radiation: effects on high-impact polystyrene, 334
Radicals: in the polymerization system of valeraldehyde and methyl–acrylate, 308
Radiothermal eminescence: Studies on the structure of poly(vinyl chloride)/poly(acrylonitrile-co-butadiene) blends, 148
Raman spectra: The ———— of some branched polyethylenes, 182
Rayleigh scattering: Temperature dependence of the self diffusion coefficient of polyisoprene in the bulk state, 141
Reaction injection moulding: Viscosity changes during urethane polymerization with phase separation, 82
Redox system: Polymerization of acrylonitrile initiated by peroxydisulphate–thioglycollic acid ————, 179
Refractive index: increments of poly(methylmethacrylate) at 633 nm, 158
Regeneration: Regenerated cellulose membranes from solutions in aqueous copper(II)/1,3-diaminopropane and the dependence of physical properties on regenerating conditions, 88
Relaxation: Helical conformations of isotactic poly(methylmethacrylate). Energies computed with bond angle ————, 258
Relaxation: Proton n.m.r. spin-lattice ———— in the rotating from and the thickness of crystalline lamellae in some polyethylenes, 303
Relaxation processes: Calculations to substantiate possible origins of some low temperature ———— in comb branch polymers with pendant cycloakyl rings, 66
Retarder: Titanate coupling agent[Isopropyl tri(dioctylpyrophosphato) titanate] as a ———— in natural rubber vulcanization, 49
Rotating frame: Proton n.m.r. spin-lattice relaxation in the ———— and the thickness of the crystalline lamellae in some polyethylenes, 303
Rubber: Titanate coupling agent [Isopropyl tri(dioctylpyrophosphato) titanate] as a retarder in natural ———— vulcanization, 47
Rubber: Compounding of styrene–butadiene ———— with card-phenol in the presence of calcium carbonate, 152
Rubber: Temperature dependence of the tear strength of short silk fibre reinforced ———— composites, 345
Rubber blends: Preparation of polypropylene natural ———— having high impact strength at low temperatures, 325
Rupture: The effect of crosslink functionality on the elastomeric properties of bimodal networks, 347
Ruthenium tetraoxide: Staining of melt crystallized isotactic polystyrene by RuO_4, 68
Rutherford backscattering spectroscopy: Staining of melt crystallized isotactic polystyrene by RuO_4, 68

Scattering functions: Effect of polydispersity on ———— of linear polymers at intermediate momentum transfer, 350
Schiff bases: Surface aspects of metal complexed polymeric ———— as studied by means of e.s.c.a., 5
Schiff bases: Surface aspects of the metal selectivity in polymeric ———— as studied by e.s.c.a., 275
Scission: of macromolecules in dilute solution: Extensional and turbulent flows, 144
Second order scattering: The Raman spectra of some branched polyethylenes, 182
Self diffusion coefficient: Temperature dependence of the ———— of polyisoprene in the bulk state, 141
Sensitive instrument: An improved highly ———— for measuring optical birefringence, 378
Sequential relaxation: as the mechanism of physical ageing in amorphous polymers, 2
Shear failure: Maximum strains for craze initiation in ductile glassy polymers, 130
Shish-kebabs: Localized flow-induced morphological features in fibre reinforced thermoplastics, 361
Silica beads: Polymer-bound flavins: 4. Application of flavin-containing polyelectrolyte absorbed on macroporous ———— in a reactive column, 342
Silica gels: Gel permeation chromatography of cationic polymer on cationic porous ————, 55
Silk fibre: Temperature dependence of the tear strength of short ———— reinforced rubber composites, 345
Small-angle X-ray diffraction: Structure of poly(triazine urethane)–(polybutadiene) block copolymers, 229
Sodium: Lithium and ———— initiated transition polymerization of acrylamide, 363
Sorption measurements: Studies of cyclic and linear poly(dimethylsiloxanes): 15. Diffusion coefficients from network ————, 218
Sorption mechanism: Water uptake and volumetric changes in poly(methylmethacrylate), 331

Specific volume: Refractive index increments of poly(methylmethacrylate) at 633 nm, 158
Spectral emittance: The measurement on intra-red emission and ———— of thin polymer films, 15
Spherulites: Growth rate of polymer crystals, 47
Spin probe: Study of crosslinked i-polypropylene by ———— methods, 112
Stability: of sodium acrylate–acrylamide copolymers in aqueous solutions in the presence of Ca^{2+} influence of the microstructure, 208
Stability: Electrical properties and ———— of HCl-doped polyacetylene, 315
Stabilization: Mechanisms of antioxidant action: the effect of nitroxyl-substituted xanthates in the ———— of polypropylene, 233
Staining: of melt crystallized isotactic polystyrene by RuO_4, 68
Star shaped polymer: Response to 'Comments on Crist *et al.*'s paper on chain dimensions of crystallizable polymers, an alternative interpretation of the experimental data', 136
Storage modulus: Viscoelastic properties of poly(vinyl chloride): influence of crystallinity, 36
Stress relaxation: Determination of the physical ———— response of poly(dimethylsiloxane) (PDMS) and Vitron E60C elastomers from dynamic mechanical measurements, 73
Stress rupture: A simple kinetic approach to fibre failure, 246
Structure: Studies on the ———— of poly(vinyl chloride)/poly(acrylonitrile-co-butadiene) blends, 148
Structure: The ———— of crystalline PEEK, 175
Structure: Single-fibre poly(acetylene), 201
Structure: of poly(triazine urethane)–polybutadiene block copolymers, 229
Structure: On the ———— of poly(ether-etherketone) (PEEK), 306
Structure: property relations in cellulose 1 fibres: 1. Dielectric properties, 382
Styrene: Compounding of –butadiene rubber with card-phenol in the presence of calcium carbonate, 152
Styrene: Deformation behaviour of ———— butadiene block copolymers, 178
Styrene: On the relative importance of cross- and homo-termination in radical copolymerization, 240
Styrene: N.m.r. study of end-groups in polymers and copolymers of methyl methacrylate and ————, prepared using 2-cyano-2-propylazoformamide as initiator, 260
Sulphonium salt: Highly conducting poly(*p*-phenylene vinylene) prepared from a ————, 327
Sulphur compounds: The solution polymerization reaction of hexachlorocyclotriphosphazene by ————, 93
Surface aspects: of metal complexed polymeric Schiff bases as studied by means of e.s.c.a., 5
Surface chemistry: Surface aspects of metal complexed polymeric Schiff bases as studied by means of e.s.c.a., 5
Synchotron X-ray source: The role of melt-recrystallization mechanism in deformation of crystalline polymers, 76
Synthesis: Studies on ———— and permeabilities of special polymer membranes: 57. Permeability of solute through polymer membranes and state of water in their membranes, 30
Synthesis: of polysulphone phthalonitriles, 42
Synthesis: The influence of a catalyst on the ———— of poly(*p*-phenylene sulphide) from thiophenol and thionyl chloride, 53
Synthesis: of poly(vinylene sulphide), 79
Synthesis: The Mannich bases in polymer ———— 6. Sulphur-containing polymers by exchange reaction between 2,6-bis(dimethylaminomethyl)-4-methylphenol and dithiols, 115
Synthesis: The Mannich bases in polymer ———— 7. Poly(*N*-amino methyl-enamides) by polycondensation reaction of bis Mannich bases of dicarboxyamides with bis secondary amines, 119
Synthesis: and characterization of poly(amide-imides) from 3,4-dicarboxy-4'-chloroformylbiphenylanhydride with aliphatic diamines, 223
Synthesis: The ———— and properties of poly(1,7-7H-heptafluoromethylenecyclohexenylene), a fluorinated conjugated polymer, 231
Synthesis: of polyamide graft copolymers using poly(2-hydroxyethyl methacrylate) macromoners, 278
Synthesis: The Mannich bases in polymer ————: 9. Sulphur containing polymers by polycondensation reaction of bis Mannich bases of dicarboxyamides with 1,3-dimercaptobenzene, 281
Synthesis: Syntheses of aliphatic tellurium polymers: poly(polymethylene telluride)s and poly(polymethylene ditelluride)s, 329
Synthesis: and polymerization of acylated α-acetoxy-4-hydroxy styrenes, 337

Tear strength: Temperature dependence of the ———— of short silk fibre reinforced rubber composites, 345
Tellurium polymers: Syntheses of aliphatic ————: poly(polymethylene telluride)s and poly(polymethylene ditelluride)s, 329
Temperature dependence: of the self diffusion coefficient of polyisoprene in the bulk state, 141
Temperature dependence: The determination of $d\ln r_0^{-2}/dT$ by the method of temperature induced creep, 213
Temperature dependence: of the tear strength of short silk fibre reinforced rubber composites, 345
Thermal analysis: Evidence for the influence of XLPE morphology on treeing probability, 204
Thermal analysis: The radiation effect on non-crystalline poly(aryl-ether-ketone) as revealed by X-ray diffraction and thermal analysis, 238
Thermal behaviour: Thermal and photochemical behaviour of structurally related hindered piperdine light stabilizers in polyolefins, 235
Thermal behaviour: Glass transition temperatures of acrylic polymers and copolymers containing phenyl side groups, 373
Thermal degradation: of polyesteramide 6NT6, 190
Thermal mobilization: The effects of volume relaxation and ———— of trapped radicals on the final conversion of photopolymerized diacrylates, 322
Thermal sampling: Sequential relaxation as the mechanisms of physical ageing in amorphous polymers, 2
Thermal stability: Synthesis and characterization of poly(amide-imides) from 3,4-dicarboxy-4'-chloroformylbiphenyl anhydride with aliphatic diamines, 223
Thermodynamics: The equation-of-state theory of mixtures and the polymer–solvent interaction parameter, 132
Thermodynamics: Correlation of organic solubility in poly(vinyl acetate), 262
Thermoelastic experiment: The determination of $d\ln r_0^{-2}/dT$ by the method of temperature induced creep, 213
Thermogravimetric analysis: Synthesis and characterization of poly(amide-imides) from 3,4-dicarboxy-4'-chloroformylbiphenyl anhydride with aliphatic diamines, 223
Thermoplastic rubber: Optical microscopic study on the phase separation of impact-modified PP blends and PP block copolymers, 122
Thermoplastics: Localized flow-induced morphological features in fibre reinforced ————, 361
Thin films: Hexatic phase in poly(bistrifluoroethoxyphosphazene), (PBFP), ————, 273
Tin(IV) compounds: A reappraisal of the catalytic effects of ———— on transesterification and esterification reactions, 187
Tinuvin 770: Photostabilization by hindered amines: The role of transition metal complexation, 44
Titane coupling agent: [Isopropyl tri(dioctylpyrophosphato) titanate] as a retarder in natural rubber vulcanization, 49
Transesterification: A reappraisal of the catalytic effects of tin(IV) compounds on ———— and esterification reactions, 187
Transition: Turbulent boundary layer treatment for reacting polymer jets, 34
Transition metal: Photostabilization by hindered amines: The role of ———— complexation, 44
Transmission electron microscopy: The production of oriented, crystalline poly(acetylene) by the Durham route, 98
Treeing probability: Evidence for the influence of XLPE morphology on ————, 204
Trialkoxysilane: Reactions of unsaturated ———— in a hydrocarbon medium in the presence of aluminium hydroxide, 126
Turbulent: boundary layer treatment for reacting polymer jets, 34
Turbulent flows: Scission of macromolecules in dilute solution: Extensional and ————, 144

Ultra-drawing: of high molecular weight polypropylene, 39
Ultra-violet: The origin of the band at 450 nm in the ————/visible absorption spectrum of degraded poly(vinyl chloride), 185
Uniaxial stress: Maximum strains for craze initiation in ductile glassy polymers, 130

Valeraldehyde: Radicals in the polymerization system of ———— and methyl–acrylate, 308
N-vinylcarbazole: A note on the use of $Zn(C_2H_5)_2/CoCl_2$–pyridine as a catalyst for the stereospecific polymerization of ————, 286
Vinyl monomers: Anionic polymerization of ———— under high pressure, 268

N-vinylpyrrolidone: Complexation of poly(*N*-vinylpyrrolidone) and ———— copolymers with cupric(II) ions in aqueous solution, 220
Viscoelastic properties: of poly(vinyl chloride): influence of crystallinity, 36
Viscosity: Turbulent boundary layer treatment for reacting polymer jets, 34
Viscosity changes during urethane polymerization with phase separation, 82
Visible absorption spectrum: The origin of the band at 450 nm in the ultra violet/———— of degraded poly(vinyl chloride), 185
Vitron E60C: Determination of the physical stress relaxation response of poly(dimethylsiloxane) (PDMS) and ———— elastomers from dynamic mechanical measurements, 73
Volume relaxation: The effects of ———— and thermal mobilization of trapped radicals on the final conversion of photopolymerized diacrylates, 322
Volumetric changes: Water uptake and ———— in poly(methylmethacrylate), 331
Vulcanization: Titanate coupling agent [Isopropyl tri(dioctylpyrophosphato)titanate] as a retarder in natural rubber ————, 49

Water: Diffusion of poly(ethylene oxide) in ————, 154
Water: The contact angle of ———— on polymer films, 269
Water: State of ———— in highly elastic poly(vinyl alcohol) hydrogels prepared by repeated freezing and melting, 313
Water uptake: and volumetric changes in poly(methylmethacrylate), 331
Wide-angle neutron scattering: from isotactic polystyrene: the fold arrangement in solution grown crystals, 290
Wide-angle X-ray scattering: Ultra-drawing of high molecular weight polypropylene, 39

Xanthates: Mechanisms of antioxidant action: the effect of nitroxyl-substituted ———— in the stabilization of polypropylene, 233
X-ray diffraction: Studies on the structure of poly(vinyl chloride)/poly(acrylonitrile-co-butadiene) blends, 148
X-ray diffraction: The radiation effect on non-crystalline poly(aryl-ether-ketone) as revealed by ———— and thermal analysis, 238
X-ray diffraction: On the structure of poly(etheretherketone) (PEEK), 306
X-ray diffraction: Study of dynamics in poly(*p*-phenylene sulphide) by pulsed ^{1}H nuclear magnetic resonance, 369
X-ray scattering for chemical analysis: Surface aspects of the metal selectivity in polymeric Schiff bases as studied by ————, 275

Yielding: Deformation behaviour of styrene–butadiene block copolymers, 178

Reprints

Reprints of all articles in this journal are available in quantities of 100 or more

Reprints are essential–

- for the company that wants to distribute impartial comment on its activities to potential customers and clients
- for the company that wants to up-date its technical staff on new techniques and new technologies
- for the company that wants to publicize its research and development work
- for the training course organizer who wants to assemble key reading material for his students
- for the university or technical college lecturer who wants to distribute the latest information on a topic under study

For full details of prices and availability of reprints, please write to

The Reprint Department
Butterworth Scientific Limited
PO Box 63 Westbury House Bury Street
Guildford Surrey GU2 5BH England